

MATERIAL SAFETY DATA SHEET

GREEN

Version Number 1.0 Revision Date 06/05/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN
Product code	:	CC10017495
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating or crosslinking and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin Chronic exposure	 Experience shows no unusual dermatitis hazard from routine handling. Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

GREEN

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

GREEN

ion Number 1.0 sion Date 06/05/2002			Print	Page 3 Date 11/4/
	a	nd contamination. Keep in a d	lry, cool place.	
8.1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally	required.
Eye/Face Protection	: S	Safety glasses with side-shields.		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and a		safety practic
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES	
Form	: Solid	l Evapo	ration rate : Not	applicable.
Appearance	: Pelle	ts Specif	ic Gravity : Not	determined
Color	: GRE		•	testablished
Odor		1		applicable
Melting point/range			2	applicable
Boiling Point:		applicable pH	: Not	applicable
Water solubility	: Insol	uble		
	10. 8	TABILITY AND REACTIV	/ITY	
	: S	table.		
Stability				
Stability Hazardous Polymerizatio		/ill not occur.		



MATERIAL SAFETY DATA SHEET

sion Number 1.0 ision Date 06/05/2002			Page / Print Date 11/4/
Incompatible Materials	: Incompatible	e with strong acids an	d oxidizing agents.
Hazardous decomposition products			noxide (CO), oxides of nitrogen and smoke are all possible.
	11. TOXICOLO	GICAL INFORMAT	TION
	en evaluated as a whole fo idual components which o		osure effects listed are based on ex
<u>Toxicity Overview</u> This product contains th	e following components	which in their pure for	rm have the following characteristi
CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9 13463-67-7	Silica, amorphous Titanium dioxide	Irritant	Eyes, Respiratory system.
13403-07-7	l itanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGI	CAL INFORMATIO	ON
Environmental Toxicity Bioaccumulation Potent Additional advice Product Contaminated packaging	of the polym ial : Chemicals a of the polym : No data avai 13. DISPOSAI : Like most th possible, rec generator of classification applicable fe g : Recycling is has the respo	her. re not readily available her. alable. L CONSIDERATIO termoplastics the pro- ycling is preferred to waste material has the n, transportation and c ederal, state/provincia preferred when possi posibility for proper w in accordance with a	e as they are bound within the matrice e as they are bound within the matrice e as they are bound within the matrice NS duct can be recycled. Where disposal or incineration. The e responsibility for proper waste disposal in accordance with l and local regulations. ble. The generator of waste materi- vaste classification, transportation pplicable federal, state/provincial
	14. TRANSPO	ORT INFORMATIO	N
U.S. D.O.T. / CA T.D.C Classification (Non-bull ground)		d for transportation.	
ICAO/IATA	: Not regulate	d for transportation.	



MATERIAL SAFETY DATA SHEET

CDEEN	
GREEN	

sion Date 06/05/2002	Print Date 11/4/2
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or ar exempt.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 65
Canadian Regulations:	
WHMIS Classification	n : D2B
WHMIS Ingredient Dis	sclosure List
CAS-No. 1333-86-4 7631-86-9	
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Listed.
Korea KECI	: Listed.
Philippines PICCS	: Listed.
	16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

GREEN

Version Number 1.0 Revision Date 06/05/2002 Page 6 of 6 Print Date 11/4/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.