

MATERIAL SAFETY DATA SHEET

10051915 PURE WHITE

Version Number 1.0 Revision Date 06/07/2002 Page 1 of 6 Print Date 11/4/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	10051915 PURE WHITE
Product code	:	CC10017657
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Zinc stearate	557-05-1	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

10051915 PURE WHITE

sion Date 06/07/2002	Print Date 11/4/
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature	 Not applicable Not applicable Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

10051915 PURE WHITE

Version Number 1.0 Revision Date 06/07/2002 Page 3 of 6 Print Date 11/4/2011

Keep containers dry and tightly closed to avoid moisture absorption Storage : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures : appropriate exhaust ventilation at machinery. Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3
Titanium dioxide	10 mg/m3	Time Weighted Average	Total dust.	ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
Zinc stearate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Zinc stearate	10 mg/m3	Time Weighted Average	as stearates	ACGIH
		(TWA):		

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- Solid
 Pellets
 WHITE
 Very faint
 Not determined
 Not applicable
 Insoluble
- Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH
- Not applicable.
 Not determined
 Not established
 Not applicable
 Not applicable
 Not applicable
 Not applicable

10. STABILITY AND REACTIVITY

Stability

: Stable.



MATERIAL SAFETY DATA SHEET

10051915 PURE WHITE

Version Number 1.0 Revision Date 06/07/2002		Page 4 of 6 Print Date 11/4/2011
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Che	mical Name	Route Oral LD50	Value	Species	
557-05-1	Zinc stear	Zinc stearate		> 10 gm/kg	rat	
	1	12. ECOLOGIO	CAL INFORMAT	ION		
Persistence and deg	radability :	Not readily bi	odegradable.			
Environmental Tox	icity :	Chemicals are of the polyme	e not readily availab r.	ole as they are bour	nd within the matrix	
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice : No data availab		able.				
		13. DISPOSAL	CONSIDERATIO	DNS		
Product	:	possible, recy generator of v classification,	rmoplastics the pro- cling is preferred to vaste material has t transportation and leral, state/provinci	o disposal or incine he responsibility for disposal in accord	eration. The or proper waste lance with	



MATERIAL SAFETY DATA SHEET

10051915 PURE WHITE

Contaminated packaging	has the respo	nsibility for proper wa in accordance with app	le. The generator of waste material ste classification, transportation plicable federal, state/provincial
	14. TRANSPO	RT INFORMATION	I
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated	l for transportation.	
ICAO/IATA	: Not regulated	l for transportation.	
IMO / IMDG	: Not regulated	l for transportation.	
	15. REGULAT	ORY INFORMATIO	N
US Regulations:			
OSHA Status	: Classified as	hazardous based on co	omponents.
		nts of this product are l	isted on the TSCA inventory or are
US. EPA CERCLA Hazardou	s Substances (40 CF	FR 302)	
Not applicable			
California Proposition 65	: This product	does not contain a sub	stance listed by California Prop 65.
		does not contain a sub	stance listed by California Prop 65.
65 SARA Title III Section 313 T Chemical Nam	oxic Chemicals:	CAS-No.	Weight %
65 SARA Title III Section 313 T	oxic Chemicals:		
65 SARA Title III Section 313 T Chemical Nam	oxic Chemicals:	CAS-No.	Weight %
65 SARA Title III Section 313 T Chemical Nam ZINC COMPC	oxic Chemicals: ne DUNDS	CAS-No.	Weight %
65 SARA Title III Section 313 T Chemical Nam ZINC COMPC Canadian Regulations:	oxic Chemicals: ne DUNDS n : D2B	CAS-No.	Weight %

5/6



MATERIAL SAFETY DATA SHEET

10051915 PURE WHITE

Version Number 1.0 Revision Date 06/07/2002 Page 6 of 6 Print Date 11/4/2011

DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.