

MATERIAL SAFETY DATA SHEET

## 10053557 BLUE 300C

Version Number 1.0 Revision Date 06/06/2002 Page 1 of 6 Print Date 11/4/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	10053557 BLUE 300C
Product code	:	CC10017674
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Zinc stearate	557-05-1	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure Medical Conditions	<ul><li>Refer to Section 11 for Toxicological Information.</li><li>None known.</li></ul>
Aggravated by Exposure:	



MATERIAL SAFETY DATA SHEET

# 10053557 BLUE 300C

Version Number 1.0 Revision Date 06/06/2002 Page 2 of 6 Print Date 11/4/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all case doubt, seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists s medical attention.	eek
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne</li> </ul>	ve
Unusual Fire/Explosion Hazards	contaminants. : none	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	ıot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material is plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Hea only in areas with appropriate exhaust ventilation.	ıt
Storage	: Keep containers dry and tightly closed to avoid moisture absorptio	n



MATERIAL SAFETY DATA SHEET

# 10053557 BLUE 300C

Version Number 1.0 Revision Date 06/06/2002 Page 3 of 6 Print Date 11/4/2011

-				
8. F	XPOSURE	CONTROLS / PERSON	AL PROTECTION	
Respiratory protection		To personal respiratory pro- usty conditions occur wear		
Eye/Face Protection	: S	afety glasses with side-shi	elds.	
Hand protection	: P	Protective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		Iandle in accordance with g Vash hands before breaks a		
Engineering measures		leat only in areas with appr ppropriate exhaust ventilat		n. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Zinc stearate	5 mg/m3	PEL:	Respirable fraction	. OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Zinc stearate	10 mg/m3	Time Weighted Averag (TWA):	ge as stearates	ACGIH
	9. PHYSIC	CAL AND CHEMICAL I	PROPERTIES	
Form	: Solic	i Ev	vaporation rate : N	ot applicable.
	: powe			ot applicable.
	: BLU			lot determined
Appearance Color	. Vor	v faint Va	apor pressure : N	ot applicable
Appearance	. very			ot applicable
Appearance Color	: Not	determined Va		
Appearance Color Odor Melting point/range Boiling Point:	: Not a	determinedVaapplicablepH		ot applicable
Appearance Color Odor Melting point/range	: Not	determinedVaapplicablepH		
Appearance Color Odor Melting point/range Boiling Point:	: Not o : Not o : Insol	determinedVaapplicablepH	Í : N	
Appearance Color Odor Melting point/range Boiling Point:	: Not a : Not a : Insol	determined Va applicable pH luble	Í : N	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not : : Not : : Insol 10. § : S	determined Va applicable pH luble	Í : N	



MATERIAL SAFETY DATA SHEET

# 10053557 BLUE 300C

Incompatible Mater	rials	: Incompatible	with strong acids a	nd o	xidizing agen	ts.	
Hazardous decomp products	osition		le (CO2), carbon n hazardous material				n
		11. TOXICOLOG	ICAL INFORMA	TIO	N		
health data for the i	ndividual	duated as a whole for components which co owing components w	omprise the mixture	2.			
-		•	Effect			-	
CAS-No. 557-05-1		Chemical Name stearate	Systemic effect	16		rget Organ Respiratory sy	sten
CAS-No.	Zinc	Chemical Name	Route	>	Value	speci	ies
557-05-1	Zinc	stearate	Oral LD50	>	10 gm/kg	rat	
			AL INFORMAT				
Persistence and deg	gradability	: Not readily bi	odegradable.				
Persistence and deg Environmental Tox Bioaccumulation Pe	icity	: Adverse ecolo	odegradable. ogical impact is not y biodegradable.	knov	wn or expecte	d under norma	l use
Environmental Tox	icity	: Adverse ecolo	ogical impact is not y biodegradable.	knov	vn or expecte	d under norma	l use
Environmental Tox Bioaccumulation Pe	icity	<ul><li>Adverse ecolo</li><li>Not inherently</li><li>No data availa</li></ul>	ogical impact is not y biodegradable.		vn or expecte	d under norma	l use
Environmental Tox Bioaccumulation Pe	icity	<ul> <li>Adverse ecolo</li> <li>Not inherently</li> <li>No data availa</li> <li>13. DISPOSAL</li> <li>Where possib generator of v classification,</li> </ul>	ogical impact is not y biodegradable. able.	DNS Ferrec he re disp	to disposal o sponsibility f osal in accord	or incineration. or proper wast dance with	. Th
Environmental Tox Bioaccumulation Po Additional advice	icity otential	<ul> <li>Adverse ecolo</li> <li>Not inherently</li> <li>No data availa</li> <li>13. DISPOSAL</li> <li>Where possib generator of v classification, applicable fed</li> <li>Recycling is p has the respon</li> </ul>	ogical impact is not y biodegradable. able. <b>CONSIDERATIC</b> le, recycling is pref vaste material has t transportation and leral, state/provinci preferred when pose asibility for proper n accordance with	DNS Ferred he re disp al an sible. wast	l to disposal o sponsibility f osal in accord d local regula The generat e classificatio	or incineration. For proper wast dance with ations. or of waste ma	. Th e teria on
Environmental Tox Bioaccumulation Pe Additional advice Product	icity otential	<ul> <li>Adverse ecolo</li> <li>Not inherently</li> <li>No data availa</li> <li>13. DISPOSAL</li> <li>Where possib generator of v classification, applicable fed</li> <li>Recycling is p has the resport and disposal i and local regular</li> </ul>	ogical impact is not y biodegradable. able. <b>CONSIDERATIC</b> le, recycling is pref vaste material has t transportation and leral, state/provinci preferred when pose asibility for proper n accordance with	DNS Ferrece disp al an sible. wast appli	l to disposal o sponsibility f osal in accord d local regula The generat e classificatio	or incineration. For proper wast dance with ations. or of waste ma	. The teria



### MATERIAL SAFETY DATA SHEET

sion Number 1.0 ision Date 06/06/2002			Pri	Page 5 o nt Date 11/4/20
ICAO/IATA	: Not regulated	for transportation.		
IMO / IMDG	: Not regulated	for transportation.		
	15. REGULATO	ORY INFORMATIC	DN	
US Regulations:				
OSHA Status	: Classified as	hazardous based on c	components.	
TSCA Status	: All componer exempt.	nts of this product are	listed on the TSCA	inventory or are
US. EPA CERCLA Hazardo	us Substances (40 CF	R 302)		
Not applicable				
California Proposition	n : This product of	does not contain a sub	ostance listed by Ca	lifornia Prop 65.
California Proposition 65 SARA Title III Section 313 T	-	does not contain a sub	ostance listed by Ca	lifornia Prop 65.
65 SARA Title III Section 313 T Chemical Nar	Foxic Chemicals:	CAS-No.	Weight %	lifornia Prop 65.
65 SARA Title III Section 313 T	Foxic Chemicals:			lifornia Prop 65.
65 SARA Title III Section 313 T Chemical Nar	Foxic Chemicals:	CAS-No.	Weight %	lifornia Prop 65.
65 SARA Title III Section 313 T Chemical Nar ZINC COMP	Foxic Chemicals: ne OUNDS	CAS-No. 557-05-1	Weight %	lifornia Prop 65.
65 SARA Title III Section 313 T Chemical Nar ZINC COMPO Canadian Regulations:	Foxic Chemicals: ne OUNDS on : Not controlled	CAS-No. 557-05-1	Weight %	lifornia Prop 65.
65 SARA Title III Section 313 T Chemical Nar ZINC COMPO Canadian Regulations: WHMIS Classification	Foxic Chemicals: ne OUNDS on : Not controlled	CAS-No. 557-05-1	Weight %	lifornia Prop 65.
65 SARA Title III Section 313 T Chemical Nar ZINC COMPO Canadian Regulations: WHMIS Classificatio WHMIS Ingredient D CAS-No.	Foxic Chemicals: ne OUNDS on : Not controlled	CAS-No. 557-05-1	Weight %	lifornia Prop 65.
65 SARA Title III Section 313 T Chemical Nar ZINC COMP Canadian Regulations: WHMIS Classification WHMIS Ingredient D CAS-No. 557-05-1	Foxic Chemicals: ne OUNDS on : Not controlled isclosure List	CAS-No. 557-05-1	Weight %	lifornia Prop 65.
65 SARA Title III Section 313 T Chemical Nar ZINC COMPO Canadian Regulations: WHMIS Classification WHMIS Ingredient D CAS-No. 557-05-1 DSL	Foxic Chemicals: ne OUNDS on : Not controlled isclosure List	CAS-No. 557-05-1	Weight %	lifornia Prop 65.
65 SARA Title III Section 313 T Chemical Nar ZINC COMPO Canadian Regulations: WHMIS Classification WHMIS Ingredient D CAS-No. 557-05-1 DSL National Inventories:	Foxic Chemicals: ne OUNDS on : Not controlled isclosure List : Listed.	CAS-No. 557-05-1	Weight %	lifornia Prop 65.
65 SARA Title III Section 313 T Chemical Nar ZINC COMPO Canadian Regulations: WHMIS Classification WHMIS Ingredient D CAS-No. 557-05-1 DSL National Inventories: Australia AICS	Foxic Chemicals: ne OUNDS on : Not controlled isclosure List : Listed. : Listed.	CAS-No. 557-05-1	Weight %	lifornia Prop 65.



#### MATERIAL SAFETY DATA SHEET

## 10053557 BLUE 300C

Version Number 1.0 Revision Date 06/06/2002 Page 6 of 6 Print Date 11/4/2011

Korea KECI : Listed.

Philippines PICCS : Listed.

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.