MATERIAL SAFETY DATA SHEET MISSION ACCOMPLISH PEARL WHITE

Version Number 1.2 Revision Date 01/17/2007 Page 1 of 6 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	MISSION ACCOMPLISH PEARL WHITE
Product code :	CC10018042
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

MATERIAL SAFETY DATA SHEET MISSION ACCOMPLISH PEARL WHITE

Version Number 1.2 Revision Date 01/17/2007 Page 2 of 6 Print Date 11/26/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all ca doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When sympto persist or in all cases of doubt seek medical advice.	ms
Eyes	: Rinse immediately with plenty of water, also under the eyelids, least 15 minutes. If eye irritation persists, seek medical attentio	
Skin	: Wash off with soap and plenty of water. If skin irritation persis medical attention.	s seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. 	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in pos pressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrog (NOx), other hazardous materials, and smoke are all possible.	en
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product shou be allowed to enter drains, water courses or the soil.	ld not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all materi plastic, cardboard or metal containers for disposal. Refer to Sect of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. If only in areas with appropriate exhaust ventilation.	Ieat
Storage	: Keep containers dry and tightly closed to avoid moisture absorp	tion

2/6

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET MISSION ACCOMPLISH PEARL WHITE

Version Number 1.2 Revision Date 01/17/2007

Page 3 of 6 Print Date 11/26/2011

8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	piratory protection : No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and a		safety practice.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
	aj	opropriate exhaust ventilation a	at machinery.		
				List:	
Components	Value	Exposure time	Exposure type	List:	
Exposure limit(s) Components Mica		Exposure time PEL: Time Weighted Average		List: OSHA ACGIH	
Components	Value 20 mppcf	Exposure time PEL:	Exposure type Total dust.	OSHA	
Components	Value 20 mppcf 3 mg/m3	Exposure time PEL: Time Weighted Average (TWA): Time Weighted Average	Exposure type Total dust.	OSHA ACGIH	
Components Mica	Value 20 mppcf 3 mg/m3 3 mg/m3	Exposure time PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average	Exposure type Total dust.	OSHA ACGIH MX OEL	
Components Mica	Value 20 mppcf 3 mg/m3 3 mg/m3 10 mg/m3	Exposure time PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):	Exposure type Total dust. Respirable fraction.	OSHA ACGIH MX OEL ACGIH	
Components Mica	Value 20 mppcf 3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 20 mg/m3	Exposure time PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL):	Exposure type Total dust. Respirable fraction. Total dust. as Ti	OSHA ACGIH MX OEL ACGIH OSHA Z1	
Components Mica	Value 20 mppcf 3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 20 mg/m3	Exposure time PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit	Exposure type Total dust. Respirable fraction. Total dust. as Ti	OSHA ACGIH MX OEL ACGIH OSHA Z1	
Components Mica	Value 20 mppcf 3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 20 mg/m3	Exposure time PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Exposure type Total dust. Respirable fraction. Total dust. as Ti	OSHA ACGIH MX OEL ACGIH OSHA Z1	
Components Mica Titanium dioxide	Value 20 mppcf 3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC	Exposure time PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Exposure type Total dust. Respirable fraction. Total dust. as Ti DPERTIES ration rate : No	OSHA ACGIH MX OEL ACGIH OSHA Z1 MX OEL	
Components Mica Titanium dioxide	Value 20 mppcf 3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solid	Exposure time PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO L Evapor ts Specifi	Exposure type Total dust. Respirable fraction. Total dust. as Ti DPERTIES ration rate : No ic Gravity: : No	OSHA ACGIH MX OEL ACGIH OSHA Z1 MX OEL	
Components Mica Titanium dioxide	Value 20 mppcf 3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : WHI	Exposure time PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO L Evapor ts Specifi TE Bulk d	Exposure type Total dust. Respirable fraction. Total dust. as Ti DPERTIES ration rate : No ic Gravity: : No ensity : No	OSHA ACGIH MX OEL ACGIH OSHA Z1 MX OEL	
Components Mica Titanium dioxide	Value 20 mppcf 3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : WHI : Very	Exposure time PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO L Evaport ts Specifi TE Bulk d faint Vapor	Exposure type Total dust. Respirable fraction. Total dust. as Ti DPERTIES ration rate : No ensity : No pressure : No	OSHA ACGIH MX OEL ACGIH OSHA Z1 MX OEL	
Components Mica Titanium dioxide	Value 20 mppcf 3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : WHI : Very : Not of	Exposure time PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO L Evaport ts Specifi TE Bulk d faint Vapor	Exposure type Total dust. Respirable fraction. Total dust. as Ti DPERTIES ration rate : No ic Gravity: : No ensity : No pressure : No r density : No	OSHA ACGIH MX OEL ACGIH OSHA Z1 MX OEL	

10. STABILITY AND REACTIVITY

Stability

: Stable.

MATERIAL SAFETY DATA SHEET MISSION ACCOMPLISH PEARL WHITE

Version Number 1.2Page 4 of 6Revision Date 01/17/2007Print Date 11/26/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

	12.	ECOLOGICAL INFORMATION
Persistence and degradability	:]	Not readily biodegradable.
Environmental Toxicity		Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential		Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: 1	No data available

PolyOne

MATERIAL SAFETY DATA SHEET MISSION ACCOMPLISH PEARL WHITE

Version Number 1.2 Revision Date 01/17/2007 Page 5 of 6 Print Date 11/26/2011

	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	as Substances (40 CFR 302)
Not applicable	
California Proposition 65	n : Not applicable
SARA Title III Section 302 H	Extremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulat
SARA Title III Section 313 7	Soxic Chemicals:

PolyOne

MATERIAL SAFETY DATA SHEET MISSION ACCOMPLISH PEARL WHITE

Version Number 1.2 Revision Date 01/17/2007

Page 6 of 6 Print Date 11/26/2011

Unless specific chemicals are id	Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation				
Canadian Regulations:					
National Pollutant Release	se Iı	nventory (NPRI)			
Not applicable					
WHMIS Classification	:	Not controlled.			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			
Philippines PICCS	:	Not determined			
		16. OTHER INFORMATION			

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.