

MATERIAL SAFETY DATA SHEET

PG18077WTPP

Version Number 1.0 Revision Date 06/21/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG18077WTPP
Product code	:	CC10018077
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	5 - 10
Zinc stearate	557-05-1	5 - 10
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





PG18077WTPP Version Number 1.0 Page 2 of 6 Revision Date 06/21/2002 Print Date 11/5/2011 **Medical Conditions** : None known. Aggravated by Exposure: 4. FIRST AID MEASURES Inhalation Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice. Do not induce vomiting without medical advice. When symptoms Ingestion : persist, or in all cases of doubt, seek medical advice. Eyes : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. **5. FIRE-FIGHTING MEASURES** Flash point : Not applicable Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Suitable extinguishing media : Carbon dioxide blanket, Water spray, dry powder, foam. Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None • Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Methods for cleaning up Clean up promptly by sweeping or vacuum. Package all material in : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat · only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET



G18077WTPP					
rsion Number 1.0 vision Date 06/21/2002			Print	Page 3 of 6 Date 11/5/201	
Storage		eep containers dry and tightly nd contamination. Keep in a d		re absorption	
8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shields.			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA	
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1	

itanium dioxide 15 mg/mPEL: otal dust. ISHA ZI PEL: Respirable fraction. OSHA Z1 Zinc stearate 5 mg/m3 PEL: 15 mg/m3 Total dust. OSHA Z1 Time Weighted Average ACGIH Zinc stearate 10 mg/m3 as stearates (TWA):

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility

: Solid : Pellets : WHITE : Very faint : Not determined : Not applicable : Insoluble

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pН

: Not applicable. : Not determined : Not established : Not applicable : Not applicable : Not applicable

10. STABILITY AND REACTIVITY

Stability

: Stable.



MATERIAL SAFETY DATA SHEET

PG18077WTPP

Version Number 1.0 Revision Date 06/21/2002		Page 4 of 6 Print Date <i>11/5/2011</i>
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Che	mical Name	Route Oral LD50	Value	Species	
557-05-1	Zinc stea	Zinc stearate		> 10 gm/kg	rat	
		12. ECOLOGIC	AL INFORMAT	ION		
Persistence and degr	adability	: Not readily bio	odegradable.			
Environmental Toxicity :			Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Po	ential		Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice : No data avai			ble.			
		13. DISPOSAL (CONSIDERATI	ONS		
Product		Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
			4/6			



MATERIAL SAFETY DATA SHEET

PG18077WTPP				
/ersion Number 1.0 Revision Date 06/21/2002			Page 5 c Print Date 11/5/20	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPORT	INFORMATION	[
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk ground)	: Not regulated for	or transportation.		
ICAO/IATA	: Not regulated for	or transportation.		
IMO / IMDG	: Not regulated for	or transportation.		
	15. REGULATOR	Y INFORMATIO	N	
US Regulations:				
OSHA Status	: Classified as has	zardous based on co	omponents.	
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.			
US. EPA CERCLA Hazardous	Substances (40 CFR (302)		
Not applicable	, , , , , , , , , , , , , , , , , , ,			
California Proposition 65	: This product do	es not contain a subs	stance listed by California Prop 65.	
SARA Title III Section 313 To	xic Chemicals:			
Chemical Name	2	CAS-No.	Weight %	
ZINC COMPO	UNDS	557-05-1	6.67	
Canadian Regulations:				
WHMIS Classification	: D2B			
WHMIS Ingredient Dis	closure List			
CAS-No. 7631-86-9 557-05-1				

MATERIAL SAFETY DATA SHEET

PG18077WTPP

Version Number 1.0 Revision Date 06/21/2002 Page 6 of 6 Print Date 11/5/2011

DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

