

MATERIAL SAFETY DATA SHEET

SILVER CHEVRON

Version Number 1.0 Revision Date 07/08/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SILVER CHEVRON
Product code	:	CC10018139
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

SILVER CHEVRON

Version Number 1.0 Page 2 of 6 Revision Date 07/08/2002 Print Date 11/5/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist, or in all cases of doubt, seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Carbon dioxide blanket, Water spray, dry powder, foam. Suitable extinguishing media : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption ·



MATERIAL SAFETY DATA SHEET

SILVER CHEVRON

Version Number 1.0 Revision Date 07/08/2002

sion Number 1.0 vision Date 07/08/2002			Prir	Page 3 of 6 nt Date 11/5/2011	
and contamination. Keep in a dry, cool place.					
8. H	EXPOSURE	CONTROLS / PERSONAL I	PROTECTION		
Respiratory protection	: N	No personal respiratory protective equipment normally required.			
Eye/Face Protection	: S	Safety glasses with side-shields.			
Hand protection	: P:	Protective gloves.			
Skin and body protection	: L	Long sleeved clothing.			
Additional Protective Measures	: S	Safety shoes.			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
Mica	20 mppcf	PEL:	Total dust.	OSHA	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1	

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: GREY	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.		



MATERIAL SAFETY DATA SHEET

SILVER CHEVRON

ion Number 1.0 sion Date 07/08/2002	2		Page / Print Date 11/5/	
Incompatible Materials	: Incompatible	with strong acids and	oxidizing agents.	
Hazardous decomposition products			oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11. TOXICOLOG	ICAL INFORMATI	ON	
	en evaluated as a whole for idual components which co		ure effects listed are based on ex	
<u>Toxicity Overview</u> This product contains th	ne following components wh	hich in their pure form	have the following characterist	
CAS-No.	Chemical Name	Effect	Target Organ	
12001-26-2	Mica	Systemic effects	Respiratory system.	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	
	12. ECOLOGIC	AL INFORMATION	Ň	
Persistence and degrada	bility : Not readily bi	odegradable.		
Environmental Toxicity	: Chemicals are of the polymer		as they are bound within the matr	
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.		
Additional advice	: No data availa	ıble.		
	13. DISPOSAL	CONSIDERATIONS	5	
Product	possible, recyc generator of w classification,	cling is preferred to di vaste material has the r	act can be recycled. Where sposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.	
Contaminated packagin	has the respon and disposal in	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPOI	RT INFORMATION		
U.S. DOT / CA TDG Classification	: Not regulated	for transportation.		
ICAO/IATA	: Not regulated	for transportation.		
	. Not regulated	for transportation.		



MATERIAL SAFETY DATA SHEET

ion Number 1.0 sion Date 07/08/2002		Page : Print Date 11/5/
IMO / IMDG	: Not regulated for transportation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components	
TSCA Status	: All components of this product are listed on the exempt.	e TSCA inventory or a
US. EPA CERCLA Hazardous	ubstances (40 CFR 302)	
Not applicable		
California Proposition	: This product does not contain a substance list	ad by California Drop 6
65		
Canadian Regulations:		
WHMIS Classification	: D2B	
WHMIS Ingredient Disc	osure List	
CAS-No. 12001-26-2]	
DSL	: Listed.	
National Inventories:		
Australia AICS	: Listed.	
China IECS	: Listed.	
Europe EINECS	: Not determined.	
Japan ENCS	: Not determined.	
Korea KECI	: Listed.	
Philippines PICCS	: Listed.	
	16. OTHER INFORMATION	



MATERIAL SAFETY DATA SHEET

SILVER CHEVRON

Version Number 1.0 Revision Date 07/08/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.