

MATERIAL SAFETY DATA SHEET **XMAS RED TRANSP.**

Version Number 1.1 Revision Date 07/29/2003

Page 1 of 5 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	XMAS RED TRANSP.
Product code	:	CC10018184
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET XMAS RED TRANSP.

Version Number 1.1 Revision Date 07/29/2003 Page 2 of 5 Print Date 11/11/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not relevant
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/5



MATERIAL SAFETY DATA SHEET XMAS RED TRANSP.

Version Number 1.1 Revision Date 07/29/2003 Page 3 of 5 Print Date 11/11/2011

	OSUR	CONTROLS / PERSONAL PI	ROTECTION
Respiratory protection	:	No personal respiratory protective	equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.	
Hand protection	:	Protective gloves.	
Skin and body protection	:	long sleeved clothing.	
Additional Protective Measures	:	Safety shoes.	
General Hygiene Considerations	:	Handle in accordance with good in Wash hands before breaks and at t	dustrial hygiene and safety practice. he end of workday.
Engineering measures	:	Heat only in areas with appropriat	
Exposure limit(s)			
9.	PHYS	CAL AND CHEMICAL PROP	ERTIES
9. Form	PHYS : So		
Form Appearance	: So : Pe	d Evaporat ets Specific	ion rate : Not applicable. Gravity : Not determined
Form Appearance Color	: So : Pe : PU	d Evaporat ets Specific RPLE Bulk den	ion rate : Not applicable. Gravity : Not determined sity : Not established
Form Appearance Color Odor	: So : Pe : PL : Ve	d Evaporat ets Specific RPLE Bulk den y faint Vapor pr	ion rate : Not applicable. Gravity : Not determined sity : Not established essure : Not applicable
Form Appearance Color Odor Melting point/range	: So : Pe : PU : Ve : No	d Evaporat ets Specific RPLE Bulk den y faint Vapor pr determined Vapor de	ion rate : Not applicable. Gravity : Not determined sity : Not established essure : Not applicable nsity : Not applicable
Form Appearance Color Odor Melting point/range Boiling Point:	: So : Pe : PU : Ve : No : No	d Evaporat ets Specific (RPLE Bulk den y faint Vapor pr determined Vapor de applicable pH	ion rate : Not applicable. Gravity : Not determined sity : Not established essure : Not applicable
Form Appearance Color Odor Melting point/range	: So : Pe : PU : Ve : No : No	d Evaporat ets Specific RPLE Bulk den y faint Vapor pr determined Vapor de	ion rate : Not applicable. Gravity : Not determined sity : Not established essure : Not applicable nsity : Not applicable
Form Appearance Color Odor Melting point/range Boiling Point:	: So : Pe : PU : Ve : No : No : Ins	d Evaporat ets Specific (RPLE Bulk den y faint Vapor pr determined Vapor de applicable pH	ion rate : Not applicable. Gravity : Not determined sity : Not established essure : Not applicable ensity : Not applicable : Not applicable
Form Appearance Color Odor Melting point/range Boiling Point:	: So : Pe : PU : Ve : No : No : Ins	d Evaporat ets Specific RPLE Bulk den y faint Vapor pr determined Vapor de applicable pH luble	ion rate : Not applicable. Gravity : Not determined sity : Not established essure : Not applicable ensity : Not applicable : Not applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: So : Pe : PU : Ve : No : No : Ins	d Evaporat ets Specific RPLE Bulk den y faint Vapor pr determined Vapor de applicable pH luble STABILITY AND REACTIVIT	ion rate : Not applicable. Gravity : Not determined sity : Not established essure : Not applicable msity : Not applicable : Not applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: So : Pe : PU : Ve : No : No : Ins	d Evaporat ets Specific (RPLE Bulk den y faint Vapor pr determined Vapor de applicable pH luble STABILITY AND REACTIVIT Stable.	ion rate : Not applicable. Gravity : Not determined sity : Not established essure : Not applicable ensity : Not applicable : Not applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: So : Pe : PU : Ve : No : No : Ins	d Evaporat ets Specific of RPLE Bulk den y faint Vapor pr determined Vapor de applicable pH luble STABILITY AND REACTIVIT Stable. Will not occur.	ion rate : Not applicable. Gravity : Not determined sity : Not established essure : Not applicable nsity : Not applicable : Not applicable : Not applicable

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET XMAS RED TRANSP.

Version Number 1.1 Revision Date 07/29/2003 Page 4 of 5 Print Date 11/11/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matr of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matr of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste mater has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSC Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

PolyOne.

MATERIAL SAFETY DATA SHEET XMAS RED TRANSP.

/ersion Number 1.1		Page 5 of
evision Date 07/29/2003		Print Date 11/11/201
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	nely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	cic (Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se I	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.