

MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.1 Revision Date 08/16/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW
Product code	:	CC10018232
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

YELLOW

sion Date 08/16/2002	Print Date 11/5/2
	4. FIRST AID MEASURES
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
-	11
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
	contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

YELLOW

ion Number 1.1 sion Date 08/16/2002			Print	Page 3 Date 11/5/
	a	nd contamination. Keep in a d	ry, cool place.	
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protectiv	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields.		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practic
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Calcium carbonate	5 mg/m3	PEL:	Respirable dust.	OSHA Z
	15 mg/m3	PEL:	Total dust.	OSHA Z
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z
	9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES	
Form	: Solid	I Evapor	ration rate : Not	applicable.
Appearance	: Pelle			t determined
Color		LOW Bulk de		established
Odor				t applicable
Melting point/range				applicable
Boiling Point:		applicable pH	: Not	t applicable
Water solubility	: Insol	uble		
	10. 5	STABILITY AND REACTIV	TTY	
Q ₄ , 1, '1'4	: S	table.		
Stability				
Hazardous Polymerization	n : W	Vill not occur.		



MATERIAL SAFETY DATA SHEET

ion Number 1.1 sion Date 08/16/2	2002			Page 4 Print Date 11/5/2
		decompositio	n, do not overheat.	
Incompatible Mater	rials	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decompo products	osition			oxide (CO), oxides of nitrogen ad smoke are all possible.
]	11. TOXICOLOG	ICAL INFORMATIO	DN
health data for the i	ndividual co	mponents which co	omprise the mixture.	are effects listed are based on ex
-		•	-	have the following characteristi
CAS-No. 13463-67-7		hemical Name m dioxide	Effect	Target OrganRespiratory system.
1317-65-3		n carbonate	Systemic effects Irritant	Eyes, Skin.
1517 05 5	Caleful	il carbonate	Systemic effects	Eyes, Skin, Respiratory system
Persistence and deg Environmental Tox		: Not readily b	e not readily available a	s they are bound within the matri
	icity	 Not readily by Chemicals are of the polyme 	iodegradable. e not readily available a er. e not readily available a	s they are bound within the matr
Environmental Tox	icity	 Not readily by Chemicals are of the polymetric Chemicals are of the polymetric 	iodegradable. e not readily available a er. e not readily available a er.	s they are bound within the matri
Environmental Tox Bioaccumulation Pe	icity	 Not readily by Chemicals are of the polyme Chemicals are of the polyme Chemicals are of the polyme No data avail 	iodegradable. e not readily available a er. e not readily available a er.	s they are bound within the matri
Environmental Tox Bioaccumulation Pe	icity	 Not readily by Chemicals are of the polyme Chemicals are of the polyme Chemicals are of the polyme No data avail 13. DISPOSAL Like most the possible, recy generator of v classification 	iodegradable. e not readily available a er. e not readily available a er. able. CONSIDERATIONS ermoplastics the produc cling is preferred to dis waste material has the r	s they are bound within the matri s they are bound within the matri s they are bound within the matri stop are bound within the matri sposal or incineration. The esponsibility for proper waste posal in accordance with
Environmental Tox Bioaccumulation Po Additional advice	icity otential	 Not readily by Chemicals are of the polyme Chemicals are of the polyme Chemicals are of the polyme No data avail 13. DISPOSAL Like most the possible, recy generator of v classification applicable fee Recycling is p has the respondent. 	iodegradable. e not readily available a er. e not readily available a er. able. CONSIDERATIONS ermoplastics the produce vering is preferred to dis waste material has the r , transportation and disp deral, state/provincial an preferred when possible nsibility for proper was in accordance with appl	s they are bound within the matrix s they are bound within the matrix s they are bound within the matrix ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Environmental Tox Bioaccumulation Po Additional advice Product	icity otential	 Not readily by Chemicals are of the polyme Chemicals are of the polyme Chemicals are of the polyme No data avail 13. DISPOSAL Like most the possible, recy generator of v classification, applicable fee Recycling is p has the responant disposal is and local regularity 	iodegradable. e not readily available a er. e not readily available a er. able. CONSIDERATIONS ermoplastics the produce vering is preferred to dis waste material has the r , transportation and disp deral, state/provincial an preferred when possible nsibility for proper was in accordance with appl	s they are bound within the matri s they are bound within the matri s they are bound within the matri ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation



MATERIAL SAFETY DATA SHEET

ion Number 1.1 sion Date 08/16/2002		Page : Print Date 11/5/
ICAO/IATA	:	Not regulated for transportation.
IMO / IMDG	:	Not regulated for transportation.
	15	REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or a exempt.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 6
Canadian Regulations:		
WHMIS Classification	:	D2A
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION





YELLOW

Version Number 1.1 Revision Date 08/16/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.