

MATERIAL SAFETY DATA SHEET

WHITE ENGAGE

Version Number 1.0 Revision Date 06/24/2002 Page 1 of 5 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE ENGAGE
Product code	:	CC10018282
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES

MATERIAL SAFETY DATA SHEET



WHITE ENGAGE

ion Number 1.0 sion Date 06/24/2002	Page 2 Print Date 11/5/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
-	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
(6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET

WHITE ENGAGE

Version Number 1.0 Revision Date 06/24/2002 Page 3 of 5 Print Date 11/5/2011

0. 17.11	OSURE	CONTROLS /]	PERSONAL PROTECTIO)N
Respiratory protection	: N	lo personal respir	ratory protective equipment	normally required.
Eye/Face Protection	: S	afety glasses wit	h side-shields.	
Hand protection	: P	Protective gloves.		
Skin and body protection	: L	ong sleeved clot	hing.	
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations			nce with good industrial hyg e breaks and at the end of w	
Engineering measures			with appropriate exhaust vertilation at machinery.	entilation. Provide
Exposure limit(s)				
There are no known hazardou	is compo	nents above regu	latory thresholds in this pro-	duct.
9.	PHYSIC	CAL AND CHE	MICAL PROPERTIES	
	C . 1'	1		N
Form	: Solic : Pelle		Evaporation rate	Not applicable.Not determined
Appearance			Specific Gravity	
Color	: WHI		Bulk density	: Not established
Odor	: Very		Vapor pressure	: Not applicable
N 1.1 1 1 1	: Not determined		Vapor density	: Not applicable
Melting point/range			TT	
Boiling Point:	: Not a	applicable	pH	: Not applicable
		applicable	рН	: Not applicable
Boiling Point:	: Not a : Insol	applicable luble	-	: Not applicable
Boiling Point:	: Not a : Insol	applicable luble	pH DREACTIVITY	: Not applicable
Boiling Point:	: Not : : Insol 10. \$	applicable luble	-	: Not applicable
Boiling Point: Water solubility	: Not : : Insol 10. § : S	applicable luble STABILITY AN	-	: Not applicable
Boiling Point: Water solubility Stability	: Not : : Insol 10. S : S : V : K	applicable luble STABILITY AN table. Vill not occur.	D REACTIVITY	
Boiling Point: Water solubility Stability Hazardous Polymerization	: Not : : Insol 10. § : S : V : K d	applicable buble STABILITY AN table. Vill not occur. Leep away from o ecomposition, do	D REACTIVITY	ame. To avoid thermal
Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: Not : : Insol 10. § : S : V : K d : In : C	applicable buble STABILITY AN table. Vill not occur. Geep away from c ecomposition, do ncompatible with Carbon dioxide (C	D REACTIVITY	ame. To avoid thermal agents.



MATERIAL SAFETY DATA SHEET

WHITE ENGAGE

Version Number 1.0 Revision Date 06/24/2002 Page 4 of 5 Print Date 11/5/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT / CA TDG Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on the TSCA inventory or an exempt.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



MATERIAL SAFETY DATA SHEET

WHITE ENGAGE

Version Number 1.0 Revision Date 06/24/2002		Page 5 of 5 Print Date <i>11/5/2011</i>
	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16 OTHER INFORMATION

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.