### **167AEBONY**

Version Number 1.12 Revision Date 04/09/2018

ne

Page 1 of 19 Print Date 04/26/2018

# SAFETY DATA SHEET

### **167AEBONY**

Section 1. Identification		
GHS product identifier	:	167AEBONY
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10018315
Product type	:	solid
Relevant identified uses of the subst	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/19

### 167AEBONY

Version Number 1.12 Revision Date 04/09/2018

Page 2 of 19 Print Date 04/26/2018

Hazard statements

No known significant effects or critical hazards.

### **Precautionary statements**

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10018315

CAS number/other identifiers

Ingredient name	%	CAS number
2-Propenenitrile, polymer with Ethenylbenzene	50 - 75	9003-54-7
Carbon black	5 - 10	1333-86-4
Decanedioic acid, bis(2,2,6,6-tetramethyl-4-piperidinyl) ester	1 - 3	52829-07-9
Titanium dioxide	0.3 - 1	13463-67-7
Styrene	0 - 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.



# **167AEBONY**

Version Number 1.12 Revision Date 04/09/2018 Page 3 of 19 Print Date 04/26/2018

Occupational exposure limits, if available, are listed in Section 8.

# **Section 4. First aid measures**

**Description of necessary first aid measures** 

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

Potential acute health effects	
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	No specific data.
Ingestion	: No specific data.
Indication of immediate medical	tention and special treatment needed, if necessary
Notes to physician	: In case of inhalation of decomposition products in a fire, symptom may be delayed. The exposed person may need to be kept under
Specific treatments	<ul><li>medical surveillance for 48 hours.</li><li>No specific treatment.</li></ul>
	2/40

### 167AEBONY

Version Number 1.12 Revision Date 04/09/2018 <u>PolyOne</u>

Page 4 of 19 Print Date 04/26/2018

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# **Section 5. Firefighting measures**

:

### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 167AEBONY

R	bly	<i>O</i> 1	ne.
	~		

Version Number 1.12 Revision Date 04/09/2018

### Page 5 of 19 Print Date 04/26/2018

### Methods and materials for containment and cleaning up

Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

### Control parameters

### **Occupational exposure limits**

Ingredient name	Exposure limits
Styrene	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 215 mg/m3 50 ppm
	Short-term exposure limit (STEL). A limit value beyond which
	there should be no exposure and which refers to a period of fifteen
	minutes, unless otherwise stated. 425 mg/m3 100 ppm

# 167AEBONY

ŀ	bh	vOne.
_		

Version Number 1.12 Revision Date 04/09/2018

	OSHA PEL Z2 (1993-06-30) PEL: Permissible Exposure Level 100 ppm Ceiling-A concentration that should not be exceeded at any time during any part of the working day. 200 ppm Acceptable Maximum Peak (AMP) 600 ppm NIOSH REL (1994-06-01) Time Weighted Average (TWA) 215 mg/m3 50 ppm Short-term exposure limit (STEL). A limit value beyond which there should be no exposure and which refers to a period of fifteen minutes, unless otherwise stated. 425 mg/m3 100 ppm ACGIH TLV (1997-05-21) TLV-TWA: Threshold Limit Value - Time weighted average PEL:
	Permissible Exposure Level 85 mg/m3 20 ppm <b>TLV-STEL: Threshold Limit Value - Short Time Exposure Level</b> 170 mg/m3 40 ppm
Titanium dioxide	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01) ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
Decanedioic acid, bis(2,2,6,6- tetramethyl-4-piperidinyl) ester	
Carbon black	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 3.5 mg/m3 OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 3.5 mg/m3 NIOSH REL (1994-06-01) Time Weighted Average (TWA) 3.5 mg/m3 Time Weighted Average (TWA) ACGIH TLV (2010-12-06) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction
2-Propenenitrile, polymer with Ethenylbenzene	

# 167AEBONY



Version Number 1.12 Revision Date 04/09/2018		Page 7 of 19 Print Date 04/26/2018
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

### **Appearance**

Physical state	solid [Pellets.]
Color	: BLACK

# 167AEBONY

Version Number 1.12 Revision Date 04/09/2018

<u>PolyOne</u>

Page 8 of 19 Print Date 04/26/2018

Odor : Faint odor.	
Odor threshold : Not available.	
<b>pH</b> : Not available.	
Melting point : Not available.	
<b>Boiling point</b> : Not available.	
Flash point : Not available.	
Burning time : Not available.	
<b>Burning rate</b> : Not available.	
<b>Evaporation rate</b> : Not available.	
Flammability (solid, gas) : Not available.	
Lower and upper explosive : Lower: Not avail	lable.
(flammable) limits Upper: Not ava	ilable.
Vapor pressure: Not available.	
Vapor density : Not available.	
<b>Relative density</b> : Not available.	
Solubility : Not available.	
Solubility in water : insoluble in water	r.
Partition coefficient: n- : Not available. octanol/water	
Auto-ignition temperature : Not available.	
<b>Decomposition temperature</b> : Not available.	
SADT : Not available.	
Viscosity : Dynamic: Not av	vailable.
Kinematic: Not	available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information



# **167AEBONY**

Version Number 1.12 Revision Date 04/09/2018

Page 9 of 19 Print Date 04/26/2018

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### **Information on toxicological effects**

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure			
Styrene		· _	·	- <u>-</u>			
	LD50 Oral	Rat	2,650 mg/kg	-			
	LC50 Inhalation	Rat	2,770 ppm	4 h			
	LC50 Inhalation	Rat	11.8 Mg/l	4 h			
Remarks - Dermal:	No applicable toxicity data						
Titanium dioxide							
Remarks - Oral:	No applicable toxi	city data					
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h			
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-			
Decanedioic acid, bis(2,2,6,6-t	etramethyl-4-piperic	linyl) ester					
Remarks - Oral:	No applicable toxicity data						
<b>Remarks - Inhalation:</b>	No applicable toxi	No applicable toxicity data					
Remarks - Dermal:	No applicable toxi	city data					
Carbon black							
	LD50 Oral	Rat	15,400 mg/kg	-			
<b>Remarks - Inhalation:</b>	No applicable toxi	city data					
Remarks - Dermal:	No applicable toxicity data						
2-Propenenitrile, polymer with	h Ethenylbenzene						
	LD50 Oral Rat 1,800 mg/kg -						
<b>Remarks - Inhalation:</b>	No applicable toxi	city data					
Remarks - Dermal:	No applicable toxicity data						
Conclusion/Summary	: Mixture.Not fully tested.						

### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Styrene	Eyes - Mild	Human			-
	irritant				
	Skin - Mild	Rabbit			-
	irritant				
	Skin -	Rabbit			-
	Moderate				
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				
	Eyes -	Rabbit		24 hrs	-



# 167AEBONY

Version Number 1.12 Revision Date 04/09/2018 Page 10 of 19 Print Date 04/26/2018

	Moderate				
	irritant				
Titanium dioxide	Skin - Mild	Human	70	hrs	
l itanium dioxide		Human	12	nrs	-
	irritant				
Conclusion/Summary		Gentre Net Calls	. ta ata d		
Skin		Aixture.Not fully			
Eyes		Aixture.Not fully			
Respiratory	: N	Aixture.Not fully	tested.		
<u>Sensitization</u>					
Conclusion/Summary					
Skin	: N	Aixture.Not fully	tested.		
Respiratory		Aixture.Not fully			
<b>Mutagenicity</b>					
Conclusion/Summary	: N	/lixture.Not fully	v tested.		
<b>Carcinogenicity</b>					
Conclusion/Summary	: N	Aixture.Not fully	tested.		
Classification					
	OSHA	IARC	NTP		
Product/ingredient	UDIIA				
Product/ingredient name	OSHA				
name		2B	Reasonably and	ticipated to be	a human carcinogen
name Styrene			Reasonably and	ticipated to be	a human carcinogen
name Styrene Titanium dioxide		2B	Reasonably and	ticipated to be	a human carcinogen.
name       Styrene       Titanium dioxide       Carbon black		2B 2B	Reasonably and	ticipated to be	a human carcinogen
nameStyreneTitanium dioxideCarbon black2-Propenenitrile, polymer		2B	Reasonably and	ticipated to be	a human carcinogen.
name       Styrene       Titanium dioxide       Carbon black		2B 2B	Reasonably and	ticipated to be	a human carcinogen.
nameStyreneTitanium dioxideCarbon black2-Propenenitrile, polymerwith Ethenylbenzene		2B 2B		ticipated to be	a human carcinogen
name         Styrene         Titanium dioxide         Carbon black         2-Propenenitrile, polymer         with Ethenylbenzene         Reproductive toxicity		2B 2B 3		ticipated to be	a human carcinogen
name         Styrene         Titanium dioxide         Carbon black         2-Propenenitrile, polymer         with Ethenylbenzene         Reproductive toxicity         Conclusion/Summary	: N	2B 2B 3	y tested.	ticipated to be	a human carcinogen
name         Styrene         Titanium dioxide         Carbon black         2-Propenenitrile, polymer         with Ethenylbenzene         Reproductive toxicity         Conclusion/Summary         Teratogenicity	: N : N	2B       2B       3   Aixture.Not fully Aixture.Not fully	y tested.	ticipated to be	a human carcinogen

# 167AEBONY

Version Number 1.12 Revision Date 04/09/2018

<u>PolyOne</u>

Page 11 of 19 Print Date 04/26/2018

Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical, c	hemio	cal and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate effects as w	ell as	chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

# 167AEBONY

Version Number 1.12 Revision Date 04/09/2018 Page 12 of 19 Print Date 04/26/2018

<u>PolyOne</u>

### Acute toxicity estimates

Not available.

# Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result	Species	Exposure
Styrene	•		
	Acute LC50 4.02 Mg/l Fresh water	Fish - Fish	96 h
Remarks - Acute - Fish:	Acute		
	Acute EC50 0.0047 Mg/l Fresh	Aquatic invertebrates.	48 h
	water	Daphnia	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute LC50 52 Mg/l Marine water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute EC50 1.4 Mg/l Fresh water	Aquatic plants - Algae	72 h
Remarks - Acute - Aquatic	Acute		
plants:			
	Acute EC50 0.72 Mg/l Fresh water	Aquatic plants - Algae	96 h
<b>Remarks - Acute - Aquatic</b>	Acute		
plants:			
	Acute NOEC 0.063 Mg/l Fresh	Aquatic plants - Algae	96 h
	water		
<b>Remarks - Acute - Aquatic</b>	Chronic		
plants:			
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Titanium dioxide	l.		
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute	1	
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
	<i>σ</i>	Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h
	12/19	• •	



# **167AEBONY**

Version Number 1.12 Revision Date 04/09/2018 Page 13 of 19 Print Date 04/26/2018

		Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:		- · · · · · · · · · · · · · · · · · · ·		
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Decanedioic acid, bis(2,2,6,6-t	etramethyl-4-piperidinyl) ester			
Remarks - Acute - Fish:	No applicable toxicity data			
	Acute EC50 8.6 Mg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Carbon black				
Remarks - Acute - Fish:	No applicable toxicity data			
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia		
<b>Remarks - Acute - Aquatic</b>	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:	11			
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:	To approache torienty data			
2-Propenenitrile, polymer with	Ethenvlbenzene			
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:	i to uppricable tostienty autu			
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:	no applicable toxicity data			
167AEBONY	1			
Remarks - Acute - Aquatic	Chemicals are not readily available	as they are bound within the	e polymer matrix	
invertebrates.:	Chemicals are not readily available a	us arey are bound wrann un	e porymer maura.	
Conclusion/Summary	Chemicals are not readi	ly available as they are bou	ind within the	
Conclusion/Summary	polymer matrix.	ity available as aloy are bot		

13/19



### 167AEBONY

Version Number 1.12 Revision Date 04/09/2018

### Page 14 of 19 Print Date 04/26/2018

### Persistence and degradability

Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.
Conclusion/Summary	:	Chemicals are not readily available as they are bound within the polymer matrix.

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Benzene, ethenyl-	0.35	13.49	low
Decanedioic acid, 1,10-bis(2,2,6,6-	0.35	-	low
tetramethyl-4-piperidinyl) ester			

### Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

### **167AEBONY**

Version Number 1.12 Revision Date 04/09/2018 Page 15 of 19 Print Date 04/26/2018

# Section 14. Transport information U.S.DOT 49CFR<br/>Ground/Air/Water : Not regulated for transportation. International Air<br/>ICAO/IATA : Not classified as dangerous goods under transport regulations. International Water<br/>IMO/IMDG : Not classified as dangerous goods under transport regulations.

# Section 15. Regulatory information

	<b>United States - TSCA 12(b) - Chemical export notification:</b> None of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not
	listed
	<b>United States - TSCA 5(a)2 - Proposed significant new use rules:</b> Not listed
	<b>United States - TSCA 5(e) - Substances consent order:</b> Not listed
	United States - TSCA 6 - Final risk management: Not listed
	United States - TSCA 6 - Proposed risk management: Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
(	determined
1	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Not listed
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
1	pollutants: Listed Acrylonitrile
	Rutile, antimony chromium buff
	Nickel antimony yellow rutile (C.I. Pigment Yellow 53)
T	United States - EPA Clean water act (CWA) section 311 -
J	Hazardous substances: Listed

# <u>PolyOne</u>

### **167AEBONY**

$P_{O}$	lyOne.

Version Number 1.12 Revision Date 04/09/2018

Page 16 of 19 Print Date 04/26/2018

United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor		Not listed
Chemicals)	•	
DEA List II Chemicals (Essential Chemicals)	:	Not listed

### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

### SARA 311/312

Classification

Not applicable.

:

### **Composition/information on ingredients**

Name	%	Classification
Styrene	0 - 0.3	F, AH, CH
Titanium dioxide	0.3 - 1	СН
Decanedioic acid, bis(2,2,6,6- tetramethyl-4-piperidinyl) ester	1 - 3	АН
Carbon black	5 - 10	СН
2-Propenenitrile, polymer with Ethenylbenzene	50 - 75	АН

### **SARA 313**

	Product name	CAS number	%
Form R - Reporting	Styrene	100-42-5	0 - 0.3
requirements			
	Rutile, antimony chromium	68186-90-3	1 - 3
	buff		
		•	



# **167AEBONY**

Version Numbe	er 1.12
Revision Date	04/09/2018

Page 17 of 19 Print Date 04/26/2018

	Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	8007-18-9	3 - 5	
Supplier notification	Nickel antimony yellow rutile (C.I. Pigment Yellow 53)	8007-18-9	3 - 5	
	Rutile, antimony chromium buff	68186-90-3	1 - 3	
	Styrene	100-42-5	0 - 0.3	

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Styrene
New Jersey	:	The following components are listed: Styrene Titanium dioxide 2-Propenenitrile, polymer with Ethenylbenzene Carbon black Calcium carbonate Nickel antimony yellow rutile (C.I. Pigment Yellow 53) Rutile, antimony chromium buff Iron oxide
Pennsylvania	:	The following components are listed: Titanium dioxide
		Iron oxide
		Rutile, antimony chromium buff
		Nickel antimony yellow rutile (C.I. Pigment Yellow 53)
		Calcium carbonate
		Carbon black
		Styrene

<u>California Prop. 65</u> WARNING: This product contains a chemical known to the State of California to cause cancer.

### **167AEBONY**

Version Number 1.12 Revision Date 04/09/2018		Page 18 of 19 Print Date 04/26/2018
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

# Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Date of printing	:	04/26/2018
Date of issue/Date of revision		04/09/2018
Date of previous issue		04/27/2015
Version	:	1.12

### 167AEBONY



Version Number 1.12Page 19 of 19Revision Date 04/09/2018Print Date 04/26/2018

Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
References	:	UN = United Nations Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.