

MATERIAL SAFETY DATA SHEET

## PG 18408 PEARL SI PP SL

Version Number 1.0 Revision Date 06/22/2002 Page 1 of 6 Print Date 11/5/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 18408 PEARL SI PP SL
Product code	:	CC10018408
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %	
Titanium dioxide	13463-67-7	1 - 5	
Mica	12001-26-2	10 - 30	

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to ever</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# PG 18408 PEARL SI PP SL

Version Number 1.0 Revision Date 06/22/2002 Page 2 of 6 Print Date 11/5/2011

		4. FIRST AID MEASURES	
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.	
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.	
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
		5. FIRE-FIGHTING MEASURES	
Flash point	:	Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	::	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None	
Hazards			
	6. A	CCIDENTAL RELEASE MEASURES	
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
		7. HANDLING AND STORAGE	
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	•	Keep containers dry and tightly closed to avoid moisture absorption	



MATERIAL SAFETY DATA SHEET

# PG 18408 PEARL SI PP SL

Version Number 1.0 Revision Date 06/22/2002 Page 3 of 6 Print Date 11/5/2011

	a	nd contamination. Keep in	a dry, cool place.			
8. E	XPOSURE	CONTROLS / PERSON	AL PROTECTION			
Respiratory protection	: N	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	e List:		
			T 1 . 1			
Mica	3 mg/m3	Time Weighted Average (TWA):	e Total dust.	ACGIH		
	3 mg/m3 20 mppcf		Total dust.			
Mica	-	(TWA):	Total dust.	ACGIH		
Mica Mica	20 mppcf	(TWA): PEL: Time Weighted Average	Total dust.	ACGIH OSHA		
Mica Mica Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3	(TWA): PEL: Time Weighted Average (TWA): PEL:	Total dust. e Total dust. Total dust.	ACGIH OSHA ACGIH		
Mica Mica Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3	(TWA): PEL: Time Weighted Average (TWA):	Total dust. e Total dust. Total dust.	ACGIH OSHA ACGIH		
Mica Mica Titanium dioxide Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL F	Total dust. e Total dust. Total dust.	ACGIH OSHA ACGIH OSHA Z1 Not applicable.		
Mica Mica Titanium dioxide Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL F	Total dust. e Total dust. Total dust.	ACGIH OSHA ACGIH OSHA Z1		
Mica Mica Titanium dioxide Titanium dioxide Form Appearance	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL F the Event the Event the Spectrum Spect	Total dust.         e       Total dust.         Total dust.         Total dust.	ACGIH OSHA ACGIH OSHA Z1 Not applicable.		
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL F I Evi Sts Spo Y Bu	Total dust.         e       Total dust.         Total dust.         Total dust.	ACGIH OSHA ACGIH OSHA Z1 Not applicable. Not determined		
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : GRE : Very	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL F t Evant ts Spectry Bu t faint Va	Total dust.         Total dust.         Total dust.         Total dust.         PROPERTIES         aporation rate        cific Gravity        lk density       :	ACGIH OSHA ACGIH OSHA Z1 Not applicable. Not determined Not established		
Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : GRE : Very : Not of	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL F t Evant ts Spectry Bu t faint Va	Total dust.         aporation rate         ceific Gravity         lk density         por pressure         por density	ACGIH OSHA ACGIH OSHA Z1 OSHA Z1 Not applicable. Not determined Not established Not applicable		
Mica Mica Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : GRE : Very : Not of	(TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL F         I       Evaluation         ets       Specification         Y       Buildig         faint       Valuation         applicable       pH	Total dust.         aporation rate         ceific Gravity         lk density         por pressure         por density	ACGIH OSHA ACGIH OSHA Z1 OSHA Z1 Not applicable. Not determined Not established Not applicable Not applicable		

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

# PG 18408 PEARL SI PP SL

Version Number 1.0 Revision Date 06/22/2002

Page 4 of 6 Print Date 11/5/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	<ul> <li>Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>
	14. TRANSPORT INFORMATION
U.S. D.O.T. / CA T.D.G. Classification (Non-bulk	: Not regulated for transportation.



## MATERIAL SAFETY DATA SHEET

G 18408 PEARL SI	PP SL	
sion Number 1.0 /ision Date 06/22/2002		Page 5 c Print Date <i>11/5/</i> 20
ICAO/IATA	: Not regulated for t	ansportation.
IMO / IMDG	: Not regulated for t	cansportation.
	15. REGULATORY	INFORMATION
US Regulations:		
OSHA Status	: Classified as hazar	dous based on components.
TSCA Status	: All components of exempt.	this product are listed on the TSCA inventory or are
US. EPA CERCLA Hazardou	s Substances (40 CFR 302	2)
Not applicable		
California Proposition 65	: This product does	not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	: D2B	
WHMIS Ingredient Di	sclosure List	
CAS-No. 12001-26-2		
DSL	: Listed.	
National Inventories:		
Australia AICS	: Listed.	
China IECS	: Listed.	
Europe EINECS	: Not determined.	
Japan ENCS	: Not determined.	
Japan ENCS Korea KECI	<ul><li>Not determined.</li><li>Listed.</li></ul>	



MATERIAL SAFETY DATA SHEET

## PG 18408 PEARL SI PP SL

Version Number 1.0 Revision Date 06/22/2002 Page 6 of 6 Print Date 11/5/2011

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.