

### MATERIAL SAFETY DATA SHEET

## 295C DK. BLUE

Version Number 1.0 Revision Date 06/27/2002 Page 1 of 5 Print Date 11/5/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	295C DK. BLUE
Product code	:	CC10018427
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

# 295C DK. BLUE

ion Number 1.0 sion Date 06/27/2002	Page 2 Print Date 11/5/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



## MATERIAL SAFETY DATA SHEET

# 295C DK. BLUE

glasses with side-shields tive gloves. eleeved clothing. shoes. e in accordance with good hands before breaks and a nly in areas with appropr oriate exhaust ventilation	PROTECTION ive equipment normally re I industrial hygiene and sa at the end of workday. iate exhaust ventilation.	afety practice		
rsonal respiratory protect glasses with side-shields tive gloves. eleeved clothing. shoes. e in accordance with good hands before breaks and a nly in areas with appropr oriate exhaust ventilation	ive equipment normally re d industrial hygiene and sa at the end of workday. iate exhaust ventilation. at machinery.	afety practice		
glasses with side-shields tive gloves. eleeved clothing. shoes. e in accordance with good hands before breaks and a nly in areas with appropr oriate exhaust ventilation	l industrial hygiene and sa at the end of workday. iate exhaust ventilation. at machinery.	afety practice		
tive gloves. deeved clothing. shoes. e in accordance with good hands before breaks and a nly in areas with appropr oriate exhaust ventilation	l industrial hygiene and sa at the end of workday. iate exhaust ventilation. at machinery.			
sleeved clothing. shoes. e in accordance with good hands before breaks and a nly in areas with appropr oriate exhaust ventilation	at the end of workday. iate exhaust ventilation. at machinery.			
shoes. e in accordance with good hands before breaks and a nly in areas with appropr oriate exhaust ventilation	at the end of workday. iate exhaust ventilation. at machinery.			
e in accordance with good hands before breaks and a nly in areas with appropr priate exhaust ventilation	at the end of workday. iate exhaust ventilation. at machinery.			
hands before breaks and a nly in areas with appropr priate exhaust ventilation	at the end of workday. iate exhaust ventilation. at machinery.			
priate exhaust ventilation	at machinery.	Provide		
	Exposure type			
Exposure time	Exposure type	List:		
me Weighted Average (TWA):	Total dust.	ACGIH		
PEL:	Total dust.	OSHA Z1		
AND CHEMICAL PRO	<b>DPERTIES</b>			
Specif Bulk d	ic Gravity : Not of lensity : Not of	applicable. determined established applicable		
	density : Not a	applicable applicable		
BILITY AND REACTIV	/ITY			
ot occur.				
	ons to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.			
way from oxidizing ager		ls : Incompatible with strong acids and oxidizing agents.		
	away from oxidizing agen	away from oxidizing agents and open flame. To av		



### MATERIAL SAFETY DATA SHEET

## 295C DK. BLUE

Version Number 1.0 Revision Date 06/27/2002 Page 4 of 5 Print Date 11/5/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No. 13463-67-7	Chemical Name Titanium dioxide	Effect Systemic effects	Target Organ           Respiratory system.			
15405-07-7	Thamum dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	N			
Persistence and degrad	ability : Not readily b	biodegradable.				
Environmental Toxicit		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avai	lable.				
	13. DISPOSAI	<b>CONSIDERATIONS</b>	5			
Product Contaminated packagir	possible, rec generator of classification applicable fe ng : Recycling is has the respo and disposal	has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial				
	and local reg	gulations.				
	14. TRANSPO	ORT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regulated	d for transportation.				
ICAO/IATA	: Not regulated	d for transportation.				
IMO / IMDG	: Not regulated	d for transportation.				
	15. REGULAT	ORY INFORMATIO	N			

### MATERIAL SAFETY DATA SHEET



# 295C DK. BLUE

Version Number 1.0 Revision Date 06/27/2002		Page 5 of 5 Print Date <i>11/5/2011</i>
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.
		16. OTHER INFORMATION

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.