

MATERIAL SAFETY DATA SHEET

PEARL ORANGE T915-3-4

Version Number 1.0 Revision Date 06/25/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PEARL ORANGE T915-3-4
Product code	:	CC10018502
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PEARL ORANGE T915-3-4

Version Number 1.0 Revision Date 06/25/2002 Page 2 of 6 Print Date 11/5/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	: : : : : : : : : : : : : : : : : : : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards	•	
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PEARL ORANGE T915-3-4

Version Number 1.0 Revision Date 06/25/2002 Page 3 of 6 Print Date 11/5/2011

a	nd contamination. Kee	p in a dry, c	ool place.		
EXPOSURE	CONTROLS / PERSO	ONAL PRO	OTECTION		
: N	No personal respiratory j	protective e	quipment nor	mally re	equired.
: S	afety glasses with side-	shields.			
: P	: Protective gloves.				
: L	long sleeved clothing.				
: S	afety shoes.				
	: Handle in accordance with good industrial hygiene and safety Wash hands before breaks and at the end of workday.			fety practice	
	: Heat only in areas with appropriate exhaust ventilation appropriate exhaust ventilation at machinery.			ation. I	Provide
Value	Exposure time		Exposure typ	be	List:
3 mg/m3	-	rage	Total dust.		ACGIH
20 mppcf	PEL:		Total dust.		OSHA
10 mg/m3	n3 Time Weighted Average		Total dust.		ACGIH
15 mg/m3	PEL:		Total dust.		OSHA Z1
9. PHYSI	CAL AND CHEMICA	L PROPE	RTIES		
: Pelle : ORA : Very : Not : Not	ets ANGE y faint determined applicable	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH		 Not applicable. Not determined Not established Not applicable Not applicable Not applicable Not applicable 	
10. 5	STABILITY AND RE	ACTIVITY	ł		
	stable.				
	EXPOSURE : N : S : F : F : F : F : F V : F V : F v : F v : F v : : F v : : : : : : : : : : : : :	EXPOSURE CONTROLS / PERSO : No personal respiratory p : Safety glasses with side- : Protective gloves. : Long sleeved clothing. : Safety shoes. : Handle in accordance wi Wash hands before bread : Heat only in areas with a appropriate exhaust vent Value Exposure time 3 mg/m3 Time Weighted Ave (TWA): 20 mppcf PEL: 10 mg/m3 Time Weighted Ave (TWA): 15 mg/m3 PEL: 9. PHYSICAL AND CHEMICA : Solid Pellets : ORANGE Very faint : Not determined Not applicable : Insoluble Insoluble	EXPOSURE CONTROLS / PERSONAL PRO : No personal respiratory protective e : Safety glasses with side-shields. : Protective gloves. : Long sleeved clothing. : Safety shoes. : Handle in accordance with good indiversity wash hands before breaks and at the wash hands before breaks and at the appropriate exhaust ventilation at mathematical structure in the structure of the structure is t	EXPOSURE CONTROLS / PERSONAL PROTECTION : No personal respiratory protective equipment nor : Safety glasses with side-shields. : Protective gloves. : Long sleeved clothing. : Safety shoes. : Handle in accordance with good industrial hygiend Wash hands before breaks and at the end of workd : Heat only in areas with appropriate exhaust ventil appropriate exhaust ventilation at machinery. Value Exposure time Exposure type 3 mg/m3 Time Weighted Average (TWA): Total dust. 20 mppcf PEL: Total dust. 10 mg/m3 Time Weighted Average (TWA): Total dust. 15 mg/m3 PEL: Total dust. 9. PHYSICAL AND CHEMICAL PROPERTIES : Solid : Solid Evaporation rate :: : : Pellets Specific Gravity :: : : ORANGE Bulk density :: : : Not determined Vapor density :: : : Not applicable pH :	EXPOSURE CONTROLS / PERSONAL PROTECTION : No personal respiratory protective equipment normally re : Safety glasses with side-shields. : Protective gloves. : Long sleeved clothing. : Safety shoes. : Handle in accordance with good industrial hygiene and sa Wash hands before breaks and at the end of workday. : Heat only in areas with appropriate exhaust ventilation. If appropriate exhaust ventilation at machinery. Value Exposure time Yalue Exposure time 20 mppcf PEL: Yell: Total dust. 10 mg/m3 Time Weighted Average Yell: Total dust. 15 mg/m3 PEL: : Solid Evaporation rate : Solid Evaporation rate : Pellets Specific Gravity : ORANGE Bulk density Not applicable : Not applicable pH : Not applicable



MATERIAL SAFETY DATA SHEET

PEARL ORANGE T915-3-4

Version Number 1.0 Revision Date 06/25/2002

Page 4 of 6 Print Date 11/5/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the of the polymer. Additional advice : No data available. 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper w classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste responsibility for proper waste classification, transport		12. ECOLOGICAL INFORMATION
Bioaccumulation Potential : Chemicals are not readily available as they are bound within the of the polymer. Additional advice : No data available. III. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper w classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste to has the responsibility for proper waste classification, transport and disposal in accordance with applicable federal, state/provin and local regulations. U.S. DOT / CA TDG Classification : Not regulated for transportation.	Persistence and degradability	: Not readily biodegradable.
of the polymer. Additional advice : No data available. 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper w classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste a has the responsibility for proper waste classification, transport and disposal in accordance with applicable federal, state/provi and local regulations. U.S. DOT / CA TDG : Not regulated for transportation.	Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper w classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste responsibility for proper waste classification, transport and disposal in accordance with applicable federal, state/provi and local regulations. U.S. DOT / CA TDG Classification : Not regulated for transportation.	Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper w classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste n has the responsibility for proper waste classification, transport and disposal in accordance with applicable federal, state/provin and disposal in accordance with applicable federal, state/provin and local regulations. U.S. DOT / CA TDG Classification : Not regulated for transportation.	Additional advice	: No data available.
U.S. DOT / CA TDG : Not regulated for transportation.		13. DISPOSAL CONSIDERATIONS
has the responsibility for proper waste classification, transport and disposal in accordance with applicable federal, state/provisand local regulations. 14. TRANSPORT INFORMATION U.S. DOT / CA TDG : Not regulated for transportation. Classification : Not regulated for transportation.	Product	possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
U.S. DOT / CA TDG : Not regulated for transportation. Classification	Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Classification		14. TRANSPORT INFORMATION
ICAO/IATA : Not regulated for transportation.		: Not regulated for transportation.
	ICAO/IATA	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

PEARL ORANGE T915-3-4

Version Number 1.0 Revision Date 06/25/2002 Page 5 of 6 Print Date 11/5/2011

IMO / IMDG	:	Not regulated for transportation.		
15. REGULATORY INFORMATION				
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.		
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
Canadian Regulations: WHMIS Classification	:	D2B		
WHMIS Ingredient Disc				
CAS-No.				
12001-26-2				
DSL	:	Not determined.		
National Inventories:				
Australia AICS	:	Not determined.		
China IECS	:	Not determined.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Not determined.		
Philippines PICCS	:	Not determined.		
		16. OTHER INFORMATION		

5/6



MATERIAL SAFETY DATA SHEET

PEARL ORANGE T915-3-4

Version Number 1.0 Revision Date 06/25/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.