

MATERIAL SAFETY DATA SHEET

MAROON

Version Number 1.0 Revision Date 06/27/2002 Page 1 of 5 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MAROON
Product code	:	CC10018518
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

MAROON

ion Number 1.0 sion Date 06/27/2002	Page 2 Print Date 11/5/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption





MAROON

ion Number 1.0 sion Date 06/27/2002			Print	Page: /Date 11/5	
	a	nd contamination. Keep in a d	ry, cool place.		
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally r	equired.	
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: P	: Protective gloves.			
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practic	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Components Iron oxide	Value 5 mg/m3	Exposure time Time Weighted Average	Exposure type Dust and fume. as Fe	List: ACGIH	
		(TWA):			
	9. PHYSIC	CAL AND CHEMICAL PRO	DPERTIES		
Melting point/range: NoBoiling Point:: No		ets Specif Bulk d faint Vapor determined Vapor	ic Gravity : Not lensity : Not pressure : Not density : Not	applicable. determined established applicable applicable	
Melting point/range Boiling Point: Water solubility	: Not a : Insol	applicable pH luble	: Not	applicable	
Boiling Point:	: Insol				
Boiling Point:	: Insol 10. S	uble			
Boiling Point: Water solubility	: Insol 10. S : S	uble STABILITY AND REACTIV			
Boiling Point: Water solubility Stability	: Insol 10. § : S n : W : K	uble STABILITY AND REACTIV table.	TTY	applicable	
Boiling Point: Water solubility Stability Hazardous Polymerization	: Insol 10. § : S n : W : K d	TABILITY AND REACTIV table. Vill not occur.	T TY Its and open flame. To a	applicable	



MATERIAL SAFETY DATA SHEET

MAROON

Version Number 1.0 Revision Date 06/27/2002

Page 4 of 5 Print Date 11/5/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name		Target Organ			
309-37-1 Iron oxide		Systemic effects	Respiratory system.			
	12 ECOLO	GICAL INFORMATION	N			
Persistence and degrad		ily biodegradable.				
Environmental Toxici		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Pote		Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data a	: No data available.				
	13. DISPOS	SAL CONSIDERATIONS	5			
Product Contaminated packagi	possible, generator classifica applicabl	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material 				
	and dispo		waste classification, transportation applicable federal, state/provincial			
	14. TRANS	SPORT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regu	lated for transportation.				
ICAO/IATA	: Not regu	lated for transportation.				
IMO / IMDG	: Not regu	lated for transportation.				
	15 REGUL	ATORY INFORMATIO	I.			

MATERIAL SAFETY DATA SHEET



MAROON					
Version Number 1.0 Revision Date 06/27/2002		Page 5 of 5 Print Date 11/5/2011			
US Regulations:					
OSHA Status	:	Classified as hazardous based on components.			
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.			
US. EPA CERCLA Hazardous	US. EPA CERCLA Hazardous Substances (40 CFR 302)				
Not applicable					
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.			
Canadian Regulations:					
WHMIS Classification	:	Not controlled.			
DSL	:	Listed.			
National Inventories:					
Australia AICS	:	Listed.			
China IECS	:	Listed.			
Europe EINECS	:	Not determined.			
Japan ENCS	:	Not determined.			
Korea KECI	:	Not determined.			
Philippines PICCS	:	Not determined.			
		16. OTHER INFORMATION			

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.