

MATERIAL SAFETY DATA SHEET

IRIDESCENT TEAL

Version Number 1.0 Revision Date 06/24/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	IRIDESCENT TEAL
Product code	:	CC10018657
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

IRIDESCENT TEAL

Version Number 1.0 Page 2 of 6 Revision Date 06/24/2002 Print Date 11/5/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist, or in all cases of doubt, seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Carbon dioxide blanket, Water spray, dry powder, foam. Suitable extinguishing media : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption •



MATERIAL SAFETY DATA SHEET

IRIDESCENT TEAL

Version Number 1.0 Revision Date 06/24/2002			Print	Page 3 of 6 Date 11/5/2011
	aı	nd contamination. Keep in a d	ry, cool place.	
8.1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		safety practice.
Engineering measures		eat only in areas with appropri ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Mica	20 mppcf	PEL:	Total dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES	
_	~			
Form	: Solid			applicable.
Appearance Color	: Pelle : WHI		5	t determined t established
Odor				t applicable
Melting point/range				t applicable
Boiling Point:		applicable pH		applicable
Water solubility	: Insol		. 100	upphouolo
	10.5	TABILITY AND REACTIV	/ ITX /	
	10. 5	TADILITT AND REACTIV	111	
Stability	: S	table.		
Hazardous Polymerizatio	n : W	/ill not occur.		
Conditions to avoid		eep away from oxidizing agen ecomposition, do not overheat		avoid thermal



MATERIAL SAFETY DATA SHEET

IRIDESCENT TEAL

ion Number 1.0 ision Date 06/24/200	2		Page Print Date 11/5		
Incompatible Materials	s : Incompati	ible with strong acids and	oxidizing agents.		
Hazardous decomposit products		: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	11. TOXICOL	OGICAL INFORMATI	ON		
	een evaluated as a whole vidual components whic		ure effects listed are based on ex		
<u>Toxicity Overview</u> This product contains t	the following componen	ts which in their pure form	have the following characterist		
CAS-No.	Chemical Name	Effect	Target Organ		
12001-26-2	Mica	Systemic effects	Respiratory system.		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLO	GICAL INFORMATION	N		
Persistence and degrad	-	ly biodegradable.	a dhann an hann daridhir dha mad		
Environmental Toxicit	of the pol	ymer.	as they are bound within the matr		
Bioaccumulation Poter		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data a	: No data available.			
	13. DISPOS	AL CONSIDERATIONS	5		
Product	possible, generator classificat	recycling is preferred to di			
Contaminated packagin	has the real and dispo	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANS	PORT INFORMATION			
U.S. DOT / CA TDG Classification	: Not regula	: Not regulated for transportation.			



MATERIAL SAFETY DATA SHEET

IRIDESCENT TEAL

ion Number 1.0 sion Date 06/24/2002		Page Print Date 11/5/
IMO / IMDG	:	Not regulated for transportation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or an exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Disc	losu	ire List
CAS-No. 12001-26-2		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

IRIDESCENT TEAL

Version Number 1.0 Revision Date 06/24/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.