

MATERIAL SAFETY DATA SHEET

TRANS PINK 211C

Version Number 1.0 Revision Date 06/29/2002 Page 1 of 5 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	TRANS PINK 211C	
Product code	:	CC10018713	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		
4. FIRST AID MEASURES			

1/5



MATERIAL SAFETY DATA SHEET

TRANS PINK 211C

sion Date 06/29/2002	Page 2 Print Date 11/5/
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: none
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET

TRANS PINK 211C

Version Number 1.0 Revision Date 06/29/2002 Page 3 of 5 Print Date 11/5/2011

	USUF	RE CONTROLS / PI	ERSONAL PROTECTIO	DN	
Respiratory protection	:	No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.			
Eye/Face Protection	:	Safety glasses with side-shields.			
Hand protection	:	Protective gloves.			
Skin and body protection	:	Long sleeved clothing.			
Additional Protective Measures	:	Safety shoes.			
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	:	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
<u>Exposure mint(s)</u>					
There are no known hazardou				luct.	
9.	PHY	SICAL AND CHEM			
			IICAL PROPERTIES		
Form	: So		Evaporation rate	: Not applicable.	
	: So			: Not applicable. : Not applicable.	
Form	: So	olid owder, granular	Evaporation rate		
Form Appearance	: So : po : Pl	olid owder, granular	Evaporation rate Specific Gravity	: Not applicable.	
Form Appearance Color	: So : po : Pl : V	olid owder, granular NK	Evaporation rate Specific Gravity Bulk density	Not applicable.Not determined	
Form Appearance Color Odor	: So : po : Pl : Vo : No	olid owder, granular NK ery faint	Evaporation rate Specific Gravity Bulk density Vapor pressure	Not applicable.Not determinedNot applicable	
Form Appearance Color Odor Melting point/range	: So : po : Pl : V : N : N	olid owder, granular NK ery faint ot determined	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	Not applicable.Not determinedNot applicableNot applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	: So : pc : PI : V : N : N : N	olid owder, granular NK ery faint ot determined ot applicable	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	Not applicable.Not determinedNot applicableNot applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	: So : pc : PI : V : N : N : N	olid owder, granular NK ery faint ot determined ot applicable soluble	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	Not applicable.Not determinedNot applicableNot applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: So : pc : PI : V : N : N : N	olid owder, granular NK ery faint ot determined ot applicable soluble). STABILITY AND	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	Not applicable.Not determinedNot applicableNot applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: So : pc : PI : V : N : N : N	olid owder, granular NK ery faint ot determined ot applicable soluble D. STABILITY AND Stable. Will not occur.	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH PREACTIVITY	 Not applicable. Not determined Not applicable Not applicable Not applicable 	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: So : pc : PI : V : N : N : N	olid owder, granular NK ery faint ot determined ot applicable soluble D. STABILITY AND Stable. Will not occur. To avoid thermal de oxidizing agents and	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH PREACTIVITY	 Not applicable. Not determined Not applicable Not applicable Not applicable 	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: So : pc : PI : V : N : N : N	olid owder, granular NK ery faint ot determined ot applicable soluble D. STABILITY AND Stable. Will not occur. To avoid thermal de oxidizing agents and Incompatible with s Carbon dioxide (CC	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH PREACTIVITY	 Not applicable. Not determined Not applicable Not applicable Not applicable Not applicable 	



MATERIAL SAFETY DATA SHEET

TRANS PINK 211C

Version Number 1.0 Revision Date 06/29/2002 Page 4 of 5 Print Date 11/5/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION	
Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use	
Bioaccumulation Potential	: Not inherently biodegradable.	
Additional advice	: No data available.	
	13. DISPOSAL CONSIDERATIONS	
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	14. TRANSPORT INFORMATION	
U.S. DOT / CA TDG Classification	: Not regulated for transportation.	
ICAO/IATA	: Not regulated for transportation.	
IMO / IMDG	: Not regulated for transportation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.	
TSCA Status	: All components of this product are listed on the TSCA inventory or ar exempt.	
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
Not applicable		



MATERIAL SAFETY DATA SHEET

TRANS PINK 211C

Version Number 1.0	Page 5 of 5
Revision Date 06/29/2002	Print Date <i>11/5/2011</i>

California Proposition : This product does not contain a substance listed by California Prop 65. 65

Canadian Regulations:

WHMIS Classification	:	Not controlled.
DSL	:	Listed.

National Inventories:

Au	stralia AICS	:	Listed.
Chi	na IECS	:	Listed.
Eur	ope EINECS	:	Not determined.
Jap	an ENCS	:	Not determined.
Ko	rea KECI	:	Listed.
Phi	lippines PICCS	:	Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.