

MATERIAL SAFETY DATA SHEET

SKIN BRIGHT FLIP - OUTER

Version Number 1.0 Revision Date 06/24/2002 Page 1 of 5 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SKIN BRIGHT FLIP - OUTER
Product code	:	CC10018773
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

SKIN BRIGHT FLIP - OUTER

Version Number 1.0 Revision Date 06/24/2002 Page 2 of 5 Print Date 11/5/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	::	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

SKIN BRIGHT FLIP - OUTER

Version Number 1.0 Revision Date 06/24/2002 Page 3 of 5 Print Date 11/5/2011

		nd contamination.	-			
8. I	XPOSURE	CONTROLS / P	ERSONAL	PROTECTION		
Respiratory protection	: N	No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: F	Protective gloves.				
Skin and body protection	: L	Long sleeved clothing.				
Additional Protective Measures	: S	Safety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.				fety practice.
Engineering measures	sures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time		Exposure type		List:
Mica	3 mg/m3	Time Weighted (TWA	d Average	Total dust.		ACGIH
Mica	20 mppcf	PEL:		Total dust.		OSHA
	9. PHYSI	CAL AND CHEN	AICAL PRO	DPERTIES		
		1	Evapor	ration rate :	Not	applicable.
Form	: Solid	1				
Form Appearance	: Pelle	ets	Specifi	ic Gravity :		determined
Appearance Color	: Pelle : NO	ets PIGMENT	Specifi Bulk d	c Gravity : ensity :	Not	established
Appearance Color Odor	: Pelle : NO : Very	ets PIGMENT / faint	Specifi Bulk d Vapor	c Gravity : ensity : pressure :	Not Not	established applicable
Appearance Color Odor Melting point/range	: Pelle : NO : Very : Not	ets PIGMENT / faint determined	Specifi Bulk d Vapor Vapor	c Gravity : ensity :	Not Not Not	established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : NO : Very : Not : Not	ets PIGMENT / faint determined applicable	Specifi Bulk d Vapor	c Gravity : ensity : pressure :	Not Not Not	established applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : NO : Very : Not	ets PIGMENT / faint determined applicable	Specifi Bulk d Vapor Vapor	c Gravity : ensity : pressure :	Not Not Not	established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : NO : Very : Not : Inso	ets PIGMENT / faint determined applicable	Specifi Bulk d Vapor Vapor pH	ic Gravity : ensity : pressure : density :	Not Not Not	established applicable applicable
Appearance Color Odor Melting point/range	: Pelle : NO : Very : Not : Not : Inso	ets PIGMENT / faint determined applicable luble	Specifi Bulk d Vapor Vapor pH	ic Gravity : ensity : pressure : density :	Not Not Not	established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : NO : Very : Not : Not : Inso 10. \$: S	ets PIGMENT / faint determined applicable luble STABILITY ANI	Specifi Bulk d Vapor Vapor pH	ic Gravity : ensity : pressure : density :	Not Not Not	established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pelle : NO : Very : Not : Not : Inso 10. § : S n : V : K	ets PIGMENT 7 faint determined applicable luble STABILITY ANI stable. Vill not occur.	Specifi Bulk d Vapor Vapor pH DREACTIV	ts and open flame.	Not Not Not	established applicable applicable



MATERIAL SAFETY DATA SHEET

SKIN BRIGHT FLIP - OUTER

Version Number 1.0 Revision Date 06/24/2002 Page 4 of 5 Print Date 11/5/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
12001-26-2	Mica	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	I			
Persistence and degrada	ability : Not readily b	biodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avai	: No data available.				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagin	possible, rec generator of classification applicable fe gg : Recycling is has the respo and disposal	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	14 TRANSPO	ORT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regulated	: Not regulated for transportation.				
ICAO/IATA	: Not regulated	d for transportation.				
IMO / IMDG	: Not regulated	d for transportation.				



MATERIAL SAFETY DATA SHEET

SKIN BRIGHT FLIP - OUTER

Version Number 1.0 Revision Date 06/24/2002		Page 5 of 5 Print Date 11/5/2011				
US Regulations:						
OSHA Status	:	Classified as hazardous based on components.				
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.				
US. EPA CERCLA Hazardous S	US. EPA CERCLA Hazardous Substances (40 CFR 302)					
Not applicable						
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.				
Canadian Regulations:						
WHMIS Classification	:	Not controlled.				
DSL	:	Listed.				
National Inventories:						
Australia AICS	:	Listed.				
China IECS	:	Listed.				
Europe EINECS	:	Not determined.				
Japan ENCS	:	Not determined.				
Korea KECI	:	Listed.				
Philippines PICCS	:	Listed.				
		16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.