

MATERIAL SAFETY DATA SHEET

PG 19044 RD PP

Version Number 1.0 Revision Date 06/28/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 19044 RD PP
Product code	:	CC10019044
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Iron oxide	1309-37-1	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin Chronic exposure	 Experience shows no unusual dermatitis hazard from routine handling. Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PG 19044 RD PP

ion Number 1.0 sion Date 06/28/2002	Page 2 Print Date 11/5/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PG 19044 RD PP

ion Number 1.0 sion Date 06/28/2002			Print I	Page Date 11/5
	a	nd contamination. Keep in a c	dry, cool place.	
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shields	5.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		Iandle in accordance with good Vash hands before breaks and		afety praction
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES	
Form	: Solic	i Evapo	oration rate : Not	applicable.
Appearance	: Pelle			determined
Color	: RED		5	established
Odor	: Very			applicable
Melting point/range				applicable
Boiling Point:	: Not applicable pH : Not applica			applicable
Water solubility	: Insol	luble		
	10. 8	STABILITY AND REACTIV	VITY	
Stability	: S	table.		
Stubility				
Hazardous Polymerization	n : V	Vill not occur.		



MATERIAL SAFETY DATA SHEET

PG 19044 RD PF			
ersion Number 1.0 Nevision Date 06/28/20	02		Page 4 of Print Date <i>11/5/201</i>
Incompatible Materia	ls : Incompatible	e with strong acids and o	oxidizing agents.
Hazardous decompos			oxide (CO), oxides of nitrogen
products	(NOx), other	r hazardous materials, ai	nd smoke are all possible.
	11. TOXICOLO	GICAL INFORMATIO	ON
	been evaluated as a whole for lividual components which o		ure effects listed are based on existin
<u>Toxicity Overview</u> This product contains	the following components	which in their pure form	have the following characteristics:
CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
	12 ECOLOCI	CAL INFORMATION	1
Persistence and degra Environmental Toxici Bioaccumulation Pote	ity : Chemicals a of the polym	er. re not readily available a	as they are bound within the matrix as they are bound within the matrix
Additional advice	: No data avai		
	13. DISPOSAI	L CONSIDERATIONS	
Product	possible, rec generator of classification	ycling is preferred to dis waste material has the r	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packag	has the respo	onsibility for proper was in accordance with app	e. The generator of waste material te classification, transportation licable federal, state/provincial

14. TRANSPORT INFORMATION

U.S. DOT / CA TDG Classification	: Not regulated for transportation
ICAO/IATA	: Not regulated for transportation



MATERIAL SAFETY DATA SHEET

PG 19044 RD PP

ision Date 06/28/2002	Page 5 Print Date 11/5/2
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 65
Canadian Regulations:	
WHMIS Classification	
WHMIS Ingredient Dis	closure List
CAS-No. 1309-37-1	
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Listed.
Korea KECI	: Listed.
Philippines PICCS	: Listed.
	16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

PG 19044 RD PP

Version Number 1.0 Revision Date 06/28/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.