

MATERIAL SAFETY DATA SHEET

P.B. BLUE

Version Number 1.0 Revision Date 07/01/2002 Page 1 of 5 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	P.B. BLUE
Product code	:	CC10019239
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

P.B. BLUE

sion Date 07/01/2002	Print Date 11/5/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
	. Not applicable
Upper explosion limit Lower explosion limit	: Not applicable : Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

P.B. BLUE

sion Date 07/01/2002					Print Da	Page 3 ate 11/5/2
	a	nd contamination. K	eep in a d	ry, cool place.		
8. E2	XPOSURE	CONTROLS / PER	SONAL	PROTECTION		
Respiratory protection	: N	lo personal respirator	y protecti	ve equipment norn	nally req	uired.
Eye/Face Protection	: S	afety glasses with sid	e-shields			
Hand protection	: P	rotective gloves.				
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations		landle in accordance Vash hands before bre				ety practice
Engineering measures		leat only in areas with ppropriate exhaust ve			tion. Pr	ovide
Exposure limit(s)						
Components	Value	Exposure tim	e	Exposure typ	e	List:
Titanium dioxide	10 mg/m3	Time Weighted A (TWA):	verage	Total dust.		ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSIC	CAL AND CHEMIC	CAL PRC	PERTIES		
					NT /	
Form	: Solid	1	Evapor	ration rate :	Not ap	plicable.
Appearance	: Solid : Pelle			ration rate : ic Gravity :		plicable. etermined
Appearance Color	: Pelle : BLU	ets E	Specifi Bulk d	ic Gravity : ensity :	Not de Not es	etermined tablished
Appearance Color Odor	: Pelle : BLU : Very	ets E 7 faint	Specifi Bulk d Vapor	ic Gravity : ensity : pressure :	Not de Not es Not ap	etermined tablished plicable
Appearance Color Odor Melting point/range	: Pelle : BLU : Very : Not o	ets E 7 faint determined	Specifi Bulk d Vapor	ic Gravity : ensity :	Not de Not es Not ap Not ap	termined tablished plicable plicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BLU : Very : Not c : Not a	ets E 7 faint determined applicable	Specifi Bulk d Vapor	ic Gravity : ensity : pressure :	Not de Not es Not ap Not ap	etermined tablished plicable
Appearance Color Odor Melting point/range	: Pelle : BLU : Very : Not o	ets E 7 faint determined applicable	Specifi Bulk d Vapor Vapor	ic Gravity : ensity : pressure :	Not de Not es Not ap Not ap	termined tablished plicable plicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BLU : Very : Not c : Not a : Insol	ets E 7 faint determined applicable	Specifi Bulk d Vapor Vapor pH	ic Gravity : ensity : pressure : density :	Not de Not es Not ap Not ap	termined tablished plicable plicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BLU : Very : Not c : Not a : Insol	ets E 7 faint determined applicable luble	Specifi Bulk d Vapor Vapor pH	ic Gravity : ensity : pressure : density :	Not de Not es Not ap Not ap	termined tablished plicable plicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : BLU : Very : Not a : Not a : Insol 10. S : S	ets E 7 faint determined applicable luble STABILITY AND R	Specifi Bulk d Vapor Vapor pH	ic Gravity : ensity : pressure : density :	Not de Not es Not ap Not ap	termined tablished plicable plicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pelle : BLU : Very : Not a : Not a : Insol 10. S : S : W : K	ets TE 7 faint determined applicable luble STABILITY AND R table.	Specifi Bulk d Vapor pH EACTIV	ic Gravity : ensity : pressure : density :	Not de Not es Not ap Not ap	etermined tablished plicable plicable plicable



MATERIAL SAFETY DATA SHEET

P.B. BLUE

Version Number 1.0 Revision Date 07/01/2002 Page 4 of 5 Print Date 11/5/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degrada	ability : Not readily b	iodegradable.				
Environmental Toxicity		 Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. 				
Bioaccumulation Poten						
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS	9			
Product Contaminated packagin	possible, recy generator of v classification applicable fea ng : Recycling is p has the respo	veling is preferred to di waste material has the r , transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	ct can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial			
	14, 1 KANSPO	ORT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regulated	l for transportation.				
ICAO/IATA	: Not regulated	l for transportation.				
IMO / IMDG	: Not regulated	l for transportation.				
	15. REGULATO					

MATERIAL SAFETY DATA SHEET



P.B. BLUE		
Version Number 1.0 Revision Date 07/01/2002	P Print Date	Page 5 of 5
		11/0/2011
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on the TSCA inventor exempt.	y or are
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
Not applicable		
California Proposition 65	: This product does not contain a substance listed by California F	rop 65.
Canadian Regulations:		
WHMIS Classification	: D2B	
DSL	: Listed.	
National Inventories:		
Australia AICS	: Listed.	
China IECS	: Listed.	
Europe EINECS	: Not determined.	
Japan ENCS	: Listed.	
Korea KECI	: Listed.	
Philippines PICCS	: Listed.	
	16 OTHER INFORMATION	

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.