

MATERIAL SAFETY DATA SHEET

050YE620 YELLOW PE CC

Version Number 1.0 Revision Date 07/01/2002 Page 1 of 5 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	050YE620 YELLOW PE CC
Product code	:	CC10019296
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

050YE620 YELLOW PE CC

Version Number 1.0 Revision Date 07/01/2002 Page 2 of 5 Print Date 11/5/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	: : : : : : : : : : : : : : : : : : : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Unusual Fire/Explosion Hazards	•	None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

050YE620 YELLOW PE CC

Version Number 1.0 Revisi

ersion Number 1.0 evision Date 07/01/2002				Print	Page 3 of 5 Date 11/5/2011
	aı	nd contamination. Keep	in a dı	ry, cool place.	
8. H	EXPOSURE	CONTROLS / PERSO	NAL I	PROTECTION	
Respiratory protection	: N	o personal respiratory p	rotectiv	ve equipment normally	required.
Eye/Face Protection	: Sa	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Sa	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	age	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.	OSHA Z1
9. PHYSICAL AND CHEMICAL PROPERTIES					
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Very : Not c	ts S LOW F faint V letermined V upplicable p	Evaporation rate:Not applicable.Specific Gravity:Not determinedBulk density:Not establishedVapor pressure:Not applicableVapor density:Not applicablepH:Not applicable		determined established applicable applicable
10. STABILITY AND REACTIVITY					
Stability	: St	table.			
Hazardous Polymerization	n : W	ill not occur.			
Conditions to avoid		eep away from oxidizing ecomposition, do not ove			woid thermal
Incompatible Materials	: In	compatible with strong	acids a	nd oxidizing agents.	



MATERIAL SAFETY DATA SHEET

050YE620 YELLOW PE CC

Version Number 1.0 Revision Date 07/01/2002 Page 4 of 5 Print Date 11/5/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

Persistence and degradability : Not readily bio Environmental Toxicity : Chemicals are r of the polymer. Bioaccumulation Potential : Chemicals are r of the polymer. Additional advice : No data availab 13. DISPOSAL C Product : Like most therr possible, recycl generator of wa classification, t applicable fede Contaminated packaging : Recycling is pro- has the respons and disposal in and local regula U.S. DOT / CA TDG : Not regulated for	not readily available a not readily available a ble. CONSIDERATIONS moplastics the produ ling is preferred to di aste material has the p ransportation and dis	as they are bound within the matrix as they are bound within the matrix S uct can be recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with			
Persistence and degradability : Not readily bio Environmental Toxicity : Chemicals are r of the polymer. Bioaccumulation Potential : Chemicals are r of the polymer. Additional advice : No data availab 13. DISPOSAL C Product : Like most therr possible, recycl generator of wa classification, t applicable fede Contaminated packaging : Recycling is pro- has the respons and disposal in and local regula U.S. DOT / CA TDG : Not regulated for	degradable. not readily available a not readily available a ble. CONSIDERATIONS moplastics the produ ling is preferred to di aste material has the p ransportation and dis	as they are bound within the matrix as they are bound within the matrix S uct can be recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with			
Environmental Toxicity : Chemicals are r of the polymer. Bioaccumulation Potential : Chemicals are r of the polymer. Additional advice : No data availab 13. DISPOSAL C Product : Like most therr possible, recycl generator of wa classification, t applicable fede Contaminated packaging : Recycling is pro- has the respons and disposal in and local regula U.S. DOT / CA TDG : Not regulated for	not readily available a not readily available a ble. CONSIDERATIONS moplastics the produ ling is preferred to di aste material has the p ransportation and dis	as they are bound within the matrix S act can be recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with			
Bioaccumulation Potential of the polymer. Bioaccumulation Potential : Chemicals are nof the polymer. Additional advice : No data availab 13. DISPOSAL C Product : Like most therr possible, recycling generator of was classification, trapplicable fede Contaminated packaging : Recycling is prohas the respons and disposal in and local regulated U.S. DOT / CA TDG : Not regulated for the polymer.	not readily available a ble. CONSIDERATIONS moplastics the produ ling is preferred to di aste material has the p ransportation and dis	as they are bound within the matrix S act can be recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with			
Additional advice : No data availab 13. DISPOSAL C Product : Like most therr possible, recycl generator of wa classification, t applicable fede Contaminated packaging : Recycling is pro- has the respons and disposal in and local regular 14. TRANSPOR U.S. DOT / CA TDG : Not regulated for	ble. CONSIDERATIONS moplastics the produ ling is preferred to di aste material has the production and dis	S Let can be recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with			
13. DISPOSAL C Product : Like most therr possible, recycl generator of wa classification, t applicable fede Contaminated packaging : Recycling is prohas the respons and disposal in and local regulated U.S. DOT / CA TDG : Not regulated for	CONSIDERATIONS moplastics the produ ling is preferred to di aste material has the p ransportation and dis	act can be recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with			
Product : Like most therr possible, recycl generator of wa classification, t applicable fede Contaminated packaging : Recycling is pro- has the respons and disposal in and local regula 14. TRANSPOR U.S. DOT / CA TDG : Not regulated for	moplastics the produ ling is preferred to di aste material has the r ransportation and dis	act can be recycled. Where isposal or incineration. The responsibility for proper waste sposal in accordance with			
U.S. DOT / CA TDG : Not regulated for the second se	ling is preferred to di aste material has the r ransportation and dis	isposal or incineration. The responsibility for proper waste sposal in accordance with			
U.S. DOT / CA TDG : Not regulated for	has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial				
U.S. DOT / CA TDG : Not regulated for		J			
		<u>.</u>			
Classification	: Not regulated for transportation.				
ICAO/IATA : Not regulated for transportation.					
IMO / IMDG : Not regulated for	or transportation.				
15. REGULATOR	or transportation.				



MATERIAL SAFETY DATA SHEET

050YE620 YELLOW PE CC

Version Number 1.0		Page 5 of 5
Revision Date 07/01/2002		Print Date 11/5/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.