

MATERIAL SAFETY DATA SHEET

TEAL

Version Number 1.0 Revision Date 07/08/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TEAL
Product code	:	CC10019316
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Aluminum oxide	1344-28-1	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

TEAL

sion Date 07/08/2002	Print Date 11/5	2
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases doubt, seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.	ıt
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.	ek
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
r iusii poliit		
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not relevant	
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.	
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive	•
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion Hazards	: None	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	



MATERIAL SAFETY DATA SHEET

TEAL

ion Number 1.0 sion Date 07/08/2002			Print	Page 3 Date 11/5/2
	a	nd contamination. Keep in a d	ry, cool place.	
8. F	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shields.		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practic
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Aluminum oxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Aluminum oxide	5 mg/m3	PEL:	Respirable fraction.	OSHA ZI
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA ZI
	9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES	
Form	9. PHYSIC : Solid			applicable.
Form Appearance		l Evapor	ration rate : Not	applicable. determined
Appearance Color	: Solid : Pelle : GRE	l Evapor ets Specifi EN Bulk d	ration rate : Not ic Gravity : Not ensity : Not	determined established
Appearance Color Odor	: Solid : Pelle : GRE : Very	l Evapor ets Specifi EEN Bulk d 7 faint Vapor	ration rate : Not ic Gravity : Not ensity : Not pressure : Not	determined established applicable
Appearance Color Odor Melting point/range	: Solid : Pelle : GRE : Very : Not c	l Evapor ets Specifi EN Bulk d faint Vapor determined Vapor	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : GRE : Very : Not c : Not a	l Evapor ets Specifi EEN Bulk d faint Vapor determined Vapor applicable pH	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not	determined established applicable
Appearance Color Odor Melting point/range	: Solid : Pelle : GRE : Very : Not c	l Evapor ets Specifi EEN Bulk d faint Vapor determined Vapor applicable pH	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : GRE : Very : Not c : Not a : Insol	l Evapor ets Specifi EEN Bulk d faint Vapor determined Vapor applicable pH	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : GRE : Very : Not c : Not a : Insol 10. S	l Evapor ets Specifi EEN Bulk d faint Vapor determined Vapor applicable pH luble	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pelle : GRE : Very : Not c : Not a : Insol 10. S : St	l Evapor ets Specifi EN Bulk d faint Vapor determined Vapor applicable pH uble	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not	determined established applicable applicable



MATERIAL SAFETY DATA SHEET

TEAL

vision Date 07/08/2			Print Date 11/5/20
	decomposi	tion, do not overheat.	
Incompatible Mater	ials : Incompatib	ole with strong acids and o	oxidizing agents.
Hazardous decompo products		oxide (CO2), carbon mono er hazardous materials, ar	oxide (CO), oxides of nitrogen ad smoke are all possible.
	11. TOXICOLO	OGICAL INFORMATIO	DN
health data for the in	t been evaluated as a whole ndividual components which		ure effects listed are based on exis
<u>Toxicity Overview</u> This product contain	ns the following components	s which in their pure form	have the following characteristics
CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1344-28-1	Aluminum oxide	Systemic effects	Eyes, Skin, Respiratory system.
	12 ECOLOC	GICAL INFORMATION	J
Environmental Toxi Bioaccumulation Po Additional advice	of the poly otential : Chemicals of the poly : No data av	mer. are not readily available a mer. ailable.	is they are bound within the matrix is they are bound within the matrix
	13. DISPOSA	AL CONSIDERATIONS)
Product Contaminated packa	aging : Recycling has the resp	ecycling is preferred to dis of waste material has the r on, transportation and dis federal, state/provincial a is preferred when possible ponsibility for proper was al in accordance with app	
	14. TRANSF	PORT INFORMATION	
U.S. DOT / CA TD Classification		ted for transportation.	



MATERIAL SAFETY DATA SHEET

ersion Number 1.0 evision Date 07/08/2002			Print [Page 5 of Date 11/5/201
ICAO/IATA	: Not regulated fo	r transportation.		
IMO / IMDG	: Not regulated fo	r transportation.		
	15. REGULATOR	Y INFORMATIO	N	
US Regulations:				
OSHA Status	: Classified as haz	zardous based on co	omponents.	
TSCA Status	: All components exempt.	of this product are I	listed on the TSCA in	ventory or are
US. EPA CERCLA Hazardous S	Substances (40 CFR 3	302)		
Not applicable				
California Proposition 65	: This product doe	es not contain a sub	stance listed by Califo	ornia Prop 65.
65 SARA Title III Section 313 Tox	-	es not contain a sub	stance listed by Califo	ornia Prop 65.
65 SARA Title III Section 313 Tox Chemical Name	ic Chemicals:	CAS-No.	Weight %	ornia Prop 65.
65 SARA Title III Section 313 Tox	ic Chemicals:			ornia Prop 65.
65 SARA Title III Section 313 Tox Chemical Name ALUMINUM OX	ic Chemicals:	CAS-No.	Weight %	ornia Prop 65.
65 SARA Title III Section 313 Tox Chemical Name ALUMINUM OX FORMS)	ic Chemicals:	CAS-No.	Weight %	ornia Prop 65.
65 SARA Title III Section 313 Tox Chemical Name ALUMINUM OX FORMS) Canadian Regulations:	ic Chemicals: KIDE (FIBROUS	CAS-No.	Weight %	ornia Prop 65.
65 SARA Title III Section 313 Tox Chemical Name ALUMINUM 02 FORMS) Canadian Regulations: WHMIS Classification	ic Chemicals: KIDE (FIBROUS	CAS-No.	Weight %	ornia Prop 65.
65 SARA Title III Section 313 Tox Chemical Name ALUMINUM OX FORMS) Canadian Regulations: WHMIS Classification WHMIS Ingredient Discl	ic Chemicals: KIDE (FIBROUS	CAS-No.	Weight %	ornia Prop 65.
65 SARA Title III Section 313 Tox Chemical Name ALUMINUM OX FORMS) Canadian Regulations: WHMIS Classification WHMIS Ingredient Discl CAS-No. 1344-28-1	ic Chemicals: KIDE (FIBROUS : D2B osure List	CAS-No.	Weight %	ornia Prop 65.
65 SARA Title III Section 313 Tox Chemical Name ALUMINUM OF FORMS) Canadian Regulations: WHMIS Classification WHMIS Ingredient Discl CAS-No. 1344-28-1 DSL	ic Chemicals: KIDE (FIBROUS : D2B osure List	CAS-No.	Weight %	ornia Prop 65.
65 SARA Title III Section 313 Tox Chemical Name ALUMINUM O2 FORMS) Canadian Regulations: WHMIS Classification WHMIS Ingredient Discl CAS-No. 1344-28-1 DSL National Inventories:	ic Chemicals: KIDE (FIBROUS : D2B osure List : Listed.	CAS-No.	Weight %	ornia Prop 65.



MATERIAL SAFETY DATA SHEET

Japan ENCS

TEAL

Version Number 1.0 Revision Date 07/08/2002 Page 6 of 6 Print Date 11/5/2011

-

Korea KECI : Listed.

: Listed.

Philippines PICCS : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.