

### MATERIAL SAFETY DATA SHEET

# **PULMONARIA**

Version Number 1.0 Revision Date 07/08/2002 Page 1 of 6 Print Date 11/5/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PULMONARIA
Product code	:	CC10019322
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	0.1 - 1
Titanium dioxide	13463-67-7	30 - 60

## **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET

# PULMONARIA

ion Number 1.0 sion Date 07/08/2002	Page 2 Print Date 11/5/2
	4. FIRST AID MEASURES
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Tioceaules	contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



# MATERIAL SAFETY DATA SHEET

# PULMONARIA

Respiratory protection         Eye/Face Protection         Hand protection         Skin and body protection         Additional Protective         Measures         General Hygiene         Considerations         Engineering measures         Exposure limit(s)         Components       V	OSURE ( : No : Sa : Pr : Lo : Sa : Ha W : Ha		PROTECTION ive equipment normally r	required.			
Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures <u>Exposure limit(s)</u> Components V	: No : Sa : Pr : Lo : Sa : Ha W : Ha	o personal respiratory protect afety glasses with side-shields rotective gloves. ong sleeved clothing. afety shoes. andle in accordance with good	ive equipment normally r s.	required.			
Eye/Face Protection         Hand protection         Skin and body protection         Additional Protective         Measures         General Hygiene         Considerations         Engineering measures         Exposure limit(s)         Components       V	: Sa : Pr : Lo : Sa : Ha W : Ha	afety glasses with side-shields rotective gloves. ong sleeved clothing. afety shoes. andle in accordance with good	3.	required.			
Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V	: Pr : Lo : Sa : Ha W	rotective gloves. ong sleeved clothing. afety shoes. andle in accordance with good					
Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V	: Lo : Sa : Ha W : Ha	ong sleeved clothing. afety shoes. andle in accordance with good	industrial hygione and e				
Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V	: Sa : Ha W : Ha	afety shoes. andle in accordance with good	industrial hygione and e				
Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V	: Ha W	andle in accordance with good	industrial hygione and e				
Considerations Engineering measures Exposure limit(s) Components V	W : He		1 industrial hygiene and g				
Exposure limit(s) Components V		service oreans and		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Components V	ap	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
*	Exposure limit(s)						
*	/alue	Exposure time	Exposure type	List:			
	mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH			
Carbon black 3.5	mg/m3	PEL:	Total dust. as carbon black	OSHA Z1			
Titanium dioxide 10	mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH			
Titanium dioxide 15	mg/m3	PEL:	Total dust.	OSHA Z1			
9.	PHYSIC	CAL AND CHEMICAL PRO	OPERTIES				
Form	: Solid	Fyanc	oration rate : Not	applicable.			
Appearance	: Pellet	1		determined			
Color	: GRE		•	established			
Odor	: Very		•	applicable			
Melting point/range	• • • • • •			applicable			
Boiling Point:		pplicable pH		applicable			
Water solubility	: Insoluble						
	10. S	TABILITY AND REACTIV	VITY				
Stability	: St	able.					
Hazardous Polymerization	: W	fill not occur.					
Conditions to avoid	: K	eep away from oxidizing age	nts and open flame. To a	void thermal			



### MATERIAL SAFETY DATA SHEET

# **PULMONARIA**

Version Number 1.0 Revision Date 07/08/2002		Page 4 of 6 Print Date 11/5/2011
		decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

### LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### Additional Health Hazard Information:



MATERIAL SAFETY DATA SHEET

# **PULMONARIA**

Version Number 1.0	Page 5 of 6
Revision Date 07/08/2002	Print Date 11/5/2011

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT / CA TDG Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
-	



# MATERIAL SAFETY DATA SHEET

PULMONARIA					
Version Number 1.0 Revision Date 07/08/2002		Page 6 of 6 Print Date 11/5/2011			
OSHA Status	:	Classified as hazardous based on components.			
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.			
US. EPA CERCLA Hazardous S	US. EPA CERCLA Hazardous Substances (40 CFR 302)				
Not applicable					
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.			
Canadian Regulations:					
WHMIS Classification	:	D2A			
DSL	:	Listed.			
National Inventories:					
Australia AICS	:	Listed.			
China IECS	:	Not determined.			
Europe EINECS	:	Not determined.			
Japan ENCS	:	Listed.			
Korea KECI	:	Not determined.			
Philippines PICCS	:	Listed.			
		16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.