

MATERIAL SAFETY DATA SHEET

PG 19382 OR PP

Version Number 1.0 Revision Date 07/08/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 19382 OR PP
Product code	:	CC10019382
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PG 19382 OR PP

ion Number 1.0 sion Date 07/08/2002	Page 2 Print Date 11/5/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PG 19382 OR PP

sion Date 07/08/2002			Print	Date 11/5/
	ar	nd contamination. Keep in	a dry, cool place.	
8. E.	XPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection	: N	o personal respiratory prote	ctive equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.			
Engineering measures		eat only in areas with appropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
	10	Time Waishted Assesses		ACCIU
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3	• •	Total dust.	
	15 mg/m3	(TWA):	Total dust.	ACGIH OSHA Z
Titanium dioxide	15 mg/m3 9. PHYSIC : Solid	(TWA): PEL: CAL AND CHEMICAL P	Total dust. ROPERTIES poration rate : No	OSHA Z
Titanium dioxide	15 mg/m3 9. PHYSIC	(TWA): PEL: CAL AND CHEMICAL PL Eva ts Spe	Total dust. ROPERTIES poration rate : No cific Gravity : No	OSHA Z
Titanium dioxide Form Appearance	15 mg/m3 9. PHYSIC : Solid : Peller	(TWA): PEL: CAL AND CHEMICAL PI L Eva ts Spe NGE Bull	Total dust. ROPERTIES poration rate : No cific Gravity : No k density : No	OSHA Z
Form Appearance Color	15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very	(TWA): PEL: CAL AND CHEMICAL PI L Eva ts Spe NGE Bull faint Vap	Total dust. ROPERTIES poration rate : No cific Gravity : No k density : No or pressure : No or density : No	OSHA Z t applicable. t determined t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Solid : Pellet : ORA : Very : Not o : Not a	(TWA): PEL: CAL AND CHEMICAL P L Eva ts Spe NGE Bull faint Vap letermined Vap upplicable pH	Total dust. ROPERTIES poration rate : No cific Gravity : No k density : No or pressure : No or density : No	OSHA Z t applicable. t determined t established t applicable
Form Appearance Color Odor Melting point/range	15 mg/m3 9. PHYSIC : Solid : Peller : ORA : Very : Not c	(TWA): PEL: CAL AND CHEMICAL P L Eva ts Spe NGE Bull faint Vap letermined Vap upplicable pH	Total dust. ROPERTIES poration rate : No cific Gravity : No k density : No or pressure : No or density : No	OSHA Z t applicable. t determined t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not d : Insolu	(TWA): PEL: CAL AND CHEMICAL P L Eva ts Spe NGE Bull faint Vap letermined Vap upplicable pH	Total dust. ROPERTIES poration rate : No cific Gravity : No k density : No or pressure : No or density : No : No : No	t applicable. t determined t established t applicable t applicable
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Solid : Pellee : ORA : Very : Not c : Not a : Insolution 10. S	(TWA): PEL: CAL AND CHEMICAL PI ts Eva ts Spe NGE Bull faint Vap letermined Vap upplicable pH uble	Total dust. ROPERTIES poration rate : No cific Gravity : No k density : No or pressure : No or density : No : No : No	t applicable. t determined t established t applicable t applicable
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	15 mg/m3 9. PHYSIC : Solid : Pellet : ORA : Very : Not d : Insolut 10. S : St	(TWA): PEL: CAL AND CHEMICAL P L Eva ts Spe NGE Bull faint Vap letermined Vap upplicable pH uble TABILITY AND REACT	Total dust. ROPERTIES poration rate : No cific Gravity : No k density : No or pressure : No or density : No : No : No	t applicable. t determined t established t applicable t applicable
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	15 mg/m3 9. PHYSIC : Solid : Pellet : ORA : Very : Not d : Not a : Insolut 10. S : St : St : K	(TWA): PEL: CAL AND CHEMICAL P CAL AND CHEMICAL P L Eva ts Spe NGE Bull faint Vap letermined Vap upplicable pH uble TABILITY AND REACT table.	Total dust.	OSHA Z t applicable. t determined t established t applicable t applicable



MATERIAL SAFETY DATA SHEET

PG 19382 OR PP

Version Number 1.0 Revision Date 07/08/2002 Page 4 of 6 Print Date 11/5/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIC	AL INFORMATION	1			
Persistence and degrada						
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data availa	ble.				
	13. DISPOSAL	CONSIDERATIONS	5			
Product Contaminated packagin	possible, recyc generator of w classification, applicable fede g : Recycling is pu has the response and disposal ir	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPOR	RT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regulated	for transportation.				
ICAO/IATA	: Not regulated	for transportation.				
IMO / IMDG	: Not regulated	for transportation.				
			N			

MATERIAL SAFETY DATA SHEET



PG 19382 OR PP

Version Number 1.0 Revision Date 07/08/2002		Page 5 of 6 Print Date 11/5/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardo	ous Subs	stances (40 CFR 302)
Not applicable		
California Propositio 65	on :	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classificati	on :	D2B
WHMIS Ingredient I	Disclosu	re List
CAS-No.		
150-13-0		
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION
		516
		5/6



MATERIAL SAFETY DATA SHEET

PG 19382 OR PP

Version Number 1.0 Revision Date 07/08/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.