

#### MATERIAL SAFETY DATA SHEET

# **YELLOW**

Version Number 1.0 Revision Date 07/12/2002 Page 1 of 5 Print Date 11/5/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW
Product code	:	CC10019777
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET

# YELLOW

ion Number 1.0 sion Date 07/12/2002	Page 2 Print Date 11/5/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
Tibeedures	contaminants.
Unusual Fire/Explosion Hazards	: none
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption





# YELLOW

sion Date 07/12/2002				FIIII	Date 11/5/
	a	nd contamination.	Keep in a d	ry, cool place.	
8. E	XPOSURE	CONTROLS / PE	ERSONAL	PROTECTION	
Respiratory protection				ve equipment normally propriate respiratory pro	
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations				industrial hygiene and s t the end of workday.	afety practic
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure t	ime	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.	OSHA Z
	9. PHYSIC	CAL AND CHEM	ICAL PRO	PERTIES	
Form Appearance Color	: YEL : Very	der, granular LOW	Specifi Bulk de	c Gravity : Not ensity : Not pressure : Not	t applicable. t applicable. t determined t applicable
Odor Melting point/range Boiling Point: Water solubility		determined applicable	Vapor pH		t applicable t applicable
Melting point/range Boiling Point:	: Not a : Insol	determined applicable	pH	: Not	
Melting point/range Boiling Point:	: Not a : Insol	determined applicable luble	pH	: Not	
Melting point/range Boiling Point: Water solubility	: Not : : Insol 10. S : S	determined applicable luble STABILITY AND	pH	: Not	
Melting point/range Boiling Point: Water solubility Stability	: Not a : Insol 10. S : S n : W : T	determined applicable luble STABILITY AND table. Vill not occur.	pH REACTIV	: Not TTY n, do not overheat. Keep	t applicable



MATERIAL SAFETY DATA SHEET

# YELLOW

ion Number 1.0 sion Date 07/12/2002 Hazardous decomposition products				Page 4 Print Date 11/5/20
Hazardous decomposition				
	:			xide (CO), oxides of nitrogen d smoke are all possible.
	11.	TOXICOLOGIC	CAL INFORMATIO	N
health data for the individual c <u>Toxicity Overview</u>	compo	onents which com	prise the mixture.	re effects listed are based on exis
CAS-No.	Chen	nical Name	Effect	Target Organ
		ioxide	Systemic effects	Respiratory system.
	12	2. ECOLOGICA	L INFORMATION	
Persistence and degradability	:	Not readily biod	legradable.	
Environmental Toxicity	:	Adverse ecologi	ical impact is not know	wn or expected under normal use.
Bioaccumulation Potential	: Not inherently biodegradable.			
Additional advice	: No data available.			
	1	3. DISPOSAL C	ONSIDERATIONS	
Product	:	generator of was classification, tr	ste material has the re	d to disposal or incineration. The esponsibility for proper waste posal in accordance with id local regulations.
Contaminated packaging	:	has the responsi	bility for proper waste accordance with appli	. The generator of waste material e classification, transportation icable federal, state/provincial
	1	4. TRANSPORT	<b>INFORMATION</b>	
U.S. DOT / CA TDG Classification	:	Not regulated for	or transportation.	
ICAO/IATA	:	Not regulated for	or transportation.	
IMO / IMDG	:	Not regulated for	or transportation.	
	15	5. REGULATOR	Y INFORMATION	



#### MATERIAL SAFETY DATA SHEET

YELLOW		
/ersion Number 1.0 Revision Date 07/12/2002		Page 5 of Print Date _ <i>11/5/201</i>
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition	:	This product does not contain a substance listed by California Prop 65.
65		
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.