

MATERIAL SAFETY DATA SHEET

#283 DEWALT YELLOW (HMF)

Version Number 1.0 Revision Date 07/19/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	#283 DEWALT YELLOW (HMF)
Product code	:	CC10019803
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

#283 DEWALT YELLOW (HMF)

Version Number 1.0 Revision Date 07/19/2002 Page 2 of 6 Print Date 11/5/2011

		4. FIRST AID MEASURES				
Inhalation : Move to fresh air in case of accidental inhalation of fur overheating or combustion. When symptoms persist, o doubt, seek medical advice.						
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.				
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.				
		5. FIRE-FIGHTING MEASURES				
Flash point	:	Not applicable				
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	::	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne				
Unusual Fire/Explosion Hazards	:	contaminants. None				
	6. A	CCIDENTAL RELEASE MEASURES				
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.				
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.				
		7. HANDLING AND STORAGE				
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.				
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption				



MATERIAL SAFETY DATA SHEET

#283 DEWALT YELLOW (HMF)

Version Number 1.0 Revision Date 07/19/2002 Page 3 of 6 Print Date 11/5/2011

	а	and contamination. K	leep in a dr	y, cool place.			
8. F	EXPOSURE	CONTROLS / PEF	RSONAL I	PROTECTION			
Respiratory protection	: 1	No personal respiratory protective equipment normally required.					
Eye/Face Protection	: 5	Safety glasses with sid	de-shields.				
Hand protection	: I	Protective gloves.					
Skin and body protection	: I	Long sleeved clothing					
Additional Protective Measures	: 5	Safety shoes.					
General Hygiene Considerations		Handle in accordance Wash hands before br				actice	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Exposure limit(s)							
Components	Value	Exposure tin	ne	Exposure type	Li	st:	
Silica, amorphous	20 mppcf	PEL:		Total dust.	OS	HA	
Silica, amorphous	20 mppcf	PEL:		Total dust.	Z	3	
	9. PHYSI	CAL AND CHEMI	CAL PRO	PERTIES			
Form	: Soli	d	Evapor	ation rate :	Not applical	مام	
Appearance	: Pell				Not determi		
Color		LLOW	Bulk de		Not establis		
Odor		y faint		•	Not applical		
Melting point/range		determined	Vapor c		Not applical		
Boiling Point:		applicable	pH		Not applical		
Water solubility	: Inso	luble	_				
	10.	STABILITY AND R	REACTIV	ITY			
Stability	: 5	Stable.					
-		Stable. Will not occur.					
Hazardous Polymerization	n : V : H			s and open flame.	To avoid the	rmal	
Stability Hazardous Polymerization Conditions to avoid Incompatible Materials	n : V : H c	Will not occur. Keep away from oxid	t overheat.	-		rmal	



MATERIAL SAFETY DATA SHEET

#283 DEWALT YELLOW (HMF)

Version Number 1.0 Revision Date 07/19/2002

Page 4 of 6 Print Date 11/5/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name		mical Name Effect	Target Organ			
7631-86-9	Silica, amorphous		Irritant	Eyes, Respiratory system.			
				NB7			
	1	2. ECOLOGIC	CAL INFORMATIO)N			
Persistence and degradability : Not readily biodegradable.							
Environmental Toxicity	:	: Chemicals are not readily available as they are bound within the matrix of the polymer.					
Bioaccumulation Potential		Chemicals are not readily available as they are bound within the matrix of the polymer.					
Additional advice : No data available.							
	1	3. DISPOSAL	CONSIDERATION	VS			
Product Contaminated packaging		 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 					
		and local regu	nations. RT INFORMATIO	N			
U.S. DOT / CA TDG Classification		Not regulated	for transportation.				
ICAO/IATA : Not regul		Not regulated	for transportation.				
IMO / IMDG	:	Not regulated	for transportation.				
	1		DRY INFORMATIO				



MATERIAL SAFETY DATA SHEET

#283 DEWALT YELLOW (HMF)

ersion Number 1.0 evision Date 07/19/2002				Page 5 of Print Date 11/5/201
US Regulations:				
OSHA Status	:	Classified as haza	rdous based on c	components.
TSCA Status	:	All components of exempt.	this product are	listed on the TSCA inventory or are
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 30	2)	
Not applicable				
California Proposition 65	:	This product does	not contain a sul	ostance listed by California Prop 65.
SARA Title III Section 313 To	xic (Chemicals:		
Chemical Name ZINC COMPOU		NC	CAS-No. 1314-98-3	Weight %
		00	1314-98-3	27.55
Canadian Regulations:				
WHMIS Classification				
DSL	:	Listed.		
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Not determined.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Listed.		
Philippines PICCS	:	Not determined.		
		16. OTHER INF	ORMATION	



MATERIAL SAFETY DATA SHEET

#283 DEWALT YELLOW (HMF)

Version Number 1.0 Revision Date 07/19/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.