

### MATERIAL SAFETY DATA SHEET

## **BRIGHT YELLOW**

Version Number 1.0 Revision Date 07/22/2002 Page 1 of 6 Print Date 11/5/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	BRIGHT YELLOW	
Product code	:	CC10020302	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30
Zinc stearate	557-05-1	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion				
Acute exposure					
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				
Medical Conditions Aggravated by Exposure:	: None known.				



## MATERIAL SAFETY DATA SHEET

# BRIGHT YELLOW

ion Number 1.0 sion Date 07/22/2002	Page 2 Print Date 11/5/		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases doubt, seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.		
Skin : Wash off with soap and plenty of water. If skin irritation personal attention.			
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>		
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>none</li> </ul>		
Hazards			
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

# **BRIGHT YELLOW**

Version Number 1.0 Revision Date 07/22/2002

ersion Number 1.0 evision Date 07/22/2002			Print	Page 3 of 6 Date 11/5/2011	
and contamination. Keep in a dry, cool place.					
8.1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	protection : No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.				
Eye/Face Protection	: S	afety glasses with side-shields			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1	
Zinc stearate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
Zinc stearate	10 mg/m3	Time Weighted Average (TWA):	as stearates	ACGIH	
	9. 11130	CAL AND CHEMICAL PRO	JPERILS		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: powder, granular Specific Gravity : Not applic		applicable		
10. STABILITY AND REACTIVITY					
Stability	: S	table.			
Hazardous Polymerizatio	n : W	/ill not occur.			
		3/6			



### MATERIAL SAFETY DATA SHEET

## **BRIGHT YELLOW**

Version Number 1.0 Revision Date 07/22/2002		Page 4 of 6 Print Date <i>11/5/2011</i>
Conditions to avoid	:	To avoid thermal decomposition, do not overheat. Keep away from oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
	Zinc stearate	Oral LD50	> 10 gm/kg	rat

	12. ECOLOGICAL INFORMATION				
Persistence and degradability	: Not readily biodegradable.				
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.				
<b>Bioaccumulation Potential</b>	: Not inherently biodegradable.				
Additional advice	: No data available.				
	13. DISPOSAL CONSIDERATIONS				
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPORT INFORMATION				



## MATERIAL SAFETY DATA SHEET

# BRIGHT YELLOW

Version Number 1.0 Revision Date 07/22/2002			Page 5 of 6 Print Date 11/5/2011
U.S. DOT / CA TDG Classification	: Not regulat	ed for transportation.	
ICAO/IATA	: Not regulat	ed for transportation.	
IMO / IMDG	: Not regulat	ed for transportation.	
	15. REGULAT	<b>FORY INFORMATION</b>	ON
US Regulations:			
OSHA Status	: Classified a	as hazardous based on c	components.
TSCA Status	: All compor exempt.	nents of this product are	listed on the TSCA inventory or are
US. EPA CERCLA Hazardoo	us Substances (40 C	CFR 302)	
Not applicable			
California Proposition 65	n : This produc	ct does not contain a sul	bstance listed by California Prop 65.
SARA Title III Section 313 7	Coxic Chemicals:		
Chemical Nar	ne	CAS-No.	Weight %
ZINC COMP	DUNDS	557-05-1	16.00
Canadian Regulations:			
WHMIS Classificatio	n : D2B		
WHMIS Ingredient D	isclosure List		
CAS-No.			
557-05-1			
DSL	: Listed.		
National Inventories:			
Australia AICS	: Listed.		
China IECS	: Not determ	ined.	



### MATERIAL SAFETY DATA SHEET

## **BRIGHT YELLOW**

 Version Number 1.0
 Page 6 of 6

 Revision Date 07/22/2002
 Print Date 11/5/2011

 Europe EINECS
 :
 Listed.

 Japan ENCS
 :
 Not determined.

 Korea KECI
 :
 Not determined.

 Philippines PICCS
 :
 Listed.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.