

MATERIAL SAFETY DATA SHEET

## **PURPLE COLOR FLIP**

Version Number 1.0 Revision Date 07/30/2002 Page 1 of 6 Print Date 11/5/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PURPLE COLOR FLIP
Product code	:	CC10020380
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact			
Acute exposure			
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to even</li> </ul>		
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

# PURPLE COLOR FLIP

Version Number 1.0 Revision Date 07/30/2002 Page 2 of 6 Print Date 11/5/2011

		4. FIRST AID MEASURES			
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.			
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.			
Eyes : Rinse immediately with plenty of water, also under the eyelid least 15 minutes. If eye irritation persists, seek medical attent					
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
		5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	: : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None			
	6. A	CCIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption			



Page 3 of 6

MATERIAL SAFETY DATA SHEET

# PURPLE COLOR FLIP

Version Number 1.0 Revision Date 07/30/2002

vision Date 07/30/2002			Print	Date 11/5/2011		
	a	nd contamination. Keep in a	dry, cool place.			
8. 1	EXPOSURE	CONTROLS / PERSONA	L PROTECTION			
Respiratory protection	: N	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	: Safety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH		
Mica	20 mppcf	PEL:	Total dust.	OSHA		
	9. PHYSI	CAL AND CHEMICAL PR	OPERTIES			
Form	: Solic	1		applicable.		
Appearance	: Pelle		Specific Gravity : Not determined			
Color	: PUR			established		
Odor	: Very	/ faint Van/				
			or pressure : Not	applicable		
Melting point/range		determined Vapo	or density : Not	applicable		
Boiling Point:	: Not	determined Vapo applicable pH	or density : Not			
		determined Vapo applicable pH	or density : Not	applicable		
Boiling Point:	: Not : : Insol	determined Vapo applicable pH	or density : Not : Not	applicable		
Boiling Point:	: Not : : Insol	determined Vapo applicable pH luble	or density : Not : Not	applicable		
Boiling Point: Water solubility	: Not : : Insol 10. § : S	determined Vapo applicable pH luble	or density : Not : Not	applicable		
Boiling Point: Water solubility Stability	: Not : : Insol 10. S : S n : V : K	determined Vapo applicable pH luble STABILITY AND REACT table.	or density : Not : Not : Not	applicable applicable		



MATERIAL SAFETY DATA SHEET

## **PURPLE COLOR FLIP**

Version Number 1.0 Revision Date 07/30/2002 Page 4 of 6 Print Date 11/5/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
12001-26-2	Mica	Systemic effects Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	J		
Persistence and degrad	ability : Not readily l	biodegradable.			
Environmental Toxicit		<ul> <li>Chemicals are not readily available as they are bound within the matrix of the polymer.</li> <li>Chemicals are not readily available as they are bound within the matrix of the polymer.</li> </ul>			
Bioaccumulation Poten					
Additional advice	: No data avai	: No data available.			
	13. DISPOSAI	L CONSIDERATIONS	\$		
Product Contaminated packagir	possible, rec generator of classification applicable fe ng : Recycling is has the respo and disposal	<ul> <li>Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>			
	14. TRANSPO	ORT INFORMATION			
U.S. DOT / CA TDG Classification	: Not regulate	d for transportation.			
ICAO/IATA	: Not regulate	d for transportation.			
IMO / IMDG	: Not regulate	d for transportation.			
	15 RECULAT	ORY INFORMATION	N		



## MATERIAL SAFETY DATA SHEET

# PURPLE COLOR FLIP

Version Number 1.0 Revision Date 07/30/2002			Print Da	Page 5 of 6 ate 11/5/2011	
US Regulations:					
OSHA Status :	OSHA Status : Classified as hazardous based on components.				
TSCA Status :	TSCA Status : All components of this product are listed on the TSCA inventory or are exempt.				
US. EPA CERCLA Hazardous Sul	bstances (40 CFR 30	2)			
Not applicable					
California Proposition : 65	This product does	not contain a subs	stance listed by Califor	nia Prop 65.	
SARA Title III Section 313 Toxic	Chemicals:				
Chemical Name ZINC COMPOUNI		CAS-No. 28516-43-0	Weight % 46.51		
Canadian Regulations: WHMIS Classification : DSL :	Not controlled. Listed.				
National Inventories:					
Australia AICS :	Listed.				
China IECS :	Listed.				
Europe EINECS :	Not determined.				
Japan ENCS :	Not determined.				
Korea KECI :	Listed.				
Philippines PICCS :	Listed.				
16. OTHER INFORMATION					



MATERIAL SAFETY DATA SHEET

## PURPLE COLOR FLIP

Version Number 1.0 Revision Date 07/30/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.