

MATERIAL SAFETY DATA SHEET

SILVER

Version Number 1.0 Revision Date 07/26/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SILVER
Product code	:	CC10020798
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

SILVER

sion Date 07/26/2002	Print Date 11/5/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit	Not applicableNot applicable
Autoignition temperature Suitable extinguishing media	 Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

SILVER

sion Number 1.0 ision Date 07/26/2002			Print	Page 3 Date 11/5/2
	a	nd contamination. Keep in a	dry, cool place.	
8. F	EXPOSURE	CONTROLS / PERSONAI	PROTECTION	
Respiratory protection	: N	o personal respiratory protec	tive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shield	s.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Mica	20 mppcf	PEL:	Total dust.	OSHA
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES	
Form	: Solid			t applicable.
Appearance	: Pelle		5	t determined
Color	: GRE			t established
Odor	: Very			t applicable
Melting point/range Boiling Point:		_		t applicable
Water solubility	: Not applicable pH : Not applicable : Insoluble			
	10. 8	TABILITY AND REACTI	VITY	
Stability	: S	table.		
		7'11		
Hazardous Polymerization	n : W	/ill not occur.		



MATERIAL SAFETY DATA SHEET

SILVER

sion Date 07/26/2	.002		Page / Print Date 11/5/	
Incompatible Mater	ials : Incomj	patible with strong acids and	oxidizing agents.	
Hazardous decompo products		n dioxide (CO2), carbon mon , other hazardous materials, a	oxide (CO), oxides of nitrogen and smoke are all possible.	
	11. TOXIC	OLOGICAL INFORMATI	ON	
health data for the is	ndividual components w	hich comprise the mixture.	sure effects listed are based on ex	
-				
CAS-No. 12001-26-2	Chemical Nat Mica	me Effect Systemic effects	Target Organ Respiratory system.	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	
Persistence and deg Environmental Tox	icity : Chemi		as they are bound within the matr	
Bioaccumulation Po	otential : Chemi	of the polymer.Chemicals are not readily available as they are bound within the matr of the polymer.		
Additional advice	: No dat	a available.		
	13. DISP	OSAL CONSIDERATION	S	
Product	possibl genera classifi	nost thermoplastics the product of t	isposal or incineration. The responsibility for proper waste sposal in accordance with	

14. TRANSPORT INFORMATION

U.S. DOT / CA TDG Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET

SILVER

/ersion Number 1.0 Revision Date 07/26/2002	Page 5 of 6 Print Date 11/5/2011
IMO / IMDG	Not regulated for transportation.
	5. REGULATORY INFORMATION
US Regulations:	
OSHA Status	Classified as hazardous based on components.
TSCA Status	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous Su	bstances (40 CFR 302)
Not applicable	
California Proposition 65	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification	D2B
WHMIS Ingredient Disclo	sure List
CAS-No. 12001-26-2	
DSL	Listed.
National Inventories:	
Australia AICS	Listed.
China IECS	Listed.
Europe EINECS	Not determined.
Japan ENCS	Not determined.
Korea KECI	Listed.
Philippines PICCS	Listed.
	16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

SILVER

Version Number 1.0 Revision Date 07/26/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.