

### MATERIAL SAFETY DATA SHEET

# WHITE

Version Number 1.0 Revision Date 08/05/2002 Page 1 of 5 Print Date 11/5/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE
Product code	:	CC10020838
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

# POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET

# WHITE

sion Date 08/05/2002	Print Date 11/5/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



# MATERIAL SAFETY DATA SHEET

# WHITE

					int Date 11/5/2
	а	nd contamination. K	Keep in a d	ry, cool place.	
8. I	XPOSURE	CONTROLS / PEI	RSONAL	PROTECTION	
Respiratory protection	: 1	No personal respirato	ve equipment norma	lly required.	
Eye/Face Protection	: \$	Safety glasses with si	es with side-shields.		
Hand protection	: F	: Protective gloves.			
Skin and body protection	: I	: Long sleeved clothing.			
Additional Protective Measures	: \$	Safety shoes.	ty shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practic Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure tir	me	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted A (TWA):	Average	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSI	CAL AND CHEMI	CAL PRO	PERTIES	
Form	: Soli	d	Evapo	ration rate :	Not applicable.
	: Soli : Pello				Not applicable. Not determined
Form Appearance Color	: Pelle	ets	Specif	ic Gravity :	Not determined
Appearance	: Pelle : WH	ets ITE	Specif Bulk d	ic Gravity : 1 ensity : 1	Not determined Not established
Appearance Color	: Pelle : WH : Ver	ets ITE	Specif Bulk d Vapor	ic Gravity : ensity : pressure :	Not determined Not established Not applicable
Appearance Color Odor Melting point/range	: Pelle : WH : Very : Not	ets ITE y faint determined	Specif Bulk d Vapor Vapor	ic Gravity : ensity : pressure : density :	Not determined Not established Not applicable Not applicable
Appearance Color Odor	: Pelle : WH : Very : Not	ets ITE y faint determined applicable	Specif Bulk d Vapor	ic Gravity : ensity : pressure : density :	Not determined Not established Not applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : WH : Ver : Not : Not : Inso	ets ITE y faint determined applicable	Specif Bulk d Vapor Vapor pH	ic Gravity : ensity : pressure : density :	Not determined Not established Not applicable Not applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : WH : Very : Not : Not : Inso 10.	ets ITE y faint determined applicable luble	Specif Bulk d Vapor Vapor pH	ic Gravity : ensity : pressure : density :	Not determined Not established Not applicable Not applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : WH : Very : Not : Not : Inso 10.5	ets ITE y faint determined applicable luble STABILITY AND I	Specif Bulk d Vapor Vapor pH	ic Gravity : ensity : pressure : density :	Not determined Not established Not applicable Not applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pelle : WH : Very : Not : Not : Inso 10.3 : S n : V	ets ITE y faint determined applicable luble STABILITY AND I	Specif Bulk d Vapor Vapor pH <b>REACTIV</b>	ic Gravity : ensity : pressure : density : TTY	Not determined Not established Not applicable Not applicable Not applicable



# MATERIAL SAFETY DATA SHEET

# WHITE

Version Number 1.0 Revision Date 08/05/2002 Page 4 of 5 Print Date 11/5/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	I			
Persistence and degrad	ability : Not readily b	iodegradable.				
Environmental Toxicit		<ul> <li>Chemicals are not readily available as they are bound within the matrix of the polymer.</li> <li>Chemicals are not readily available as they are bound within the matrix of the polymer.</li> </ul>				
Bioaccumulation Poten						
Additional advice	: No data avail	lable.				
	13. DISPOSAL	<b>CONSIDERATIONS</b>	9			
Product Contaminated packagin	possible, rec generator of classification applicable fe ng : Recycling is has the respo and disposal	<ul> <li>Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal.</li> </ul>				
	14. TRANSPO	ORT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regulated	l for transportation.				
ICAO/IATA	: Not regulated	: Not regulated for transportation.				
IMO / IMDG	: Not regulated	l for transportation.				
	15. REGULAT					

### MATERIAL SAFETY DATA SHEET



# WHITE Version Number 1.0 Page 5 of 5 Print Date 11/5/2011 Revision Date 08/05/2002 US Regulations: **OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on the TSCA inventory or are : exempt. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : This product does not contain a substance listed by California Prop 65. 65 Canadian Regulations: WHMIS Classification : D2B DSL : Listed. National Inventories: Australia AICS : Listed. China IECS Listed. : **Europe EINECS** Not determined. Japan ENCS Listed. : Korea KECI Listed. : **Philippines PICCS** : Listed.

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.