

MATERIAL SAFETY DATA SHEET

PG 20938 PEARL BN PE

Version Number 1.0 Revision Date 07/31/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 20938 PEARL BN PE
Product code	:	CC10020938
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PG 20938 PEARL BN PE

Version Number 1.0 Revision Date 07/31/2002 Page 2 of 6 Print Date 11/5/2011

	4.	FIRST AID MEASURES
Inhalation	ove	we to fresh air in case of accidental inhalation of fumes from rheating or combustion. When symptoms persist, or in all cases of bt, seek medical advice.
Ingestion		not induce vomiting without medical advice. When symptoms ist, or in all cases of doubt, seek medical advice.
Eyes		se immediately with plenty of water, also under the eyelids, for at t 15 minutes. If eye irritation persists, seek medical attention.
Skin		sh off with soap and plenty of water. If skin irritation persists seek lical attention.
	5. FI	RE-FIGHTING MEASURES
Flash point	: Not	applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	: Not : Not : Car : Full pres con : Not	
	ACCII	DENTAL RELEASE MEASURES
Personal precautions		ar appropriate personal protection during cleanup, such as ervious gloves, boots and coveralls.
Environmental precautions		uld not be released into the environment. The product should not llowed to enter drains, water courses or the soil.
Methods for cleaning up	plas	an up promptly by sweeping or vacuum. Package all material in tic, cardboard or metal containers for disposal. Refer to Section 13 his MSDS for proper disposal methods.
	7. H	ANDLING AND STORAGE
Handling		e measures to prevent the build up of electrostatic charge. Heat in areas with appropriate exhaust ventilation.
Storage	· Kee	p containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PG 20938 PEARL BN PE

Version Number 1.0 Revision Date 07/31/2002 Page 3 of 6 Print Date 11/5/2011

	aı	nd contamination. Keep	in a dry,	cool place.			
8. E	XPOSURE	CONTROLS / PERSO	NAL PR	OTECTION	1		
Respiratory protection	: N	o personal respiratory pr	rotective	equipment no	ormally	required.	
Eye/Face Protection	: S	afety glasses with side-sl	hields.				
Hand protection	: P	rotective gloves.					
Skin and body protection	: L	ong sleeved clothing.					
Additional Protective Measures	: S	afety shoes.					
General Hygiene Considerations		andle in accordance with ash hands before breaks				safety practice.	
Engineering measures		eat only in areas with ap propriate exhaust ventil			tilation.	Provide	
Exposure limit(s)							
						•	
Components	Value	Exposure time		Exposure t		List:	
Mica	3 mg/m3	Time Weighted Average Total dus (TWA):			ACGIH		
Mica	20 mppcf	PEL:		Total dust.		OSHA	
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	-			ACGIH	
Titanium dioxide	15 mg/m3	PEL:		Total dus	st.	OSHA Z1	
			DDODI				
	9. PHYSIC	CAL AND CHEMICAL	PROPE	LKTIES			
Form	: Solid	l I	Evaporation rate		: Not applicable.		
Appearance	: Pelle		Specific Gravity			: Not determined	
Color	: BRO		Bulk density			Not established	
Odor			Vapor pressure :			Not applicable	
Melting point/range			Vapor density : Not applica				
Boiling Point:			н ЭН	·····		applicable	
Water solubility	: Insol		_				
	10. S	TABILITY AND REA	CTIVIT	Y			
Stability	: S	table.					

Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

PG 20938 PEARL BN PE

Version Number 1.0 Revision Date 07/31/2002

Page 4 of 6 Print Date 11/5/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT / CA TDG Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
	4/6



MATERIAL SAFETY DATA SHEET

PG 20938 PEARL BN PE

Version Number 1.0 Revision Date 07/31/2002 Page 5 of 6 Print Date 11/5/2011

	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or an exempt.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 6.
Canadian Regulations: WHMIS Classification	: D2B
WHMIS Ingredient Disc	losure List
CAS-No. 12001-26-2	
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
Philippines PICCS	: Listed.
	16. OTHER INFORMATION

5/6



MATERIAL SAFETY DATA SHEET

PG 20938 PEARL BN PE

Version Number 1.0 Revision Date 07/31/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.