

MATERIAL SAFETY DATA SHEET

## **JUVENILE GREEN V1**

Version Number 1.0 Revision Date 08/06/2002 Page 1 of 6 Print Date 11/5/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	JUVENILE GREEN V1
Product code	:	CC10021027
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Zinc stearate	557-05-1	1 - 5
Titanium dioxide	13463-67-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET

# **JUVENILE GREEN V1**

Version Number 1.0 Revision Date 08/06/2002 Page 2 of 6 Print Date 11/5/2011

		4. FIRST AID MEASURES		
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.		
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.		
Eyes: Rinse immediately with plenty of water, also under the eyelids least 15 minutes. If eye irritation persists, seek medical attenti				
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	: :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None		
	6. A	CCIDENTAL RELEASE MEASURES		
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
		7. HANDLING AND STORAGE		
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

# JUVENILE GREEN V1

Version Number 1.0 Revision Date 08/06/2002 Page 3 of 6 Print Date 11/5/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally	required.		
Eye/Face Protection	tection : Safety glasses with side-shields.					
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Components Titanium dioxide	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	List: ACGIH		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH		
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL:	Total dust. Total dust.	ACGIH OSHA Z1		
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3 5 mg/m3	Time Weighted Average (TWA): PEL: PEL:	Total dust.Total dust.Respirable fraction.	ACGIH OSHA Z1 OSHA Z1		
Titanium dioxide Titanium dioxide Zinc stearate	10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3	Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average (TWA):	Total dust.Total dust.Respirable fraction.Total dust.as stearates	ACGIH OSHA Z1 OSHA Z1 OSHA Z1		
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate	10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSI	Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust.         Total dust.         Respirable fraction.         Total dust.         as stearates	ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH		
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate	10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust.         Total dust.         Respirable fraction.         Total dust.         as stearates         OPERTIES         oration rate       : Not	ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH		
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate Form Appearance	10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust.         Total dust.         Respirable fraction.         Total dust.         as stearates         OPERTIES         oration rate       : Not         fic Gravity       : Not	ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH applicable.		
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate Form Appearance Color	10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : GRE	Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust.         Total dust.         Respirable fraction.         Total dust.         as stearates         OPERTIES         oration rate       : Not         fic Gravity       : Not         density       : Not	ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH applicable.		
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate Form Appearance Color Odor	10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIO : Solid : Pelle : GRE : Very	Time Weighted Average (TWA):         PEL:         PEL:         PEL:         Time Weighted Average (TWA):         CAL AND CHEMICAL PRODUCTION         d       Evapore         ets       Speci         EEN       Bulk of         / faint       Vapore	Total dust.         Total dust.         Respirable fraction.         Total dust.         as stearates         OPERTIES         oration rate       : Not         fic Gravity       : Not         density       : Not         r pressure       : Not	ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH ACGIH		
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not	Time Weighted Average (TWA):         PEL:         PEL:         PEL:         Time Weighted Average (TWA):         CAL AND CHEMICAL PRODUCTION         Ets       Specie         EEN       Bulk         / faint       Vapor         determined       Vapor	Total dust.         Total dust.         Respirable fraction.         Total dust.         as stearates         OPERTIES         oration rate       : Not         fic Gravity       : Not         density       : Not         r pressure       : Not         r density       : Not	ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH ACGIH		
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not : Not	Time Weighted Average (TWA):         PEL:         PEL:         PEL:         Time Weighted Average (TWA):         CAL AND CHEMICAL PRODUCTION         Ets       Specient         EEN       Bulk of Vapor         determined       Vapor         applicable       pH	Total dust.         Total dust.         Respirable fraction.         Total dust.         as stearates         OPERTIES         oration rate       : Not         fic Gravity       : Not         density       : Not         r pressure       : Not         r density       : Not	ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH ACGIH		
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not	Time Weighted Average (TWA):         PEL:         PEL:         PEL:         Time Weighted Average (TWA):         CAL AND CHEMICAL PRODUCTION         Ets       Specient         EEN       Bulk of Vapor         determined       Vapor         applicable       pH	Total dust.         Total dust.         Respirable fraction.         Total dust.         as stearates         OPERTIES         oration rate       : Not         fic Gravity       : Not         density       : Not         r pressure       : Not         r density       : Not	ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH ACGIH		
Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pella : GRE : Very : Not : Insol	Time Weighted Average (TWA):         PEL:         PEL:         PEL:         Time Weighted Average (TWA):         CAL AND CHEMICAL PRODUCTION         Ets       Specient         EEN       Bulk of Vapor         determined       Vapor         applicable       pH	Total dust.         Total dust.         Respirable fraction.         Total dust.         as stearates         OPERTIES         oration rate       : Not         fic Gravity       : Not         r pressure       : Not         : Not	ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH ACGIH		

Conditions to avoid

3/6

: Keep away from oxidizing agents and open flame. To avoid thermal



## MATERIAL SAFETY DATA SHEET

# JUVENILE GREEN V1

	02			P	Page 4 27 Print Date 11/5/2
		decomposition	n, do not overheat.		
Incompatible Materia	als	· Incompatible y	with strong acids an	d oxidizing agent	s
incompatione materie		-	-		
Hazardous decompos products	sition		e (CO2), carbon mo nazardous materials,		
	1	1. TOXICOLOG	ICAL INFORMAT	TION	
This mixture has not health data for the inc				osure effects listed	d are based on exi
<u>Toxicity Overview</u> This product contains	s the follow	ing components wh	nich in their pure for	m have the follow	ving characteristic
CAS-No.	Cł	nemical Name	Effect	Tar	get Organ
557-05-1	Zinc ste		Systemic effects		Respiratory system
13463-67-7	Titaniu	n dioxide	Systemic effects	Respiratory	system.
CAS-No. 557-05-1	Ch Zinc ste	nemical Name arate	Route Oral LD50	Value > 10 gm/kg	Species rat
		arate		> 10 gm/kg	
	Zinc ste	arate	Oral LD50	> 10 gm/kg	
557-05-1	Zinc ste	arate <b>12. ECOLOGIC</b> : Not readily bio	Oral LD50 AL INFORMATIC odegradable. not readily available	> 10 gm/kg DN	rat
557-05-1 Persistence and degra	Zinc ste	<ul> <li>arate</li> <li>12. ECOLOGIC</li> <li>Not readily bid</li> <li>Chemicals are of the polymer</li> </ul>	Oral LD50 AL INFORMATIO odegradable. not readily available not readily available	> 10 gm/kg DN e as they are boun	d within the matrix
557-05-1 Persistence and degra Environmental Toxic	Zinc ste	arate 12. ECOLOGIC : Not readily bid : Chemicals are of the polyment : Chemicals are	Oral LD50 AL INFORMATIC odegradable. not readily available not readily available	> 10 gm/kg DN e as they are boun	d within the matrix
557-05-1 Persistence and degra Environmental Toxic Bioaccumulation Pote	Zinc ste	<ul> <li>arate</li> <li>12. ECOLOGIC</li> <li>Not readily bid</li> <li>Chemicals are of the polymer</li> <li>Chemicals are of the polymer</li> <li>No data availa</li> </ul>	Oral LD50 AL INFORMATIC odegradable. not readily available not readily available	> 10 gm/kg <b>DN</b> e as they are boun e as they are boun	d within the matrix
557-05-1 Persistence and degra Environmental Toxic Bioaccumulation Pote	Zinc ste	<ul> <li>arate</li> <li>12. ECOLOGIC</li> <li>Not readily bid</li> <li>Chemicals are of the polymer</li> <li>Chemicals are of the polymer</li> <li>Chemicals are of the polymer</li> <li>No data availa</li> <li>13. DISPOSAL OF</li> <li>Like most ther possible, recyclogenerator of w classification,</li> </ul>	Oral LD50 AL INFORMATIC odegradable. not readily available not readily available ble.	> 10 gm/kg DN e as they are boun e as they are boun e as they are boun NS duct can be recycl disposal or incine e responsibility for lisposal in accordation	ed. Where ration. The or proper waste ance with



MATERIAL SAFETY DATA SHEET

# **JUVENILE GREEN V1**

Version Number 1.0 Revision Date 08/06/2002 Page 5 of 6 Print Date 11/5/2011

14. TRANSPORT INFORMATION							
U.S. DOT / CA TDG Classification	: Not regulated	l for transportation.					
ICAO/IATA	: Not regulated	l for transportation.					
IMO / IMDG	: Not regulated	l for transportation.					
15. REGULATORY INFORMATION							
US Regulations:							
OSHA Status	: Classified as	hazardous based on co	omponents.				
TSCA Status	: All compone exempt.	nts of this product are	listed on the TSCA inv	ventory or are			
US. EPA CERCLA Hazardous	Substances (40 CF	FR 302)					
Not applicable							
Not applicable							
California Proposition : This product does not contain a substance listed by California Prop 65. 65 SARA Title III Section 313 Toxic Chemicals:							
Chemical Name		CAS-No. 557-05-1	Weight % 03.74	-			
ZINC COMPOUNDS     557-05-1     03.74       Canadian Regulations:     WHMIS Classification : D2B       WHMIS Ingredient Disclosure List       CAS-No.       557-05-1							
DSL	: Listed.						
National Inventories:							



#### MATERIAL SAFETY DATA SHEET

## **JUVENILE GREEN V1**

Page 6 of 6 Version Number 1.0 Revision Date 08/06/2002 Print Date 11/5/2011 Australia AICS Not determined. : China IECS : Listed. **Europe EINECS** Not determined. : Japan ENCS Not determined. · Korea KECI Not determined. : **Philippines PICCS** : Listed. **16. OTHER INFORMATION** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.