

MATERIAL SAFETY DATA SHEET LIGHT PLATINUM V1

Version Number 1.1 Revision Date 02/03/2004

Page 1 of 6 Print Date *11/13/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LIGHT PLATINUM V1
Product code	:	CC10021030
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET LIGHT PLATINUM V1

Version Number 1.1 Revision Date 02/03/2004 Page 2 of 6 Print Date 11/13/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET LIGHT PLATINUM V1

Version Number 1.1 Revision Date 02/03/2004 Page 3 of 6 Print Date 11/13/2011

8. F	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protect	tive equipment normally	required.	
Eye/Face Protection	: Sa	afety glasses with side-shield	s.		
Hand protection	: P 1	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Si	afety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		eat only in areas with approp ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pellets : GREY : Very faint point/range : Not determine Point: : Not applicable		fic Gravity:: Notdensity: Notr pressure: Notur density: Not	applicable determined established applicable applicable applicable	
	10. S	TABILITY AND REACTI	VITY		
Stability	: S1	table.			
Stability Hazardous Polymerization		table. /ill not occur.			
-	n : W : K			avoid thermal	



MATERIAL SAFETY DATA SHEET LIGHT PLATINUM V1

Version Number 1.1

Revision Date 02/03/2004

Page 4 of 6 Print Date 11/13/2011

Hazardous decomposition:Carbon dioxide (COproducts(NOx), other hazardous

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	1			
Persistence and degrad	ability : Not readily b	viodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avai	lable				
	13. DISPOSAL	CONSIDERATIONS	6			
Product Contaminated packagir	possible recy generator of classification applicable fe gg : Recycling is has the respo and disposal	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	14. TRANSPO	ORT INFORMATION				
U.S. DOT Classificatio	n : Not regulated	d for transportation.				
ICAO/IATA (air)	: Refer to spec	ific regulation.				
IMO / IMDG (maritime	e) : Refer to spec	cific regulation.				
	15. REGULAT	ORY INFORMATION	N			



MATERIAL SAFETY DATA SHEET LIGHT PLATINUM V1

sion Number 1.1 ision Date 02/03/2004				Print Date	Page 5 c
				1 mil Dato	
US Regulations:					
OSHA Status	:	Classified as hazardous b	based on component	ts.	
TSCA Status	:	All components of this p Inventory.	roduct are listed on	or exempt from (he TSCA
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	This product does not co	ntain a substance lis	ted by California	a Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance			
Not applicable					
		N1 · 1			
SARA Title III Section 313 Tox	XIC C	chemicals:			
Chemical Name			CAS-No.	Weight %	
ZINC COMPOUNDS			68187-51-9	1.25	
Canadian Regulations:					
-	.se Ir	nventory (NPRI)			
Canadian Regulations: National Pollutant Releas	se Ir	nventory (NPRI)			
National Pollutant Releas					
National Pollutant Release WHMIS Classification		D2B			
National Pollutant Releas			product are on the C	'anadian Domest	ic
National Pollutant Release WHMIS Classification	:	D2B All components of this p	product are on the C	anadian Domest	ic
National Pollutant Release WHMIS Classification DSL	:	D2B All components of this p	product are on the C	anadian Domest	ic
National Pollutant Releas WHMIS Classification DSL National Inventories:	:	D2B All components of this p Substances List (DSL) of	product are on the C	anadian Domest	ic
National Pollutant Releas WHMIS Classification DSL National Inventories: Australia AICS	:	D2B All components of this p Substances List (DSL) of Listed	product are on the C	'anadian Domest	ic
National Pollutant Releas WHMIS Classification DSL National Inventories: Australia AICS China IECS	::	D2B All components of this p Substances List (DSL) of Listed Listed	product are on the C	anadian Domest	ic
National Pollutant Release WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	: : : :	D2B All components of this p Substances List (DSL) of Listed Listed Listed	product are on the C	anadian Domest	ic
National Pollutant Releas WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	::	D2B All components of this p Substances List (DSL) of Listed Listed Listed Not determined	product are on the C	anadian Domest	ic



MATERIAL SAFETY DATA SHEET LIGHT PLATINUM V1

Version Number 1.1 Revision Date 02/03/2004 Page 6 of 6 Print Date 11/13/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.