MATERIAL SAFETY DATA SHEET

10090754 GREEN

Version Number 1.4 Revision Date 10/04/2006 Page 1 of 7 Print Date 11/24/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	10090754 GREEN
Product code :	CC10021054
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Silica, amorphous, precipitated and gel	112926-00-8	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET 10090754 GREEN

Version Number 1.4 Revision Date 10/04/2006 Page 2 of 7 Print Date 11/24/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET 10090754 GREEN

Version Number 1.4 Revision Date 10/04/2006 Page 3 of 7 Print Date 11/24/2011

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Respiratory protection	•	To personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET 10090754 GREEN

Version Number 1.4 Revision Date 10/04/2006

products

Page 4 of 7 Print Date 11/24/2011

Components	Value	Exposure		Exposure t		List:
Silica, amorphous	20 mppcf	PEI	.:	Total dus	t.	OSHA
	20 mppcf	PEI		Total dus	t.	Z3
	0.8 mg/m3	Time Weighte (TW)				Z3
	10 mg/m3	Time Weighte				MX OEL
	10 mg/m3	Time Weighte	ed Average	Inhalable parti	culate.	MX OEL
	3 mg/m3	Time Weighte	ed Average	Respirable of	lust.	MX OEL
Silica, amorphous, precipitated and gel	5 mg/m3	PEI		Respirable fra	ction.	OSHA Z1
• • •	15 mg/m3	PEI		Total dus	t.	OSHA Z1
	0.8 mg/m3	Time Weighte (TW)				Z3
	10 mg/m3	Time Weighte (TW)				MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):				ACGIH
	15 mg/m3	PEI		Total dus	t.	OSHA Z1
	20 mg/m3	Short Term Exp (STE		as Ti		MX OEL
	9. PHYSIC	CAL AND CHE	MICAL PRO	PERTIES		
Form	: Solid	1	Evano	ration rate	· Not	applicable
Appearance	: Pelle			ic Gravity:		determined
Color	: GRE		Bulk d			established
Odor	: Very			pressure		applicable
Melting point/range	•			r density		applicable
Boiling Point:	: Not a			•		applicable
Water solubility : Insol						
	10. 8	STABILITY AN	D REACTIV	ITY		
Stability	: S	table.				
Hazardous Polymerizat	ion : W	Vill not occur.				
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal						

Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.

Incompatible Materials : Incompatible with strong acids and oxidizing agents.

Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

MATERIAL SAFETY DATA SHEET 10090754 GREEN

Version Number 1.4 Revision Date 10/04/2006 Page 5 of 7 Print Date 11/24/2011

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
112926-00-8	Silica, amorphous, precipitated and gel	Irritant	Respiratory system, Eyes.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	: No data available	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastic plastics the product can be recycled. Wi possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	

POLYONE	CORPO	RATION
	COM	

PolyOne.

MATERIAL SAFETY DATA SHEET 10090754 GREEN

Version Number 1.4 Revision Date 10/04/2006

Γ

_

Page 6 of 7 Print Date 11/24/2011

Т

has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

14. TRANSPORT INFORMATION

U.S. DOT Classification	: Not regulat	ted for transportation.		
CAO/IATA (air)	: Refer to sp	ecific regulation.		
MO / IMDG (maritime)	: Refer to sp	ecific regulation.		
	15. REGULA	TORY INFORMAT	TION	
US Regulations:				
OSHA Status	: Classified a	as hazardous based or	n components.	
TSCA Status	: All compo Inventory.	onents of this product	are listed on or exe	mpt from the TSCA
US. EPA CERCLA Hazardo	us Substances (40 C	CFR 302)		
Not applicable				
California Propositio 65	n : Not applica	able		
SARA Title III Section 302 l Not applicable	Extremely Hazardou	us Substance		
SARA Title III Section 313	Foxic Chemicals:			
Not applicable Canadian Regulations:				
National Pollutant Re	lease Inventory (NF			
Chemical Name Phthalocyanine green		CAS-No. 1328-53-6	Weight % 1.00 - 5.00	NPRI ID# 71

6/7



MATERIAL SAFETY DATA SHEET 10090754 GREEN

Version Number 1.4 Revision Date 10/04/2006

_

Page 7 of 7 Print Date 11/24/2011

		CAS-No. 1328-53-6 7631-86-9		
		DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
	Natio	nal Inventories:		
		Australia AICS	:	Not determined
		China IECS	:	Not determined
		Europe EINECS	:	Listed
		Japan ENCS	:	Listed
		Korea KECI	:	Not determined
		Philippines PICCS	:	Listed
T				16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.