

MATERIAL SAFETY DATA SHEET

BEIGE

Version Number 1.0 Revision Date 08/08/2002 Page 1 of 7 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BEIGE
Product code	:	CC10021137
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	0.1 - 1
Rutile, antimony chromium buff	68186-90-3	10 - 30
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		





ion Number 1.0 sion Date 08/08/2002	Print Da	Page 2 ate 11/5/2
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	
Inhalation	Move to fresh air in case of accidental inhalation of fumes overheating or combustion. When symptoms persist, or in doubt, seek medical advice.	
Ingestion	Do not induce vomiting without medical advice. When sy persist, or in all cases of doubt, seek medical advice.	mptoms
Eyes	Rinse immediately with plenty of water, also under the eye least 15 minutes. If eye irritation persists, seek medical att	
Skin	: Wash off with soap and plenty of water. If skin irritation p medical attention.	ersists see
	5. FIRE-FIGHTING MEASURES	
Flash point	Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used i pressure mode should be worn to prevent inhalation of airt contaminants. None 	-
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such impervious gloves, boots and coveralls.	as
Environmental precautions	Should not be released into the environment. The product be allowed to enter drains, water courses or the soil.	should no
Methods for cleaning up	Clean up promptly by sweeping or vacuum. Package all n plastic, cardboard or metal containers for disposal. Refer to of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	Take measures to prevent the build up of electrostatic char only in areas with appropriate exhaust ventilation.	ge. Heat

MATERIAL SAFETY DATA SHEET



BEIGE

Version Number 1.0 Revision Date 08/08/2002		Page 3 of 7 Print Date <i>11/5/2011</i>
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPC)SUF	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH
Carbon black	3.5 mg/m3	PEL:	Total dust. as carbon black	OSHA Z1
Rutile, antimony chromium buff	0.5 mg/m3	Time Weighted Average (TWA):		MX OEL
	0.5 mg/m3	Time Weighted Average (TWA):	Total dust. as Cr	ACGIH
Rutile, antimony chromium buff	0.5 mg/m3	PEL:	Total dust. as Cr	OSHA Z1
Rutile, antimony chromium buff	0.5 mg/m3	Time Weighted Average (TWA):		MX OEL
	0.5 mg/m3	Time Weighted Average (TWA):	Dust. as Sb	ACGIH
Rutile, antimony chromium buff	0.5 mg/m3	PEL:	Total dust. as Sb	OSHA Z1
Rutile, antimony chromium buff	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

MATERIAL SAFETY DATA SHEET

BEIGE

Version Number 1.0 Revision Date 08/08/2002			Page 4 of 7 Print Date 11/5/2011		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets TAN Very faint Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	Not establishedNot applicable		
	10. STABILITY AN	D REACTIVITY			
Stability	: Stable.				
Hazardous Polymerization	: Will not occur.				
Conditions to avoid	: Keep away from o decomposition, do	oxidizing agents and open f not overheat.	lame. To avoid thermal		
Incompatible Materials	Incompatible Materials : Incompatible with strong acids and oxidizing agents.				
Hazardous decomposition products		CO2), carbon monoxide (CO rdous materials, and smoke	· ·		

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
68186-90-3	Rutile, antimony chromium buff	Irritant	Eyes, Skin.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no







MATERIAL SAFETY DATA SHEET

BEIGE

Version Number 1.0 Revision Date 08/08/2002 Page 5 of 7 Print Date 11/5/2011

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

Additional Health Hazard Information:

Rutile, antimony chromium buff 68186-90-3 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.

Page 5



MATERIAL SAFETY DATA SHEET

BEIGE

Version Number 1.0 Revision Date 08/08/2002				Print Da	Page 6 of 7 te 11/5/2011	
		14. TRANSPORT	INFORMATION			
	U.S. DOT / CA TDG Classification	: Not regulated fo	r transportation.			
	ICAO/IATA	: Not regulated fo	or transportation.			
	IMO / IMDG	: Not regulated fo	r transportation.			
		15. REGULATOR	Y INFORMATION	N		
	US Regulations:					
	OSHA Status	: Classified as haz	zardous based on co	mponents.		
	TSCA Status	: All components exempt.	of this product are li	isted on the TSCA inver	ntory or are	
	US. EPA CERCLA Hazard	ous Substances (40 CFR 3	302)			
	Not applicable					
	California Propositio 65	on : This product doe	es not contain a subs	stance listed by Californ	iia Prop 65.	
	SARA Title III Section 313	Toxic Chemicals:				
	Chemical Na	ame	CAS-No.	Weight %		
	CHROMIUN	M III COMPOUNDS Y COMPOUNDS	68186-90-3	18.95		
	Canadian Regulations:					
	WHMIS Classification : D2A					
	WHMIS Ingredient Disclosure List					
	CAS-No. 68186-90-3					
	DSL	: Listed.				

National Inventories:



MATERIAL SAFETY DATA SHEET

BEIGE

Version Number 1.0 Revision Date 08/08/2002		Page 7 of 7 Print Date <i>11/5/2011</i>
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.