

MATERIAL SAFETY DATA SHEET

GREEN

Version Number 1.0 Revision Date 08/29/2002 Page 1 of 6 Print Date 11/6/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN
Product code	:	CC10021251
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

GREEN

sion Date 08/29/2002	Print Date 11/6/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

GREEN

ion Number 1.0 sion Date 08/29/2002			Print	Page 3 Date 11/6/2
	aı	nd contamination. Keep in a d	ry, cool place.	
8. F	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	to personal respiratory protectiv	ve equipment normally	required.
Eye/Face Protection	: Sa	afety glasses with side-shields.		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practice
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation a		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH
		$(\mathbf{I} \mathbf{W} \mathbf{A}).$		
Calcium carbonate	5 mg/m3	PEL:	Respirable dust.	OSHA ZI
	15 mg/m3	PEL: PEL:	Total dust.	OSHA Z1
Titanium dioxide	15 mg/m3 10 mg/m3	PEL: PEL: Time Weighted Average (TWA):	Total dust. Total dust.	OSHA ZI ACGIH
	15 mg/m3	PEL: PEL: Time Weighted Average	Total dust.	OSHA ZI ACGIH
Titanium dioxide	15 mg/m3 10 mg/m3 15 mg/m3	PEL: PEL: Time Weighted Average (TWA):	Total dust. Total dust. Total dust.	OSHA Z1
Titanium dioxide	15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Total dust. Total dust. PERTIES	OSHA ZI ACGIH OSHA ZI
Titanium dioxide Titanium dioxide	15 mg/m3 10 mg/m3 15 mg/m3	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapor	Total dust. Total dust. Total dust. PERTIES ration rate : Not	OSHA ZI ACGIH
Titanium dioxide Titanium dioxide	15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapor ets Specifi	Total dust. Total dust. Total dust. PERTIES ration rate : Not c Gravity : Not	OSHA ZI ACGIH OSHA ZI applicable.
Titanium dioxide Titanium dioxide Form Appearance Color Odor	15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapor the Eva	Total dust. Total dust. Total dust. PERTIES ration rate : Not c Gravity : Not ensity : Not pressure : Not	OSHA ZI ACGIH OSHA ZI applicable.
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapor ts Specifi EN Bulk de faint Vapor determined Vapor	Total dust. Total dust. Total dust. PERTIES ration rate : Not c Gravity : Not ensity : Not pressure : Not density : Not	OSHA ZI ACGIH OSHA ZI applicable. determined established applicable applicable
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c : Not a	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapor ets Specifi EN Bulk do v faint Vapor determined Vapor applicable pH	Total dust. Total dust. Total dust. PERTIES ration rate : Not c Gravity : Not ensity : Not pressure : Not density : Not	OSHA ZI ACGIH OSHA ZI applicable. determined established applicable
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapor ets Specifi EN Bulk do v faint Vapor determined Vapor applicable pH	Total dust. Total dust. Total dust. PERTIES ration rate : Not c Gravity : Not ensity : Not pressure : Not density : Not	OSHA ZI ACGIH OSHA ZI applicable. determined established applicable applicable
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c : Not a : Insol	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapor ets Specifi EN Bulk do v faint Vapor determined Vapor applicable pH	Total dust. Total dust. Total dust. PERTIES ration rate : Not c Gravity : Not ensity : Not density : Not : Not	OSHA ZI ACGIH OSHA ZI applicable. determined established applicable applicable
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c : Not a : Insol 10. S	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapor ets Specifi EEN Bulk do / faint Vapor determined Vapor applicable pH	Total dust. Total dust. Total dust. PERTIES ration rate : Not c Gravity : Not ensity : Not density : Not : Not	OSHA ZI ACGIH OSHA ZI applicable. determined established applicable applicable
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very : Not c : Not a : Insol 10. S	PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO d Evapor ets Specifi EN Bulk day faint Vapor determined Vapor applicable pH uble STABILITY AND REACTIV	Total dust. Total dust. Total dust. PERTIES ration rate : Not c Gravity : Not ensity : Not density : Not : Not	OSHA ZI ACGIH OSHA ZI applicable. determined established applicable applicable



MATERIAL SAFETY DATA SHEET

sion Date 08/29/2	2002			Page / Print Date 11/6/
		decompositio	n, do not overheat.	
Incompatible Mater	rials	: Incompatible	with strong acids and c	oxidizing agents.
Hazardous decomp products	osition			oxide (CO), oxides of nitrogen nd smoke are all possible.
	1	1. TOXICOLOG	ICAL INFORMATIO	DN
health data for the i	ndividual con	nponents which co	omprise the mixture.	are effects listed are based on ex have the following characteristi
CAS-No. 13463-67-7		emical Name	Effect Systemic effects	Target OrganRespiratory system.
1317-65-3		carbonate	Irritant	Eyes, Skin.
1017 00 0	Cultifulli		Systemic effects	Eyes, Skin, Respiratory system
Persistence and deg Environmental Tox		: Not readily b	e not readily available a	
	icity	 Not readily b Chemicals are of the polyme 	iodegradable. e not readily available a er. e not readily available a er.	s they are bound within the matr
Environmental Tox Bioaccumulation Pe	icity	 Not readily b Chemicals are of the polyme Chemicals are of the polyme Chemicals are of the polyme No data avail 	iodegradable. e not readily available a er. e not readily available a er.	s they are bound within the matri
Environmental Tox Bioaccumulation Pe	icity otential	 Not readily b Chemicals are of the polyme Chemicals are of the polyme Chemicals are of the polyme No data avail 13. DISPOSAL Like most the possible, recy generator of y classification applicable fee Recycling is phas the respondent of the polyme 	iodegradable. e not readily available a er. e not readily available a er. able. CONSIDERATIONS ermoplastics the product coling is preferred to dis waste material has the re transportation and disp deral, state/provincial an preferred when possible nsibility for proper was in accordance with appl	s they are bound within the matrix s they are bound within the matrix s they are bound within the matrix ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Environmental Tox Bioaccumulation Po Additional advice Product	icity otential	 Not readily b Chemicals are of the polyme Chemicals are of the polyme Chemicals are of the polyme No data avail 13. DISPOSAL Like most the possible, recy generator of y classification applicable fee Recycling is phas the respo and disposal and local regr 	iodegradable. e not readily available a er. e not readily available a er. able. CONSIDERATIONS ermoplastics the product coling is preferred to dis waste material has the re transportation and disp deral, state/provincial an preferred when possible nsibility for proper was in accordance with appl	s they are bound within the matri s they are bound within the matri s they are bound within the matri ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation



MATERIAL SAFETY DATA SHEET

sion Number 1.0 sion Date 08/29/2002 ICAO/IATA IMO / IMDG	: Not	Page 5 Print Date 11/6/2
	· Not	
	• Not	
IMO / IMDG	. 100	t regulated for transportation.
	: Not	t regulated for transportation.
	15. RE	GULATORY INFORMATION
US Regulations:		
OSHA Status	: Cla	ssified as hazardous based on components.
TSCA Status		components of this product are listed on the TSCA inventory or are mpt.
US. EPA CERCLA Hazardous	Substanc	es (40 CFR 302)
Not applicable		
California Proposition 65	: Thi	s product does not contain a substance listed by California Prop 65
Canadian Regulations:		
WHMIS Classification	: D2.	4
DSL	: Lis	ted.
National Inventories:		
Australia AICS	: Not	t determined.
China IECS	: Not	t determined.
Europe EINECS	: Not	t determined.
Japan ENCS	: Not	t determined.
Korea KECI	: Not	t determined.
Philippines PICCS	: Not	t determined.
	16	. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

GREEN

Version Number 1.0 Revision Date 08/29/2002 Page 6 of 6 Print Date 11/6/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.