

MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 08/06/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE
Product code	:	CC10021302
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	5 - 10
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	



MATERIAL SAFETY DATA SHEET

WHITE

sion Date 08/06/2002	Print Date 11/5/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

WHITE

ion Number 1.0 sion Date 08/06/2002			Prin	Page 3 t Date 11/5/	
	a	nd contamination. Keep in	a dry, cool place.		
8. I	EXPOSURE	CONTROLS / PERSONA	L PROTECTION		
Respiratory protection	: N	lo personal respiratory prote	ctive equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shiel	ds.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with go Vash hands before breaks an		safety practic	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA	
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Total dust.	ACGIH	
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z	
	9. PHYSIC	CAL AND CHEMICAL P	ROPERTIES		
Form	: Solid	l Eva	poration rate : No	ot applicable.	
Appearance	: Pelle		-	ot determined	
Color	: WHI		2	ot established	
Odor		1		ot applicable	
Melting point/range				ot applicable	
Boiling Point:		applicable pH	: No	ot applicable	
Water solubility	: Insol	uble			
	10. 8	STABILITY AND REACT	TVITY		
Stability	: S	table.			
Stability		7.11			
Hazardous Polymerizatio	n : V	Vill not occur.			



MATERIAL SAFETY DATA SHEET

)		Page 4 Print Date 11/5/2	
ision Date 08/06/2002	-		Thin Date Thom	
Incompatible Materials	: Incompatib	le with strong acids an	d oxidizing agents.	
Hazardous decomposition products			noxide (CO), oxides of nitrogen and smoke are all possible.	
	11. TOXICOLO	GICAL INFORMAT	TION	
	en evaluated as a whole t idual components which		osure effects listed are based on ex	
<u>Toxicity Overview</u> This product contains th	ne following components	which in their pure for	m have the following characteristi	
CAS-No.	Chemical Name	Effect	Target Organ	
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	
	12. ECOLOG	ICAL INFORMATIO	DN	
Dereistance and degrade	bility : Not readily	v biodegradable.		
Persistence and degrada	ionity . Not readily	biodegradable.		
Environmental Toxicity	: Chemicals of the polyn		e as they are bound within the matri	
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.		
Additional advice	: No data ava	ailable.		
	13. DISPOSA	L CONSIDERATION	NS	
Product	possible, re generator o classificatio	ecycling is preferred to of waste material has the	duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with l and local regulations.	
Contaminated packagin	has the resp and disposa	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSP	ORT INFORMATIO	N	
U.S. DOT / CA TDG Classification	: Not regulat	ted for transportation.		
ICAO/IATA	: Not regulat	ed for transportation.		
	: Not regulat	leu for transportation.		



MATERIAL SAFETY DATA SHEET

WH	

Version Number 1.0 Revision Date 08/06/2002	Page 5 of 6 Print Date 11/5/2011
IMO / IMDG :	Not regulated for transportation.
1	5. REGULATORY INFORMATION
US Regulations:	
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous Su	ostances (40 CFR 302)
Not applicable	
California Proposition : 65	This product does not contain a substance listed by California Prop 65.
Canadian Regulations: WHMIS Classification :	D2B
WHMIS Ingredient Disclos	ure List
CAS-No. 7631-86-9	
DSL :	Listed.
National Inventories:	
Australia AICS :	Listed.
China IECS :	Listed.
Europe EINECS :	Not determined.
Japan ENCS :	Not determined.
Korea KECI :	Listed.
Philippines PICCS :	Listed.
	16. OTHER INFORMATION
	5/6



MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 08/06/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.