

MATERIAL SAFETY DATA SHEET

TARA RED

Version Number 1.1 Revision Date 04/07/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TARA RED
Product code	:	CC10021470
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to over
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **TARA RED**

Version Number 1.1 Revision Date 04/07/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET **TARA RED**

Version Number 1.1 Revision Date 04/07/2004 Page 3 of 6 Print Date 11/14/2011

8. E	XPOSURE	CONTROLS / PER	SONAL	PROTECTION		
Respiratory protection	: N	No personal respirator	y protecti	ve equipment norm	ally r	equired.
Eye/Face Protection	: S	afety glasses with sic	le-shields			
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	long sleeved clothing				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		Handle in accordance Wash hands before bro				afety practice.
Engineering measures		leat only in areas with ppropriate exhaust ve			ion.	Provide
Exposure limit(s)						
Components	Value	Exposure tim	ne.	Exposure type		List:
Titanium dioxide	10 mg/m3	Time Weighted A (TWA):			·	ACGIH
	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSI	CAL AND CHEMIC	CAL PRO	PERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility		ets) / faint determined applicable	Specifi Bulk d Vapor	ic Gravity: : ensity : pressure :	Not Not Not Not	applicable determined established applicable applicable applicable
	10. 9	STABILITY AND R	EACTIV	VITY		
Stability	: S	table.				
Hazardous Polymerization	n : V	Vill not occur.				
Conditions to avoid		Keep away from oxidi ecomposition, do not			To a	void thermal
Incompatible Materials	· I	ncompatible with stro	ng acids	and oxidizing agents	S.	



MATERIAL SAFETY DATA SHEET

TARA RED

Version Number 1.1

Revision Date 04/07/2004

Page 4 of 6 Print Date 11/14/2011

Hazardous decomposition:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogenproducts(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGI	CAL INFORMATION	1
Persistence and degrad	ability : Not readily b	viodegradable.	
Environmental Toxicity	Chemicals ar of the polym		is they are bound within the matri
Bioaccumulation Poten	tial : Chemicals ar of the polym		is they are bound within the matri
Additional advice	: No data avai	lable	
	13. DISPOSAL	CONSIDERATIONS	6
Product Contaminated packagir	possible recy generator of classification applicable fe gg : Recycling is has the respo	cling is preferred to dis waste material has the r a, transportation and dis deral, state/provincial a preferred when possible insibility for proper was in accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial
	14. TRANSPO	ORT INFORMATION	
U.S. DOT Classificatio	n : Not regulated	d for transportation.	
ICAO/IATA (air)	: Refer to spec	ific regulation.	
IMO / IMDG (maritime	e) : Refer to spec	cific regulation.	
	15. REGULAT	ORY INFORMATION	N



MATERIAL SAFETY DATA SHEET TARA RED

ARA RED	
rsion Number 1.1 vision Date 04/07/2004	Page 5 o Print Date 11/14/20
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
11	
California Proposition	: This product does not contain a substance listed by California Prop 65.
65	
SARA Title III Section 302 Ext	remely Hazardous Substance
Not applicable	
SARA Title III Section 313 Tox	xic Chemicals:
SARA Title III Section 313 Tox	
Chemical Name	CAS-No. Weight %
Chemical Name BARIUM COMPOUNI	CAS-No. Weight %
Chemical Name	CAS-No. Weight %
Chemical Name BARIUM COMPOUNI Canadian Regulations:	CAS-No.Weight %DS [EXCEPT BASO4]67801-01-85.13
Chemical Name BARIUM COMPOUNI Canadian Regulations: National Pollutant Relea	CAS-No.Weight %DS [EXCEPT BASO4]67801-01-85.13
Chemical Name BARIUM COMPOUNI Canadian Regulations:	CAS-No.Weight %DS [EXCEPT BASO4]67801-01-85.13
Chemical Name BARIUM COMPOUNI Canadian Regulations: National Pollutant Relea	CAS-No.Weight %DS [EXCEPT BASO4]67801-01-85.13
Chemical Name BARIUM COMPOUNI Canadian Regulations: National Pollutant Relea Not applicable	CAS-No.Weight %DS [EXCEPT BASO4]67801-01-85.13se Inventory (NPRI)
Chemical Name BARIUM COMPOUNI Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification	CAS-No. Weight % DS [EXCEPT BASO4] 67801-01-8 5.13 se Inventory (NPRI)
Chemical Name BARIUM COMPOUNI Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL	CAS-No. Weight % DS [EXCEPT BASO4] 67801-01-8 5.13 se Inventory (NPRI)
Chemical Name BARIUM COMPOUNI Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories:	CAS-No. Weight % DS [EXCEPT BASO4] 67801-01-8 5.13 se Inventory (NPRI)
Chemical Name BARIUM COMPOUNI Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories: Australia AICS	CAS-No. Weight % DS [EXCEPT BASO4] 67801-01-8 5.13 se Inventory (NPRI)
Chemical Name BARIUM COMPOUND Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	CAS-No. Weight % DS [EXCEPT BASO4] 67801-01-8 5.13 se Inventory (NPRI)
Chemical Name BARIUM COMPOUNT Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	CAS-No. Weight % DS [EXCEPT BASO4] 67801-01-8 5.13 se Inventory (NPRI) : Not controlled. : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. : Listed : Listed : Listed



MATERIAL SAFETY DATA SHEET

TARA RED

Version Number 1.1 Revision Date 04/07/2004 Page 6 of 6 Print Date 11/14/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.