

MATERIAL SAFETY DATA SHEET

PG 21488 PEARL PU PE

Version Number 1.0 Revision Date 08/09/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 21488 PEARL PU PE
Product code	:	CC10021488
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %		
Mica	12001-26-2	1 - 5		
Titanium dioxide	13463-67-7	1 - 5		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PG 21488 PEARL PU PE

Version Number 1.0 Revision Date 08/09/2002 Page 2 of 6 Print Date 11/5/2011

	4.	FIRST AID MEASURES
Inhalation	ove	we to fresh air in case of accidental inhalation of fumes from rheating or combustion. When symptoms persist, or in all cases of bt, seek medical advice.
Ingestion		not induce vomiting without medical advice. When symptoms ist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, f least 15 minutes. If eye irritation persists, seek medical attention	
Skin		sh off with soap and plenty of water. If skin irritation persists seek lical attention.
	5. FI	RE-FIGHTING MEASURES
Flash point	: Not	applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	: Not : Not : Car : Full pres con : Not	
	ACCII	DENTAL RELEASE MEASURES
Personal precautions		ar appropriate personal protection during cleanup, such as ervious gloves, boots and coveralls.
Environmental precautions		uld not be released into the environment. The product should not llowed to enter drains, water courses or the soil.
Methods for cleaning up	plas	an up promptly by sweeping or vacuum. Package all material in tic, cardboard or metal containers for disposal. Refer to Section 13 his MSDS for proper disposal methods.
	7. H	ANDLING AND STORAGE
Handling		e measures to prevent the build up of electrostatic charge. Heat in areas with appropriate exhaust ventilation.
Storage	· Kee	p containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PG 21488 PEARL PU PE

Version Number 1.0 Revision Date 08/09/2002 Page 3 of 6 Print Date 11/5/2011

VDOCUDE					
APUSUKE	CONTROLS / PERSO	ONAL PH	OTECTION		
: N	No personal respiratory protective equipment normally required.				
: S	Safety glasses with side-shields.				
: P	rotective gloves.				
: L	Long sleeved clothing.				
: S	Safety shoes.				
: Handle in accordance with good industrial hygiene and safet Wash hands before breaks and at the end of workday.			afety practice		
: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			Provide		
Value	Exposure time		Exposure typ	e	List:
3 mg/m3	Time Weighted Aver	rage	Total dust.		ACGIH
20 mppcf	PEL:		Total dust.		OSHA
10 mg/m3		rage	Total dust.		ACGIH
15 mg/m3	PEL:		Total dust.		OSHA Z1
9. PHYSI	CAL AND CHEMICA	L PROP	ERTIES		
. C.1.	1	E	·	N-4	
				Not applicable.Not determined	
					established
		-			applicable
					applicable
		1 0			applicable
	11	pm		INOU	applicable
10. 5	STABILITY AND REA	ACTIVI	Γ Υ		
	: S : P : C : C : C : C : C : C : C : C	 Safety glasses with side- Protective gloves. Long sleeved clothing. Safety shoes. Handle in accordance with Wash hands before break Heat only in areas with a appropriate exhaust vention Value Exposure time 3 mg/m3 Time Weighted Ave (TWA): 20 mppcf PEL: 10 mg/m3 Time Weighted Ave (TWA): 15 mg/m3 PEL: 9. PHYSICAL AND CHEMICA Solid : Pollets : PURPLE : Very faint : Not determined : Not applicable : Insoluble	 Safety glasses with side-shields. Protective gloves. Long sleeved clothing. Safety shoes. Handle in accordance with good in Wash hands before breaks and at the second s	 Safety glasses with side-shields. Protective gloves. Long sleeved clothing. Safety shoes. Handle in accordance with good industrial hygiene Wash hands before breaks and at the end of workd Heat only in areas with appropriate exhaust ventil appropriate exhaust ventilation at machinery. Value Exposure time Exposure typ 3 mg/m3 Time Weighted Average Total dust. (TWA): 20 mppcf PEL: Total dust. (TWA): 15 mg/m3 PEL: Total dust. 9. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Pellets Specific Gravity : PURPLE Bulk density : Vary faint Vapor pressure : Not determined Vapor density : Insoluble 10. STABILITY AND REACTIVITY	 Safety glasses with side-shields. Protective gloves. Long sleeved clothing. Safety shoes. Handle in accordance with good industrial hygiene and sa Wash hands before breaks and at the end of workday. Heat only in areas with appropriate exhaust ventilation. appropriate exhaust ventilation at machinery. <u>Value Exposure time Exposure type</u> <u>a mg/m3</u> Time Weighted Average Total dust. (TWA): <u>20 mppcf PEL: Total dust.</u> <u>10 mg/m3</u> Time Weighted Average Total dust. <u>(TWA):</u> <u>15 mg/m3</u> PEL: Total dust. <u>5 ng/m3</u> PEL: Total dust. <u>5 ng/m3</u> PEL: Total dust. <u>10 mg/m3</u> Time Weighted Average Total dust. <u>(TWA):</u> <u>15 mg/m3</u> PEL: Total dust. <u>10 mg/m3</u> Time Weighted Average Total dust. <u>(TWA):</u> <u>15 mg/m3</u> PEL: Total dust. <u>15 mg/m3</u> PEL: Not addition the theorem is the properties of the

Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

PG 21488 PEARL PU PE

 Version Number 1.0
 Page 4 of 6

 Revision Date 08/09/2002
 Print Date 11/5/2011

 Incompatible Materials
 : Incompatible with strong acids and oxidizing agents.

 Hazardous decomposition products
 : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
-	14. TRANSPORT INFORMATION
U.S. DOT / CA TDG Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
	4/6



MATERIAL SAFETY DATA SHEET

PG 21488 PEARL PU PE

Version Number 1.0 Revision Date 08/09/2002 Page 5 of 6 Print Date 11/5/2011

IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or an exempt.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 65
Canadian Regulations: WHMIS Classification	: D2B
WHMIS Ingredient Disc	losure List
CAS-No. 12001-26-2	
DSL	: Listed.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
Philippines PICCS	: Listed.
	16. OTHER INFORMATION

5/6



MATERIAL SAFETY DATA SHEET

PG 21488 PEARL PU PE

Version Number 1.0 Revision Date 08/09/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.