

MATERIAL SAFETY DATA SHEET

TEAL VEIN

Version Number 1.0 Revision Date 08/15/2002 Page 1 of 5 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TEAL VEIN
Product code	:	CC10021594
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

TEAL VEIN

sion Date 08/15/2002	Page 2 Print Date 11/5/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption





TEAL VEIN

Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Valu Titanium dioxide 10 mg Titanium dioxide 15 mg Form : Appearance : Color :	URE : N : S : P : L : S : H V : H a ue g/m3	Safety glasses with Protective gloves. Long sleeved cloth Safety shoes. Handle in accordar Wash hands before	PERSONAL ratory protection in side-shields. ning. ning. ning with good breaks and a with appropri- st ventilation a	PROTECTION ve equipment normall industrial hygiene and at the end of workday. iate exhaust ventilatio	d safety practic
Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Valu Titanium dioxide 10 mg Titanium dioxide 15 mg Form : Appearance : Color :	: N : S : P : L : S : H V : H a : H a : y m3	No personal respir Safety glasses with Protective gloves. Long sleeved cloth Safety shoes. Handle in accordar Wash hands before Heat only in areas ppropriate exhaus Exposure Time Weighte (TWA	atory protecti h side-shields. hing. nce with good e breaks and a with appropri- st ventilation a e time ed Average	ve equipment normall industrial hygiene an at the end of workday. iate exhaust ventilatio at machinery. Exposure type	d safety practic
Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Valu Titanium dioxide 10 mg Titanium dioxide 15 mg 9. PH Form : Appearance : Color :	: S : P : L : S : H V : H a	Safety glasses with Protective gloves. Long sleeved cloth Safety shoes. Handle in accordar Wash hands before Heat only in areas ppropriate exhaus Exposure Time Weighte (TWA	h side-shields. hing. nce with good breaks and a with appropri- st ventilation a e time ed Average	industrial hygiene and at the end of workday. iate exhaust ventilatio at machinery. Exposure type	d safety practic
Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Valu Titanium dioxide 10 mg Titanium dioxide 15 mg 9. PH Form : Appearance : Color :	: P : L : S : H V : H a	Protective gloves. Long sleeved cloth Safety shoes. Handle in accordar Wash hands before Heat only in areas ppropriate exhaus Exposure Time Weighte (TWA	ning. nce with good e breaks and a with appropri- st ventilation a e time ed Average	industrial hygiene an at the end of workday. iate exhaust ventilatio at machinery. Exposure type	n. Provide
Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Valu Titanium dioxide 10 mg Titanium dioxide 15 mg 9. PH Form : Appearance : Color :	: L : S : H v : H a ue g/m3	Long sleeved cloth Safety shoes. Handle in accordar Wash hands before Heat only in areas ppropriate exhaus Exposure Time Weighte (TWA	nce with good e breaks and a with appropri st ventilation a e time ed Average	at the end of workday. iate exhaust ventilatio at machinery. Exposure type	n. Provide
Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Valu Titanium dioxide 10 mg Titanium dioxide 15 mg 9. PH Form : Appearance : Color :	: S : H V : H a	Safety shoes. Handle in accordar Wash hands before Heat only in areas ppropriate exhaus Exposure Time Weighte (TWA	nce with good e breaks and a with appropri st ventilation a e time ed Average	at the end of workday. iate exhaust ventilatio at machinery. Exposure type	n. Provide
Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Valu Titanium dioxide 10 mg Titanium dioxide 15 mg 9. PH Form : Appearance : Color :	: H V : H a ue g/m3	Handle in accordar Wash hands before Heat only in areas ppropriate exhaus Exposure Time Weighte (TWA	e breaks and a with appropri st ventilation a e time ed Average	at the end of workday. iate exhaust ventilatio at machinery. Exposure type	n. Provide
Considerations Engineering measures Exposure limit(s) Components Valu Titanium dioxide 10 mg Titanium dioxide 15 mg 9. PH Form : Appearance : Color :	V : H a ue g/m3	Vash hands before Heat only in areas ppropriate exhaus Exposure Time Weighte (TWA	e breaks and a with appropri st ventilation a e time ed Average	at the end of workday. iate exhaust ventilatio at machinery. Exposure type	n. Provide
Exposure limit(s) Components Valu Titanium dioxide 10 mg Titanium dioxide 15 mg 9. PH Form : Appearance : Color :	a ue g/m3	ppropriate exhaus Exposure Time Weighte (TWA	e time ed Average	at machinery. Exposure type	List:
Components Valu Titanium dioxide 10 mg Titanium dioxide 15 mg 9. PH Form : Appearance : Color :	g/m3	Time Weighte (TWA	ed Average		
Titanium dioxide 10 mg Titanium dioxide 15 mg 9. PH Form : Appearance : Color :	g/m3	Time Weighte (TWA	ed Average		
Titanium dioxide 10 mg Titanium dioxide 15 mg 9. PH Form : Appearance : Color :	g/m3	Time Weighte (TWA	ed Average		
Titanium dioxide 15 mg 9. PH Form : Appearance : Color :		(TWA		Total dust.	ACGIH
9. PH Form : Appearance : Color :	g/m3	PEI	h).		
Form : Appearance : Color :		I LL		Total dust.	OSHA ZI
Appearance:Color:	IYSI	CAL AND CHE	MICAL PRO	PERTIES	
Appearance:Color:	0.1	1	E		T. (
Color :	: Solid : Pellets				Not applicable.
	: GREEN		Bulk d	2	Not established
Udor				2	
	-				Not applicable
01 0		determined	1		Not applicable
6	: Not applicable pH : Not applicable : Insoluble				Not applicable
Water solubility :	Inso	luble			
	10. 5	STABILITY AN	D REACTIV	ITY	
Stability	: S	Stable.			
Hazardous Polymerization	: V	Will not occur.			
Conditions to avoid		Keep away from o lecomposition, do		ts and open flame. To	o avoid thermal
Incompatible Materials	: Iı	ncompatible with	strong acids a	and oxidizing agents.	



MATERIAL SAFETY DATA SHEET

TEAL VEIN

Version Number 1.0 Revision Date 08/15/2002

Page 4 of 5 Print Date 11/5/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7 Titanium dioxide		Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degrada	ability : Not readily b	iodegradable.				
Environmental Toxicity	Chemicals are of the polyme		is they are bound within the matri			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS	9			
Product Contaminated packagin	possible, recy generator of v classification applicable fee ag : Recycling is p has the respo	veling is preferred to dia waste material has the r , transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial			
	14. TRANSPO	RT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regulated	l for transportation.				
ICAO/IATA	: Not regulated	l for transportation.				
IMO / IMDG	: Not regulated	l for transportation.				

MATERIAL SAFETY DATA SHEET



Revision Date 08/15/2002 Print Date 11/5/2 US Regulations: OSHA Status : Classified as hazardous based on components.	VEIN	
OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on the TSCA inventory or are exempt. US. EPA CERCLA Hazardous Substances (40 CFR 302)		Page 5 of 5 Print Date 11/5/2011
OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on the TSCA inventory or are exempt. US. EPA CERCLA Hazardous Substances (40 CFR 302)		
TSCA Status : All components of this product are listed on the TSCA inventory or are exempt. US. EPA CERCLA Hazardous Substances (40 CFR 302)	egulations:	
exempt. US. EPA CERCLA Hazardous Substances (40 CFR 302)	OSHA Status :	Classified as hazardous based on components.
	TSCA Status :	All components of this product are listed on the TSCA inventory or are exempt.
Not applicable	PA CERCLA Hazardous Subs	stances (40 CFR 302)
	Not applicable	
California Proposition : This product does not contain a substance listed by California Prop 65 65		This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	dian Regulations:	
WHMIS Classification : D2B	WHMIS Classification :	D2B
DSL : Listed.	DSL :	Listed.
National Inventories:	nal Inventories:	
Australia AICS : Listed.	Australia AICS :	Listed.
China IECS : Listed.	China IECS :	Listed.
Europe EINECS : Not determined.	Europe EINECS :	Not determined.
Japan ENCS : Listed.	Japan ENCS :	Listed.
Korea KECI : Listed.	Korea KECI :	Listed.
Philippines PICCS : Listed.	Philippines PICCS :	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.