

MATERIAL SAFETY DATA SHEET

ARNCO POWDER BLUE

Version Number 1.1 Revision Date 08/15/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : | Product Stewardship (770) 271-5902 |
|-------------------------------|---|--|
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
| Product name | : | ARNCO POWDER BLUE |
| Product code | : | CC10021671 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|------------|----------|
| Calcium carbonate | 1317-65-3 | 10 - 30 |
| Titanium dioxide | 13463-67-7 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|--|
| Acute exposure | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to ever |
| Skin | eyes. : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET

ARNCO POWDER BLUE

Version Number 1.1 Revision Date 08/15/2002 Page 2 of 6 Print Date 11/5/2011

| | | 4. FIRST AID MEASURES |
|---|---|--|
| Inhalation | : | Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice. |
| Ingestion | : | Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice. |
| Eyes | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : | Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | | 5. FIRE-FIGHTING MEASURES |
| Flash point | : | Not applicable |
| Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion | : | Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None |
| Hazards | • | |
| | 6. A | CCIDENTAL RELEASE MEASURES |
| Personal precautions | : | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | | 7. HANDLING AND STORAGE |
| Handling | : | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : | Keep containers dry and tightly closed to avoid moisture absorption |



MATERIAL SAFETY DATA SHEET

ARNCO POWDER BLUE

Version Number 1.1 Revision Date 08/15/2002 Page 3 of 6 Print Date 11/5/2011

| | aı | nd contamination. Keep in a d | lry, cool place. | | |
|------------------------------------|--------------------|--|------------------|----------------|--|
| | | - | | | |
| 8. E | XPOSURE | CONTROLS / PERSONAL | PROTECTION | | |
| Respiratory protection | : N | No personal respiratory protective equipment normally required. | | | |
| Eye/Face Protection | : S | Safety glasses with side-shields. | | | |
| Hand protection | : P | rotective gloves. | | | |
| Skin and body protection | : L | ong sleeved clothing. | | | |
| Additional Protective Measures | : S | afety shoes. | | | |
| General Hygiene Considerations | | andle in accordance with good ash hands before breaks and a | | afety practice | |
| Engineering measures | | eat only in areas with appropr ppropriate exhaust ventilation | | Provide | |
| Exposure limit(s) | | | | | |
| Components | Value | Exposure time | Exposure type | List: | |
| Calcium carbonate | 10 mg/m3 | Time Weighted Average (TWA): | Total dust. | ACGIH | |
| Calcium carbonate | 5 mg/m3 | PEL: | Respirable dust. | OSHA Z1 | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 | |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | Total dust. | ACGIH | |
| Titanium dioxide | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 | |
| | 9. PHYSIC | CAL AND CHEMICAL PRO | PERTIES | | |
| | | | | | |
| Form | : Solid | | | applicable. | |
| Appearance | : Pelle | | 5 | determined | |
| Color | : BLU | | | established | |
| Odor Malting point/range | | | | applicable | |
| Melting point/range | | | | applicable | |
| Boiling Point: Water solubility | : Not a : Insol | applicable pH | : Not | applicable | |
| mater solubility | . 111501 | uoie | | | |
| | 10. S | STABILITY AND REACTIV | /ITY | | |
| Stability | : S | table. | | | |
| | n · W | Vill not occur. | | | |
| Hazardous Polymerization | | | | | |



MATERIAL SAFETY DATA SHEET

ARNCO POWDER BLUE

| | decompositio | n, do not overheat. | |
|--|---|---|---|
| Incompatible Materials | s : Incompatible | with strong acids and o | oxidizing agents. |
| Hazardous decompositi products | | | oxide (CO), oxides of nitrogen ad smoke are all possible. |
| | 11. TOXICOLOG | ICAL INFORMATIO | DN |
| | een evaluated as a whole for vidual components which co | | ure effects listed are based on exi- |
| <u>Toxicity Overview</u> This product contains t | the following components w | which in their pure form | have the following characteristic |
| CAS-No. | Chemical Name | Effect | Target Organ |
| 1317-65-3 | Calcium carbonate | Irritant | Eyes, Skin. |
| | | Systemic effects | Eyes, Skin, Respiratory system |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |
| | | er. | |
| Bioaccumulation Poten | of the polyme : No data avail | e not readily available a er. | s they are bound within the matrix |
| Bioaccumulation Poten Additional advice Product Contaminated packagir | of the polyme : No data avail 13. DISPOSAL : Like most the possible, recy generator of v classification. applicable fee ng : Recycling is p has the respon | e not readily available a er. able. CONSIDERATIONS ermoplastics the produ- vcling is preferred to dis waste material has the r , transportation and disp deral, state/provincial a preferred when possible nsibility for proper was in accordance with app | ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with |
| Additional advice Product | of the polyme : No data avail 13. DISPOSAL : Like most the possible, recy generator of v classification applicable fee ng : Recycling is p has the respon and disposal i and local regu | e not readily available a er. able. CONSIDERATIONS ermoplastics the produ- vcling is preferred to dis waste material has the r , transportation and disp deral, state/provincial a preferred when possible nsibility for proper was in accordance with app | ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation |
| Additional advice Product | of the polyme : No data avail 13. DISPOSAL : Like most the possible, recy generator of v classification applicable fee ng : Recycling is p has the respon and disposal i and local regy 14. TRANSPO | e not readily available a er. able. CONSIDERATIONS cromoplastics the product reling is preferred to dis waste material has the r , transportation and disp deral, state/provincial a preferred when possible nsibility for proper was in accordance with app alations. | ct can be recycled. Where sposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materi te classification, transportation |



MATERIAL SAFETY DATA SHEET

ARNCO POWDER BLUE

| ion Number 1.1 sion Date 08/15/2002 | | Page 5 Print Date 11/5/2 |
|--|-----|--|
| ICAO/IATA | : | Not regulated for transportation. |
| IMO / IMDG | : | Not regulated for transportation. |
| | 15 | 5. REGULATORY INFORMATION |
| US Regulations: | | |
| OSHA Status | : | Classified as hazardous based on components. |
| TSCA Status | : | All components of this product are listed on the TSCA inventory or are exempt. |
| US. EPA CERCLA Hazardous | Sub | stances (40 CFR 302) |
| Not applicable | | |
| California Proposition 65 | : | This product does not contain a substance listed by California Prop 65 |
| Canadian Regulations: | | |
| WHMIS Classification | : | D2A |
| DSL | : | Listed. |
| National Inventories: | | |
| Australia AICS | : | Not determined. |
| China IECS | : | Listed. |
| Europe EINECS | : | Not determined. |
| Japan ENCS | : | Not determined. |
| Korea KECI | : | Not determined. |
| Philippines PICCS | : | Listed. |
| | | 16. OTHER INFORMATION |
| | | |
| | | |
| | | 5/6 |



MATERIAL SAFETY DATA SHEET

ARNCO POWDER BLUE

Version Number 1.1 Revision Date 08/15/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.