

MATERIAL SAFETY DATA SHEET

FLAMENCO VIOLET (SKIN) 2

Version Number 1.0 Revision Date 08/19/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FLAMENCO VIOLET (SKIN) 2
Product code	:	CC10021699
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

FLAMENCO VIOLET (SKIN) 2

Version Number 1.0 Revision Date 08/19/2002 Page 2 of 6 Print Date 11/5/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	:::::::::::::::::::::::::::::::::::::::	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards		
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	•	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

FLAMENCO VIOLET (SKIN) 2

Version Number 1.0 Revision Date 08/19/2002 Page 3 of 6 Print Date 11/5/2011

	aı	nd contamination. Keep in a c	lry, cool place.		
8. F	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protect	ive equipment norr	mally required.	
Eye/Face Protection	: S	Safety glasses with side-shields.			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and			
Engineering measures		leat only in areas with appropription propriate exhaust ventilation		ation. Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure typ	be List:	
Mica	3 mg/m3	Time Weighted Average (TWA):	Total dust.		
			Total dust.	OSHA	
Mica	20 mppcf	PEL:	Total uust.		
Mica Titanium dioxide	20 mppcf 10 mg/m3	Time Weighted Average	Total dust.		
				ACGIH	
Titanium dioxide	10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL:	Total dust.	ACGIH	
Titanium dioxide	10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Total dust.	ACGIH	
Titanium dioxide Titanium dioxide Form	10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Total dust. DPERTIES oration rate :	ACGIH OSHA Z Not applicable.	
Titanium dioxide Titanium dioxide Form Appearance	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evaports Specification of the second states of the seco	Total dust. Total dust. OPERTIES oration rate : cic Gravity :	ACGIH OSHA Z Not applicable. Not determined	
Titanium dioxide Titanium dioxide Form Appearance Color	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapo ets Specif PLE Bulk of	Total dust. Total dust. OPERTIES oration rate : cic Gravity : lensity :	ACGIH OSHA Z Not applicable. Not determined Not established	
Titanium dioxide Titanium dioxide Form Appearance Color Odor	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapo ets Specif PLE Bulk of faint Vapor	Total dust. Total dust. OPERTIES oration rate : fic Gravity : lensity : pressure :	ACGIH OSHA Z Not applicable. Not determined Not established Not applicable	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO E Evapo the Evapo the Specif PLE Bulk of faint Vapor determined Vapor	Total dust. Total dust. OPERTIES oration rate : cic Gravity : lensity :	ACGIH OSHA Z Not applicable. Not determined Not established Not applicable Not applicable	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c : Not a	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO t Evapo ets Specif PLE Bulk of faint Vapor determined Vapor applicable pH	Total dust. Total dust. OPERTIES oration rate : fic Gravity : lensity : pressure :	ACGIH OSHA Z Not applicable. Not determined Not established Not applicable	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO t Evapo ets Specif PLE Bulk of faint Vapor determined Vapor applicable pH	Total dust. Total dust. OPERTIES oration rate : fic Gravity : lensity : pressure :	ACGIH OSHA Z Not applicable. Not determined Not established Not applicable Not applicable	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not a : Insol	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO t Evapo ets Specif PLE Bulk of faint Vapor determined Vapor applicable pH	Total dust. Total dust. OPERTIES oration rate : Control of the second	ACGIH OSHA Z Not applicable. Not determined Not established Not applicable Not applicable	
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c : Not a : Insol 10. S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapor the Evapor	Total dust. Total dust. OPERTIES oration rate : Control of the second	ACGIH OSHA Z Not applicable. Not determined Not established Not applicable Not applicable	

decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

FLAMENCO VIOLET (SKIN) 2

Version Number 1.0 Revision Date 08/19/2002 Page 4 of 6 Print Date 11/5/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT / CA TDG Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
	4/6



MATERIAL SAFETY DATA SHEET

FLAMENCO VIOLET (SKIN) 2

Version Number 1.0 Revision Date 08/19/2002 Page 5 of 6 Print Date 11/5/2011

	15. REGULATORY INFORMATION
US Regulations:	
-	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on the TSCA inventory or an exempt.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Durana iti ar	This are duct do a not contain a substance listed by California Draw (6
California Proposition 65	: This product does not contain a substance listed by California Prop 65
Canadian Regulations:	
WHMIS Classification	: D2B
WHMIS Ingredient Disc	closure List
CAS-No.	
12001-26-2	
DSL	: Listed.
National Inventories:	
Australia AICS	: Not determined.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Not determined.
Philippines PICCS	: Listed.
	16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

FLAMENCO VIOLET (SKIN) 2

Version Number 1.0 Revision Date 08/19/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.