

#### MATERIAL SAFETY DATA SHEET

## Lemon Yellow

Version Number 1.0 Revision Date 08/20/2002 Page 1 of 5 Print Date 11/5/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Lemon Yellow
Product code	:	CC10021923
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: No known effects.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

## Lemon Yellow

ion Number 1.0 sion Date 08/20/2002	Page 2 Print Date 11/5/
	4. FIRST AID MEASURES
	4. FIK51 AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If existing irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F
Flammable Limits	
Upper explosion limit	: Not applicable.
Lower explosion limit	: Not applicable.
Autoignition temperature	: Not applicable.
Suitable extinguishing media	: Carbon dioxide blanket, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



## MATERIAL SAFETY DATA SHEET

# Lemon Yellow

ion Number 1.0 Page sion Date 08/20/2002 Print Date 11/5					
and contamination. Store in a cool dry place.					
8. 1	EXPOSURE	CONTROLS / PER	SONAL	PROTECTION	
Respiratory protection	: U	Inder normal handling	, conditio	ons a respirator may no	ot be required.
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: P	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations				industrial hygiene and at the end of workday.	l safety practic
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure tim	0	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Av		Total dust.	ACGIH
	•	-	0		
Titanium dioxide	15 mg/m3	(TWA): PEL:		Total dust.	OSHA Z
		(TWA):			OSHA ZI
	9. PHYSIC	(TWA): PEL: CAL AND CHEMIC	AL PRO	PERTIES	OSHA Z1
Titanium dioxide	9. PHYSIC	(TWA): PEL: CAL AND CHEMIC	Evapor	<b>PERTIES</b> ration rate : N	Tot determined
Titanium dioxide	9. PHYSIO : Liqu : Visc : YEL	(TWA): PEL: CAL AND CHEMIC id ous, Liquid LOW	AL PRO Evapor Specifi Bulk d	DPERTIES ration rate : N ic Gravity : N ensity : N	ot determined ot determined ot applicable.
Titanium dioxide Form Appearance Color Odor	9. PHYSIO : Liqu : Visc : YEL : Very	(TWA): PEL: CAL AND CHEMIC id ous, Liquid LOW 7 faint	AL PRO Evapor Specifi Bulk d Vapor	DPERTIES ration rate : N ic Gravity : N ensity : N pressure : N	ot determined ot determined ot applicable. ot determined
Titanium dioxide Form Appearance Color Odor Melting point/range	9. PHYSI : Liqu : Visc : YEL : Very : Not	(TWA): PEL: CAL AND CHEMIC id ous, Liquid LOW faint applicable	AL PRO Evapor Specifi Bulk d Vapor Vapor	<b>DPERTIES</b> ration rate : N   ic Gravity : N   ensity : N   pressure : N   density : N	ot determined ot determined ot applicable. ot determined ot determined
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSI : Liqu : Visc : YEL : Very : Not : Not	(TWA): PEL: CAL AND CHEMIC id ous, Liquid LOW faint applicable applicable	AL PRO Evapor Specifi Bulk d Vapor	<b>DPERTIES</b> ration rate : N   ic Gravity : N   ensity : N   pressure : N   density : N	ot determined ot determined ot applicable. ot determined
Titanium dioxide Form Appearance Color Odor Melting point/range	9. PHYSI : Liqu : Visc : YEL : Very : Not	(TWA): PEL: CAL AND CHEMIC id ous, Liquid LOW faint applicable applicable	AL PRO Evapor Specifi Bulk d Vapor Vapor	<b>DPERTIES</b> ration rate : N   ic Gravity : N   ensity : N   pressure : N   density : N	ot determined ot determined ot applicable. ot determined ot determined
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Liqu : Visc : YEL : Very : Not : Not : Imm	(TWA): PEL: CAL AND CHEMIC id ous, Liquid LOW faint applicable applicable	AL PRO Evapor Specifi Bulk d Vapor Vapor pH	<b>DPERTIES</b> ration rate : N   ic Gravity : N   ensity : N   density : N	ot determined ot determined ot applicable. ot determined ot determined
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSI : Liqu : Visc : YEL : Very : Not : Not : Imm 10. S	(TWA): PEL: CAL AND CHEMIC id ous, Liquid LOW / faint applicable applicable iscible	AL PRO Evapor Specifi Bulk d Vapor Vapor pH	<b>DPERTIES</b> ration rate : N   ic Gravity : N   ensity : N   density : N	ot determined ot determined ot applicable. ot determined ot determined
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSI : Liqu : Visc : YEL : Very : Not : Not : Imm 10. S	(TWA): PEL: CAL AND CHEMIC id ous, Liquid LOW faint applicable applicable iscible	AL PRO Evapor Specifi Bulk d Vapor Vapor pH	<b>DPERTIES</b> ration rate : N   ic Gravity : N   ensity : N   density : N	ot determined ot determined ot applicable. ot determined ot determined
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	9. PHYSI : Liqu : Visc : YEL : Very : Not : Imm 10. § n : V	(TWA): PEL: CAL AND CHEMIC id ous, Liquid LOW faint applicable applicable iscible STABILITY AND R table.	AL PRO Evapor Specifi Bulk d Vapor Vapor pH	<b>DPERTIES</b> ration rate : N   ic Gravity : N   ensity : N   density : N   'ITY	ot determined ot determined ot applicable. ot determined ot determined
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerizatio	9. PHYSI : Liqu : Visc : YEL : Very : Not : Not : Imm 10. S n : V : K	(TWA): PEL: CAL AND CHEMIC id ous, Liquid LOW faint applicable applicable iscible STABILITY AND R table.	AL PRO Evapor Specifi Bulk d Vapor Vapor pH EACTIV	<b>DPERTIES</b> ration rate :   ic Gravity :   ensity :   pressure :   density :   : N   'TTY   tts and open flame.	ot determined ot determined ot applicable. ot determined ot determined



### MATERIAL SAFETY DATA SHEET

## Lemon Yellow

## Version Number 1.0

Revision Date 08/20/2002

Page 4 of 5 Print Date 11/5/2011

products

(NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

12. ECOLOGICAL INFORMATION				
Persistence and degradability	: Not readily biodegradable.			
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.			
Bioaccumulation Potential	: Does not bioaccumulate			
Additional advice	: No data available.			
13. DISPOSAL CONSIDERATIONS				
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
14. TRANSPORT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regulated for transportation.			
ICAO/IATA	: Not regulated for transportation.			
IMO / IMDG	: Not regulated for transportation.			
15. REGULATORY INFORMATION				
US Regulations:				
OSHA Status	: Classified as hazardous based on components.			



### MATERIAL SAFETY DATA SHEET

## Lemon Yellow

Version Number 1.0 Revision Date 08/20/2002		Page 5 of 5 Print Date 11/5/2011
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.