

MATERIAL SAFETY DATA SHEET

Black

Version Number 1.0 Revision Date 08/20/2002

Product Use

Page 1 of 7 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Black
Product code	:	CC10021927
Chemical Name	:	Mixture
CAS-No.	:	Mixture

: Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Carbon black	1333-86-4	5 - 10
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	re: : Inhalation, Skin contact, Ingestion			
Acute exposure				
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.			
Ingestion	: May be harmful if swallowed.			
Eyes	: No known effects.			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			



MATERIAL SAFETY DATA SHEET

Black

ision Date 08/20/2002	Print Date 11/5/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 Not applicable. Not applicable. Not applicable. Carbon dioxide blanket, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET



Black Version Number 1.0 Page 3 of 7 Print Date 11/5/2011 Revision Date 08/20/2002 Keep containers dry and tightly closed to avoid moisture absorption Storage : and contamination. Store in a cool dry place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection Under normal handling conditions a respirator may not be required. : **Eye/Face Protection** Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection Long sleeved clothing. : Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. : Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Carbon black 3.5 mg/m3 Time Weighted Average Total dust. as carbon ACGIH (TWA): black PEL: Total dust. as carbon OSHA Z1 Carbon black 3.5 mg/m3 black Iron oxide Time Weighted Average ACGIH 5 mg/m3Dust and fume. as Fe (TWA): Titanium dioxide 10 mg/m3 Time Weighted Average Total dust. ACGIH (TWA): Titanium dioxide 15 mg/m3 PEL: Total dust. OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility

: Not applicable : Immiscible

: Not applicable

Viscous, Liquid

: Liquid

BLACK

: Very faint

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pН

Not determined : Not determined Not applicable. : : Not determined : Not determined : Not applicable.

:

10. STABILITY AND REACTIVITY

Stability

: Stable.



MATERIAL SAFETY DATA SHEET

Black

Version Number 1.0 Revision Date 08/20/2002		Page 4 of 7 Print Date <i>11/5/2011</i>
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:



MATERIAL SAFETY DATA SHEET

Black

Version Number 1.0	Page 5 of 7
Revision Date 08/20/2002	Print Date 11/5/2011

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

s not bioaccumulate data available. SPOSAL CONSIDERATIONS ere possible, recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations. ycling is preferred when possible. The generator of waste materia
data available. SPOSAL CONSIDERATIONS ere possible, recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations. ycling is preferred when possible. The generator of waste materia
data available. SPOSAL CONSIDERATIONS ere possible, recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations. ycling is preferred when possible. The generator of waste materia
SPOSAL CONSIDERATIONS ere possible, recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations. ycling is preferred when possible. The generator of waste materia
ere possible, recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations. ycling is preferred when possible. The generator of waste materia
sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations. ycling is preferred when possible. The generator of waste materia
the responsibility for proper waste classification, transportation disposal in accordance with applicable federal, state/provincial local regulations.
RANSPORT INFORMATION
regulated for transportation.
regulated for transportation.
regulated for transportation.
GULATORY INFORMATION
sified as hazardous based on components.



MATERIAL SAFETY DATA SHEET

Black

Version Number 1.0 Revision Date 08/20/2002 Page 6 of 7 Print Date 11/5/2011

	exempt.				
US. EPA CERCLA Hazardous Substances (40 CFR 302)					
Not applicable					
California Proposition : 65	This product does	not contain a subst	ance listed by California Prop 65.		
SARA Title III Section 313 Toxic	Chemicals:				
Chemical Name		CAS-No.	Weight %		
ZINC COMPOUNI	DS	68187-51-9	03.39		
Canadian Regulations:					
WHMIS Classification :	D2A				
WHMIS Ingredient Disclos	ure List				
CAS-No. 1333-86-4 1309-37-1					
DSL :	Listed.				
National Inventories:					
Australia AICS :	Listed.				
China IECS :	Listed.				
Europe EINECS :	Not determined.				
Japan ENCS :	Not determined.				
Korea KECI :	Listed.				
Philippines PICCS :	Listed.				
	16. OTHER INF	FORMATION			
	6/7				



MATERIAL SAFETY DATA SHEET

Black

Version Number 1.0 Revision Date 08/20/2002 Page 7 of 7 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.