

MATERIAL SAFETY DATA SHEET

055PU1309 PURPLE EVA CC LSoH (AKA 055PU8

Version Number 1.0 Revision Date 08/20/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY : TELEPHONE		Product Stewardship (770) 271-5902	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	055PU1309 PURPLE EVA CC LSoH (AKA 055PU8	
Product code	:	CC10021992	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET

055PU1309 PURPLE EVA CC LSoH (AKA 055PU8

Version Number 1.0 Revision Date 08/20/2002 Page 2 of 6 Print Date 11/5/2011

		4. FIRST AID MEASURES		
Inhalation		Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.		
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.		
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None		
	6. A	CCIDENTAL RELEASE MEASURES		
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
		7. HANDLING AND STORAGE		
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

055PU1309 PURPLE EVA CC LSoH (AKA 055PU8

Version Number 1.0 Revision Date 08/20/2002 Page 3 of 6 Print Date 11/5/2011

8. F	XPOSURE	CONTROLS / PERSON	AL PROTECTION		
0.1	2AI OSUKE	CONTROLS7TERSON	ALTROTECTION		
Respiratory protection	: N	No personal respiratory protective equipment normally required.			
Eye/Face Protection	: S	Safety glasses with side-shields.			
Hand protection	: P	Protective gloves.			
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		landle in accordance with g Vash hands before breaks a			oractice
Engineering measures		leat only in areas with appr ppropriate exhaust ventilat		ation. Provi	de
Exposure limit(s)					
Components	Value	Exposure time	Exposure typ	be I	List:
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):			CGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OS	HA Z1
	9. PHYSIO	CAL AND CHEMICAL I	PROPERTIES		
Form	: Solic : Pelle		aporation rate :	Not applic Not deterr	
Appearance Color	: PUR		ecific Gravity : lk density :	Not deter	
Odor					
			por pressure	Not applic	
Melting point/range			por density	Not applic	
Boiling Point:			[:	Not applic	cable
XX7 / 1 1 '1'/	: Insol	luble			
Water solubility	10. \$	STABILITY AND REAC	TIVITY		
Water solubility					
Water solubility Stability	: S	table.			
		table. Vill not occur.			
Stability	n : V : K			. To avoid th	hermal



MATERIAL SAFETY DATA SHEET

055PU1309 PURPLE EVA CC LSoH (AKA 055PU8

Version Number 1.0 Revision Date 08/20/2002 Page 4 of 6 Print Date 11/5/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degrada	bility : Not readily b	iodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice : No data available.						
	13. DISPOSAL	CONSIDERATIONS	}			
Product Contaminated packagin	possible, recy generator of v classification applicable fee	veling is preferred to dis waste material has the r , transportation and dis deral, state/provincial a	-			
	has the respon- and disposal i	: Recycling is preferred when possible. The generator of waste mate has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincia and local regulations.				
	14. TRANSPO	RT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regulated	for transportation.				
ICAO/IATA	: Not regulated	for transportation.				
IMO / IMDG	: Not regulated	for transportation.				
		DRY INFORMATION	·			



MATERIAL SAFETY DATA SHEET

055PU1309 PURPLE EVA CC LSoH (AKA 055PU8

Version Number 1.0 Revision Date 08/20/2002		Page 5 of 6 Print Date 11/5/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

055PU1309 PURPLE EVA CC LSoH (AKA 055PU8

Version Number 1.0 Revision Date 08/20/2002 Page 6 of 6 Print Date 11/5/2011