

MATERIAL SAFETY DATA SHEET

PG 22049 BU PP

Version Number 1.0 Revision Date 08/27/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 22049 BU PP
Product code	:	CC10022049
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET

PG 22049 BU PP

ion Number 1.0 sion Date 08/27/2002	Page 2 Print Date 11/5/2
	4. FIRST AID MEASURES
	4. FIK51 AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PG 22049 BU PP

	sion Number 1.0 Page sion Date 08/27/2002 Print Date 11				
and contamination. Keep in a dry, cool place.					
8. E	XPOSURE	CONTROLS / PERS	ONAL	PROTECTION	
Respiratory protection	: No personal respiratory protective equipment normally required				required.
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		leat only in areas with ppropriate exhaust ven		iate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Ave (TWA):	erage	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.	OSHA ZI
	9. PHYSIC	CAL AND CHEMICA	AL PRO	PERTIES	
	· Solid	1	Evener	No	t annliaghla
Form	: Solid : Pelle				t applicable. t determined
Appearance	: Pelle : BLU				
Color Odor			Bulk de	•	t established
	: Very	determined			t applicable
Melting point/range			-		t applicable
Boiling Point:		applicable	pН	. 110	t applicable
Water solubility	: Insol	uble			
	10. 8	STABILITY AND RE	EACTIV	ТТҮ	
Stability	: S [*]	table.			
Hazardous Polymerization	ı : W	Vill not occur.			
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.					avoid thermal
	Incompatible Materials : Incompatible with strong acids and oxidizing agents.				



MATERIAL SAFETY DATA SHEET

PG 22049 BU PP

Version Number 1.0 Revision Date 08/27/2002 Page 4 of 6 Print Date 11/5/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No. 13463-67-7	Chemical Name Titanium dioxide	Effect Systemic effects	Target Organ Respiratory system.			
15405-07-7	Thamum dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	N			
Persistence and degrad	ability : Not readily b	biodegradable.				
Environmental Toxicit		 Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. 				
Bioaccumulation Poten						
Additional advice	: No data avai	: No data available.				
	13. DISPOSAI	CONSIDERATIONS	5			
Product Contaminated packagir	possible, rec generator of classification applicable fe ng : Recycling is has the respo and disposal	has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial				
	and local reg	gulations.				
	14. TRANSPO	ORT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regulated	d for transportation.				
ICAO/IATA : Not reg		d for transportation.				
IMO / IMDG	: Not regulated	d for transportation.				
	15. REGULAT	ORY INFORMATIO	N			

MATERIAL SAFETY DATA SHEET



PG 22049 BU PP

Version Number 1.0 Revision Date 08/27/2002		Page 5 of 6 Print Date <i>11/5/2011</i>
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Not determined.
		16. OTHER INFORMATION

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

PG 22049 BU PP

Version Number 1.0 Revision Date 08/27/2002



Page 6 of 6 Print Date 11/5/2011