

MATERIAL SAFETY DATA SHEET SHAKA SHAKA # 12 V2

Version Number 1.1 Revision Date 02/03/2004

Page 1 of 6 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SHAKA SHAKA # 12 V2
Product code	:	CC10022153
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET SHAKA SHAKA # 12 V2

Version Number 1.1 Revision Date 02/03/2004 Page 2 of 6 Print Date 11/13/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature	 Not applicable Not applicable Not applicable
Suitable extinguishing media Special Fire Fighting Procedures	 Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET SHAKA SHAKA # 12 V2

Version Number 1.1 Revision Date 02/03/2004 Page 3 of 6 Print Date 11/13/2011

Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally required. Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures Handle in accordance with good industrial hygiene and safety practice. General Hygiene : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average	Dust and fume. as Fe	ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES	

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets BROWN Very faint Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	 Not applicable Not determined Not established Not applicable Not applicable Not applicable
	10. STABILITY AN	D REACTIVITY	
Stability Hazardous Polymerization Conditions to avoid	Stable.Will not occur.Keep away from of	oxidizing agents and open fl	ame. To avoid thermal





MATERIAL SAFETY DATA SHEET SHAKA SHAKA # 12 V2

Version Number 1.1 Revision Date 02/03/2004 Page 4 of 6 Print Date 11/13/2011

		decomposition, do not overheat.			
Incompatible Materials : Incompatible v			ith strong acids and o	xidizing agents.	
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
11. TOXICOLOGICAL INFORMATION					
This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. <u>Toxicity Overview</u>					
This product contains the	he following	g components white	ch in their pure form	have the following characteristics:	
CAS-No.		nical Name	Effect	Target Organ	
1309-37-1	Iron oxide		Systemic effects	Respiratory system.	
13463-67-7	Titanium d	lioxide	Systemic effects	Respiratory system.	
12. ECOLOGICAL INFORMATION Persistence and degradability : Not readily biodegradable. Environmental Toxicity : Chemicals are not readily available as they are bound within the matrix of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the matrix of the polymer. Additional advice : No data available				s they are bound within the matrix	
	1	5. DISPUSAL C	<u>UNSIDEKA HUNS</u>		
13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					

14. TRANSPORT INFORMATION

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.

R	olyOne	

MATERIAL SAFETY DATA SHEET SHAKA SHAKA # 12 V2

Version Number 1.1 Revision Date 02/03/2004 Page 5 of 6 Print Date 11/13/2011

	15. REGULA	TORY INFORMATION	
US Regulations:			
OSHA Status	· Classified	as hazardous based on compo	nents
		_	
TSCA Status	: All compo Inventory.	onents of this product are listed	on or exempt from the TSC
US. EPA CERCLA Hazardo	ous Substances (40	CFR 302)	
Not applicable			
California Propositio 65	on : This produ	act does not contain a substance	e listed by California Prop 65
SARA Title III Section 302	Extremely Hazardo	ous Substance	
Not applicable			
SARA Title III Section 313	Toxic Chemicals:		
SARA Title III Section 313	Toxic Chemicals:	CAGN	W. 1. 0/
SARA Title III Section 313 Chemical Name ZINC COMPOUNE		CAS-No. 68187-51-9	Weight % 8.37
Chemical Name ZINC COMPOUND	DS	68187-51-9	
Chemical Name ZINC COMPOUNE Canadian Regulations: National Pollutant Re	DS elease Inventory (N	68187-51-9	
Chemical Name ZINC COMPOUNE Canadian Regulations: National Pollutant Re WHMIS Classificati	DS elease Inventory (N on : D2B	68187-51-9	
Chemical Name ZINC COMPOUNE Canadian Regulations: National Pollutant Ro WHMIS Classificati WHMIS Ingredient I	DS elease Inventory (N on : D2B	68187-51-9	
Chemical Name ZINC COMPOUNE Canadian Regulations: National Pollutant Re WHMIS Classificati	DS elease Inventory (N on : D2B	68187-51-9	
Chemical Name ZINC COMPOUNE Canadian Regulations: National Pollutant Ro WHMIS Classificati WHMIS Ingredient I CAS-No.	DS elease Inventory (N on : D2B Disclosure List 	68187-51-9	8.37
Chemical Name ZINC COMPOUNE Canadian Regulations: National Pollutant Re WHMIS Classificati WHMIS Ingredient I CAS-No. 1309-37-1	DS elease Inventory (N on : D2B Disclosure List 	68187-51-9 PRI) onents of this product are on th	8.37



MATERIAL SAFETY DATA SHEET SHAKA SHAKA # 12 V2

Version Number 1.1 Revision Date 02/03/2004 Page 6 of 6 Print Date *11/13/2011*

:	Listed
:	Listed
:	Not determined
:	Listed
:	Listed
	:

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.