

MATERIAL SAFETY DATA SHEET

GREEN E-638

Version Number 1.1 Revision Date 08/28/2002 Page 1 of 6 Print Date 11/5/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN E-638
Product code	:	CC10022160
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET

GREEN E-638

sion Date 08/28/2002	Print Date 11/5/		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. 		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

GREEN E-638

Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Va Titanium dioxide 10 n Titanium dioxide 15 n	DSURE : N : S : P : L : S : S : H V	afety glasses with s rotective gloves. ong sleeved clothin afety shoes. Handle in accordance	ERSONAL F ory protectiv side-shields. ng.		required.		
Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Va Titanium dioxide 10 n Titanium dioxide 15 n	: N : S : P : L : S : S	To personal respirat afety glasses with s protective gloves. Long sleeved clothin afety shoes. Handle in accordance	ory protectiv side-shields. ng. e with good		required.		
Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Va Titanium dioxide 10 n Titanium dioxide 15 n	: S : P : L : S : F V	afety glasses with s rotective gloves. ong sleeved clothin afety shoes. Handle in accordance	side-shields. ng. e with good	e equipment normally	required.		
Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Va Titanium dioxide 10 n Titanium dioxide 15 n	: P : L : S : H V	Protective gloves. Long sleeved clothin afety shoes. Handle in accordance	ng. ee with good i				
Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Va Titanium dioxide 10 n Titanium dioxide 15 n	: L : S : H V	ong sleeved clothin afety shoes. Iandle in accordance	e with good				
Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Va Titanium dioxide 10 n Titanium dioxide 15 n	: S : H V	afety shoes. Iandle in accordance	e with good				
Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components Va Titanium dioxide 10 n Titanium dioxide 15 n	: H V	Iandle in accordance					
Considerations Engineering measures Exposure limit(s) Components Va Titanium dioxide 10 n Titanium dioxide 15 n	V				Safety shoes.		
Exposure limit(s) Components Va Titanium dioxide 10 n Titanium dioxide 15 n			: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
ComponentsVaTitanium dioxide10 nTitanium dioxide15 n	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Titanium dioxide10 nTitanium dioxide15 n							
Titanium dioxide 15 n	alue	Exposure t	ime	Exposure type	List:		
	mg/m3	Time Weighted (TWA)	-	Total dust.	ACGIH		
	mg/m3	PEL:		Total dust.	OSHA Z1		
9. P	PHYSI	CAL AND CHEM	ICAL PRO	PERTIES			
Form	: Solic	1	Evapora	ation rate : Not	t applicable.		
Appearance	: Pelle	ets	Specific	Gravity : Not	t determined		
Color	: GREEN		Bulk de	nsity : Not	t established		
Odor	: Very	/ faint	Vapor p	pressure : Not	t applicable		
Melting point/range	: Not	determined	Vapor d	lensity : Not	t applicable		
Boiling Point:	: Not applicable pH : Not applicable			t applicable			
Water solubility	: Insol	luble					
10. STABILITY AND REACTIVITY							
Stability	. c	table.					
Hazardous Polymerization							
Conditions to avoid		Vill not occur.					
Incompatible Materials	: V : K		00	s and open flame. To a	avoid thermal		



MATERIAL SAFETY DATA SHEET

GREEN E-638

Version Number 1.1 Revision Date 08/28/2002 Page 4 of 6 Print Date 11/5/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	N			
Persistence and degrada			·			
Environmental Toxicity		 Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. 				
Bioaccumulation Poten						
Additional advice	: No data avail	: No data available.				
	13. DISPOSAL	CONSIDERATIONS	5			
Product Contaminated packagin	g : Recycling is phase the response of the res	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 				
	14. TRANSPO	RT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regulated	for transportation.				
ICAO/IATA	: Not regulated	for transportation.				
IMO / IMDG	: Not regulated	for transportation.				
	15 RECHLATO	DRY INFORMATIO	N			

MATERIAL SAFETY DATA SHEET



GREEN E-638

Version Number 1.1 Revision Date 08/28/2002		Page 5 of 6 Print Date 11/5/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.
		16 OTHER INFORMATION

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

GREEN E-638

Version Number 1.1 Revision Date 08/28/2002



Page 6 of 6 Print Date 11/5/2011