

MATERIAL SAFETY DATA SHEET

## FLAMENCO ORANGE (SKIN) 2

Version Number 1.0 Revision Date 08/26/2002 Page 1 of 6 Print Date 11/5/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FLAMENCO ORANGE (SKIN) 2
Product code	:	CC10022207
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5
Titanium dioxide	13463-67-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# FLAMENCO ORANGE (SKIN) 2

Version Number 1.0 Revision Date 08/26/2002 Page 2 of 6 Print Date 11/5/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	:::::::::::::::::::::::::::::::::::::::	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	:	contaminants. None
	6. A(	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

# FLAMENCO ORANGE (SKIN) 2

Version Number 1.0 Revision Date 08/26/2002 Page 3 of 6 Print Date 11/5/2011

	a	nd contamination. Keep in a d	ry, cool place.			
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: Sa	afety shoes.				
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a				
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		ation. Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure typ	e List:		
Mica	3 mg/m3	Time Weighted Average	Total dust.	ACGIH		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	U	• •				
Mica		(TWA): PEL:	Total dust.	OSHA		
	20 mppcf 10 mg/m3	(TWA): PEL: Time Weighted Average		OSHA ACGIH		
Mica	20 mppcf	(TWA): PEL:	Total dust.			
Mica Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3	(TWA): PEL: Time Weighted Average (TWA):	Total dust. Total dust. Total dust.	ACGIH		
Mica Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Total dust. Total dust.	ACGIH OSHA Z1		
Mica Titanium dioxide Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Total dust. Total dust. DPERTIES ration rate :	ACGIH OSHA Z1 Not applicable.		
Mica Titanium dioxide Titanium dioxide Form Appearance	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specifi	Total dust.         Total dust.         Total dust.         DPERTIES         ration rate       :         ic Gravity       :	ACGIH OSHA Z1 Not applicable. Not determined		
Mica Titanium dioxide Titanium dioxide Form Appearance Color	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specif NGE Bulk d	Total dust.         Total dust.         Total dust.         OPERTIES         ration rate       :         ic Gravity       :         ensity       :	ACGIH OSHA Z1 Not applicable. Not determined Not established		
Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very	(TWA): PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specif NGE Bulk d faint Vapor	Total dust.         Total dust.         Total dust.         OPERTIES         ration rate       :         ic Gravity       :         lensity       :         pressure       :	ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable		
Mica Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not c	(TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapo ts         Specif         NGE       Bulk d faint         Vapor         determined       Vapor	Total dust.         Total dust.         Total dust.         OPERTIES         ration rate       :         ic Gravity       :         ensity       :	ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable Not applicable		
Mica Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not c : Not a	(TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapo ts         Specification         NGE       Bulk de faint         Vapor         determined       Vapor         applicable       pH	Total dust.         Total dust.         Total dust.         OPERTIES         ration rate       :         ic Gravity       :         lensity       :         pressure       :	ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable		
Mica Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not c	(TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapo ts         Specification         NGE       Bulk de faint         Vapor         determined       Vapor         applicable       pH	Total dust.         Total dust.         Total dust.         OPERTIES         ration rate       :         ic Gravity       :         lensity       :         pressure       :	ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable Not applicable		
Mica Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not c : Not a : Insol	(TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapo ts         Specification         NGE       Bulk de faint         Vapor         determined       Vapor         applicable       pH	Total dust.         Total dust.         Total dust.         DPERTIES         ration rate       :         ic Gravity       :         lensity       :         density       :         :       :	ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable Not applicable		
Mica Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not c : Not a : Insol	(TWA):         PEL:         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapo         ts       Specif         NGE       Bulk d         faint       Vapor         applicable       pH         uble       Uble	Total dust.         Total dust.         Total dust.         DPERTIES         ration rate       :         ic Gravity       :         lensity       :         density       :         :       :	ACGIH OSHA Z1 Not applicable. Not determined Not established Not applicable Not applicable		

decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

# FLAMENCO ORANGE (SKIN) 2

Version Number 1.0 Revision Date 08/26/2002 Page 4 of 6 Print Date 11/5/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	<ul> <li>Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation</li> </ul>
	and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT / CA TDG Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
	4/6



## MATERIAL SAFETY DATA SHEET

# FLAMENCO ORANGE (SKIN) 2

Version Number 1.0 Revision Date 08/26/2002 Page 5 of 6 Print Date 11/5/2011

IMO / IMDG	:	Not regulated for transportation.		
15. REGULATORY INFORMATION				
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.		
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
Canadian Regulations: WHMIS Classification	:	D2B		
WHMIS Ingredient Disc		ıre List		
CAS-No. 12001-26-2				
DSL	:	Listed.		
National Inventories:				
Australia AICS	:	Not determined.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Not determined.		
Philippines PICCS	:	Listed.		
		16. OTHER INFORMATION		



MATERIAL SAFETY DATA SHEET

## FLAMENCO ORANGE (SKIN) 2

Version Number 1.0 Revision Date 08/26/2002 Page 6 of 6 Print Date 11/5/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.