

## MATERIAL SAFETY DATA SHEET

## **RED 197U**

Version Number 1.0 Revision Date 08/30/2002 Page 1 of 5 Print Date 11/6/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED 197U
Product code	:	CC10022376
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	60 - 100

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

# RED 197U

sion Date 08/30/2002	Print Date 11/6/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases o doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>none</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	<ul> <li>Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.</li> </ul>
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

## MATERIAL SAFETY DATA SHEET



# **RED 197U**

sion Date 08/30/2002				Print	Page 3 Date 11/6/
	aı	nd contamination. H	Keep in a di	ry, cool place.	
8. E	XPOSURE	CONTROLS / PE	RSONAL	PROTECTION	
Respiratory protection				ve equipment normally ropriate respiratory pro	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: L	ong sleeved clothin	g.		
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		leat only in areas wi ppropriate exhaust v		ate exhaust ventilation. t machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure ti	me	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted A (TWA):	Average	Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.	OSHA Z
	9. PHYSIC	CAL AND CHEMI	ICAL PRO	PERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: RED : Very : Not o	l der, granular faint determined applicable	Specifi Bulk de Vapor	c Gravity : Not ensity : Not pressure : Not density : Not	applicable. applicable. determined applicable applicable applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: powc : RED : Very : Not c : Not a : Insol	l der, granular faint determined applicable	Specifi Bulk de Vapor j Vapor o pH	c Gravity : Not ensity : Not pressure : Not density : Not : Not	t applicable. t determined t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point:	: powc : RED : Very : Not c : Not a : Insol	l der, granular faint determined applicable uble	Specifi Bulk de Vapor j Vapor o pH	c Gravity : Not ensity : Not pressure : Not density : Not : Not	t applicable. t determined t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: powc : RED : Very : Not c : Not a : Insol <b>10. S</b> : St	l der, granular faint determined applicable uble STABILITY AND	Specifi Bulk de Vapor j Vapor o pH	c Gravity : Not ensity : Not pressure : Not density : Not : Not	t applicable. t determined t applicable t applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: powc : RED : Very : Not c : Not a : Insol 10. S : S n : W : T	der, granular faint determined applicable uble <b>STABILITY AND</b> table.	Specifi Bulk de Vapor p Vapor o pH <b>REACTIV</b>	c Gravity : Not ensity : Not pressure : Not density : Not : Not ITY	t applicable. t determined applicable t applicable t applicable



## MATERIAL SAFETY DATA SHEET

# **RED 197U**

sion Date 08/30/2002			Print Date 11/6/2			
Hazardous decomposition products			oxide (CO), oxides of nitrogen ad smoke are all possible.			
	11. TOXICOLO	GICAL INFORMATIO	DN			
	en evaluated as a whole f idual components which		are effects listed are based on ex-			
<u>Toxicity Overview</u> This product contains th	e following components	which in their pure form	have the following characteristic			
CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOG	ICAL INFORMATION	I			
Demistere en datemade						
Persistence and degrada	bility : Not readily	biodegradable.				
Environmental Toxicity	: Adverse eco	ological impact is not kno	wn or expected under normal us			
Bioaccumulation Potent	ial : Not inheren	: Not inherently biodegradable.				
Additional advice	: No data ava	: No data available.				
	13. DISPOSA	L CONSIDERATIONS				
Product	generator of classification	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging	has the resp and disposa	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSP	ORT INFORMATION				
U.S. DOT / CA TDG Classification	: Not regulate	ed for transportation.				
ICAO/IATA	: Not regulate	ed for transportation.				
IMO / IMDG	: Not regulate	ed for transportation.				
	15. REGULAT	FORY INFORMATION	J			
US Regulations:						



## MATERIAL SAFETY DATA SHEET

RED 197U		
Version Number 1.0 Revision Date 08/30/2002		Page 5 of 5 Print Date 11/6/2011
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	Listed.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Listed.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.