

### MATERIAL SAFETY DATA SHEET

# PINK

Version Number 1.0 Revision Date 08/31/2002 Page 1 of 5 Print Date 11/6/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PINK
Product code	:	CC10022382
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	60 - 100

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET

# PINK

sion Date 08/31/2002	Print Date 11/6/2
	4. FIRST AID MEASURES
	4. FIKST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist, or in all cases of doubt, seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist, or in all cases of doubt, seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
-	
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: none
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



## MATERIAL SAFETY DATA SHEET

# PINK

	aı	nd contamination. Ke	ep in a d	ry, cool place.	
8. E	XPOSURE	CONTROLS / PER	SONAL	PROTECTION	
Respiratory protection				ve equipment normally ropriate respiratory pro	
Eye/Face Protection	: S	afety glasses with side	e-shields.		
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	e	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Av (TWA):		Total dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMIC	AL PRO	PERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: PINK : Very : Not c	wder, granularSpecifNKBulk dery faintVaporot determinedVaporot applicablepH		c Gravity : No ensity : No pressure : No density : No	t applicable. t applicable. t determined t applicable t applicable t applicable
	<b>10.</b> S	STABILITY AND R	EACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	n : W	Vill not occur.			
Conditions to avoid		o avoid thermal decon xidizing agents and op	-	a, do not overheat. Kee c.	p away from



# MATERIAL SAFETY DATA SHEET

# PINK

Hazardous decompositio products			oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11. TOXICOLOG	GICAL INFORMATION	ON	
health data for the indivi Toxicity Overview	dual components which co	omprise the mixture.	ure effects listed are based on exis	
CAS-No.	Chemical Name	Effect	Target Organ	
	Titanium dioxide	Systemic effects	Respiratory system.	
		CAL INFORMATION	J	
			N	
Persistence and degradal	oility : Not readily b	iodegradable.		
Environmental Toxicity	: Adverse ecol	Adverse ecological impact is not known or expected under normal use.		
Bioaccumulation Potenti	al : Not inherentl	y biodegradable.		
Additional advice	: No data avail	able.		
	13. DISPOSAL	CONSIDERATIONS	5	
Product	generator of classification	waste material has the r	ed to disposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations.	
Contaminated packaging	has the respo and disposal	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPO	<b>RT INFORMATION</b>		
U.S. DOT / CA TDG Classification	: Not regulated	l for transportation.		
ICAO/IATA	: Not regulated	l for transportation.		
IMO / IMDG	: Not regulated	l for transportation.		
	15. REGULATO	ORY INFORMATION	N	



### MATERIAL SAFETY DATA SHEET

# PINK

Version Number 1.0Page 5 ofRevision Date 08/31/2002Print Date 11/6/20						
OSHA Status	:	Classified as hazardous based on components.				
TSCA Status	:	All components of this product are listed on the TSCA inventory or are exempt.				
US. EPA CERCLA Hazardous S	US. EPA CERCLA Hazardous Substances (40 CFR 302)					
Not applicable						
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.				
Canadian Regulations:						
WHMIS Classification	:	D2B				
DSL	:	Listed.				
National Inventories:						
Australia AICS	:	Listed.				
China IECS	:	Listed.				
Europe EINECS	:	Listed.				
Japan ENCS	:	Listed.				
Korea KECI	:	Listed.				
Philippines PICCS	:	Listed.				
	16. OTHER INFORMATION					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.